





# Elevate windows to new heights.

Dress your windows with sophisticated drapery hardware full of personality and functionality. Our lineup of diverse styles, materials, finishes and sizes affords you the luxury to create distinctive windows in all settings.


Beyond aesthetics, Brimar remains mindful of performance by offering drapery motorization, baton and corddrawn traverse systems, and custom pole bending services for residential and commercial spaces.



Page	Collection	Pole Diameter	Pole Material	Max Pole Length	Draw Method	Add-On Options
CONTEMPORARY						
7	CUBE	1 ½" square	Acrylic	8′	Standard or Bypass Rings	Rod Bending
11	INNOVA	1½" square	Metal	16′	Traverse Glides	Corded System, Rod Bending, Ripplefold, Motorization
15	PARK AVENUE	1 1/4"	Metal	16′	Traverse Glides	Corded System, Rod Bending, Ripplefold
19	AFFINITY	1 ½"	Metal	16′	Traverse Glides	Corded System, Rod Bending, Ripplefold, Motorization
22	CS TRACKS	3/4"	Metal	16′	Traverse Glides	Corded System, Track Bending, Ripplefold
25	MANHATTAN	1 ½" x 3/8"	Metal	196.85"	Bypass Rings	Rod Bending
29	PLATFORMS	1 7/8" x <sup>3</sup> /4"	Wood	8'	Bypass Rings or Traverse Glides	Motorization, Decorative Fascias
33	ICE	1 1/8"	Acrylic or Metal	8' or 94 ½"	Standard or Bypass Rings	Rod Bending
37	TUXEDO	1 1/8"	Metal	94 ½"	Standard or Bypass Rings	Rod Bending
40	FIFTH AVENUE	1 1/4"	Metal	10'	Rings	Rod Bending
CLASSIC						
45	VERSAILLES	2"	Wood	8'	Rings	
48	ENGLISH MANOR	2"	Wood	8′	Rings	
50	CHALET	3/4"	Metal or Wood	8′	Rings	Rod Bending
53	SIGNATURE METAL	1 ½"	Metal	10'	Rings or Traverse Glides	Corded System, Rod Bending
55	METRO	½",1",1½"	Metal	8′	Rings	
56	CUSTOM ROD BENDING		Metal or Acrylic			
57	GENERAL INFO					

5





ENDCAP DCU01 1½"L x 1½"H x 1½"D





1 1/2" SQUARE ACRYLIC POLE
2' Length DCU19/ACR
4' Length DCU20/ACR
8' Length DCU21/ACR

## POLE CUT OPTIONS

Pole lengths are cut to order.

STRAIGHT CUT DP900


MITRE CUT DP901

#### **CUSTOM BENDING OPTIONS**


BOW DP910DIN

BAY DP920DIN FRENCH RETURN DP930DCU

Bends are customized to your specifications. Please provide a template and allow for longer lead times. Items are non-returnable.







METAL SQUARE RING DCU30 METAL SQUARE C-RING DCU31 Rectangular rings are artful and draw the eye upward while drawing drapes effortlessly.

#### FINISHES Complimentary finish samples available upon request.



BLACK ONYX ONX



BRUSHED GOLD BGO



BRUSHED NICKEL BNK



POLISHED NICKEL PNK



SATIN GOLD SGO






# Translucent poles create style without visual weight.


- accessories.
- | MODERATION | MOD

- $\hspace{1.5cm} \boxtimes \hspace{1.5cm} \boxtimes \hspace{1.5cm}$ support.
  - Bracket conceals undesirable seams.
- every 2 feet to prevent bowing.

Poles ship via FedEx or UPS.




SINGLE BRACKET DCU40




**EXTENDED SINGLE BRACKET** DCU41



INSIDE MOUNT DCU43





**CEILING BRACKET** DCU42

#### DOUBLE BRACKET SYSTEM COMPONENTS

DCU45



METAL SECONDARY RAIL DMX25/SNI 4' Length 9/16"Height x 7/16"Depth METAL SECONDARY RAIL DMX26/SNI 8' Length 9/16" Height x 7/16" Depth

RAIL ENDCAP DMX51/STL Attaches to secondary rail RAIL ADAPTER DCU51/SNI Attaches to bracket DCU41 or DCU45



METAL RAIL RUNNER DMX35/STL Fits Secondary Rail



CHOOSE BYPASS BRACKET OR EXTENDED SINGLE BRACKET







GLASS FINIAL DIN3403 "L x 1½"H



END CAP DIN3400 1"L x 11/2"H

## Our most versatile collection!

Innova is a 1 ½" square rod collection benefitting every scenario for visual appeal and operation. It lends itself to contemporary or traditional drapery treatments. Innova is so versatile, it can be motorized, cord drawn or hand drawn. The styling combines glass and modern metal components to create clean lines that drive the minimal hardware trend. As a bending expert, Brimar can custom bend durable metal Innova poles to your exact specifications. If length is a concern, 16-foot poles are available for an extra long span of windows.

Necessary item to create pleated draperies

Necessary item to create ripplefold draperies

#### POLES CAN BE HAND DRAWN, CORD DRAWN OR MOTORIZED



HAND DRAWN POLE DIN4004 4' Length

HAND DRAWN POLE DIN4008 8' Length HAND DRAWN POLE DIN4012

12' Length HAND DRAWN POLE DIN4016 16' Length

SPLICE CONNECTOR (Internal) DIN7000 SPLICE COVER (External) DIN4110



#### CORD DRAWN OPTION

To order, select traverse pole item #, then add corded item # below.

Poles are preassembled for: Pleated drapes (one-way draw) DIN901KIT Pleated drapes (center draw) DIN902KIT Ripplefold drapes (one-way draw) DIN903KIT Ripplefold drapes (center draw) DIN904KIT

Standard cord drop length is 96." Custom lengths available. Please specify cord length and side of cord drop when ordering.

We cannot custom bend corded poles requiring severe bend angles. Please inquire.



Motorization systems come preassembled with a pole, Brimar's MOTRZ motor, endstops, 6-channel remote and powercord. Additional parts and fees apply to integrate with home automation systems.

6' MOTORIZED SYSTEM DINM06 8' MOTORIZED SYSTEM DINM08 10' MOTORIZED SYSTEM DINM10 12' MOTORIZED SYSTEM DINM12 16' MOTORIZED SYSTEM DINM16

Motorized poles can be custom bent. Angle limitations apply. Please inquire. Please specify the following when ordering:

#### BATON OR CORDED SYSTEM

- ☐ Finished pole length
- ☑ Cord Location: left or right
- ☑ Draw Direction: center, left or right
- ☑ Carrier Type: for pleated or ripplefold drapes
- ☑ Cord Drop Length (standard 96." Custom lengths available). Note: All cord-drawn systems include a tension pulley.

Maximum drapery weight for corded poles and CS tracks: 60 lbs.

#### MOTORIZED SYSTEM

- ☑ Draw Direction: center, left or right
- Carrier Type: for pleated or ripplefold draperies Note: Heavy fabric weight may require a heavy-duty motor or a tandem motor system. Brimar's standard motor is capable of handling up to 133 lbs.

#### POLE CUT OPTIONS

Pole lengths are cut to order.

STRAIGHT CUT DP900

MITRE CUT DP901

#### CUSTOM BENDING OPTIONS


BOW BAY DP920DIN

Bends are customized to your specifications. Please provide a template and allow for longer lead times. Custom items are non-returnable. Deposit required.

6" CLEAR ACRYLIC BATON DPA90 6/ACR

48" CLEAR ACRYLIC BATON DPA9048/ACR

FINISHES Complimentary finish samples available upon request.







OVERLAP MASTER CARRIER (Black) DPA2013/BK (White) DPA2013/WH



UNDERLAP MASTER CARRIER (Black) DPA2014/BK (White) DPA2014/WH



RIPPLEFOLD OVERLAP MASTER CARRIER (White) DPA2035/WH Use with Stiffener DPA2146/WH



RIPPLEFOLD UNDERLAP MASTER CARRIER (White) DPA2036/WH Use with Stiffener DPA2146/WH



LEFT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2046/WH



RIGHT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2045/WH

#### RIPPLEFOLD FULLNESS OPTIONS

Ripplefold snap carriers dictate the shape and spacing of your drapery folds. Snap carriers are double sided making them ideal for sheers and room dividers.



60% 1.6 times fullness



80% 1.8 times fullness




2 times fullness



120% 2.2 times fullness



BALL BEARING GLIDE (Black) DPA2250/BK (Gray) DPA2250/GR (White) DPA2250/WH





ENDSTOP (Black) DPA7540/BK (White) DPA7540/WH



RIPPLEFOLD ENDSTOP (Black) DPA7545/BK (White) DPA7545/WH



RIPPLEFOLD SNAP CARRIERS (Black) 25/8" on center for 60% fullness DPA2806/BK 23/8" on center for 80% fullness DPA2808/BK 21/8" on center for 100% fullness DPA2810/BK 17/8" on center for 120% fullness DPA2812/BK



RIPPLEFOLD SNAP CARRIERS (White)  $2^5$ /8" on center for 60% fullness DPA2806/WH  $2^3$ /8" on center for 80% fullness DPA2808/WH 2<sup>3</sup>/18" on center for 100% fullness DPA2810/WH 1<sup>7</sup>/8" on center for 120% fullness DPA2812/WH




RIPPLEFOLD SNAP TAPE (Black) DPA2945/BK (Clear) DPA2945/CLR (White) DPA2945/WH


Sold per yard. Snaps are 41/4" on center.

RIPPLEFOLD SNAP TAPE (Black) DPA2946/BK (Clear) DPA2946/CLR (White) DPA2946/WH

Sold per 100 yard roll. Snaps are 41/4" on center.



METAL SINGLE BRACKET DIN4300




METAL DOUBLE BRACKET DIN4400



METAL CEILING SUSPENSION BRACKET DPA7230 (shown on page 14) Specify suspension drop when ordering.

# INNOVA MOTORIZATION



Drapery motorization is popular with homeowners and becoming the standard for hotel rooms, meeting venues and conference spaces.

Let us meet your motorization needs with our Innova state-of-the-art MOTRZ Track System.

MOTRZ makes spaces stand out in terms of image and functionality.

MOTRZ provides a convenient solution for glare reduction and privacy while reducing energy costs and protecting furnishings from UV ray damage.

MOTRZ creates a positive user experience with superior performance, reliability and ease of operation.

MOTRZ extends the lifespan of draperies by eliminating the damage associated with manual operation.

Motorization systems come pre-assembled with a pole, Brimar's MOTRZ motor, endstops, 6-channel remote and powercord. Additional parts and fees apply to integrate with home automation systems.

#### MOTRZ



MOTORIZED SYSTEM DINM08 8' Length MOTORIZED SYSTEM DINM12 12' Length MOTORIZED SYSTEM DINM16 16' Length

HOW TO ORDER A MOTORIZED SYSTEM

Please specify:

☐ Finished pole length

□ Draw Direction: center, left or right

 $\ensuremath{\boxtimes}$  Carrier Type: for pleated or ripplefold draperies Note: Heavy fabric weight may require a heavy-duty motor

or a tandem motor system. Brimar's motor is capable of handling up to 133 lbs.

Call us and we'll guide you through the ordering process.

- ☑ MAXIMAM MANAGAM MAN
- and longer system width may require a heavy-duty motor or a tandem motor system.

Hardware orders under 10 feet long ship via FedEx or UPS.





URBAN FINIAL DPA1401 2"L x 2½"H x 1¼"D Fits Traverse Pole



COSMOPOLITAN FINIAL DPA1402 21/4"L x 21/4"H x 11/4"D Fits Traverse Pole



CARNEGIE FINIAL DPA1404 1/2"L x 21/2"H x 11/4"D Fits Traverse Pole



EMPIRE FINIAL DPA1405 21/4"L x 11/4"H x 11/4"D Fits Traverse Pole



CRYSTAL FINIAL DPA1406 2<sup>5/8</sup>"L x 2¾"H x 1¼"D Fits Traverse Pole



ENDCAP DPA1400 1½"L x 1¼"H Fits Traverse Pole

- ⊠ Choose from decorative poles or CS tracks in traverse or corded draw options. Corded system is preassembled. Please allow for longer lead times.
- MONIMATION CONTINUES CONTINUES
- One-way or center draw capability. For center draw treatments use an overlap or underlap master carrier to alleviate a gap between the panels to prevent light from coming through.

Poles under 108" ship UPS or FedEx. Poles over 108" ship via common carrier truck.

#### POLES & CS TRACKS CAN BE HAND DRAWN OR CORD DRAWN



METAL TRAVERSE POLE DPA7004
4' Length 11/4"Diameter
METAL TRAVERSE POLE DPA7008
8' Length 11/4"Diameter

METAL TRAVERSE POLE DPA7012 12' Length 11/4" Diameter

METAL TRAVERSE POLE DPA7016 16' Length 11/4" Diameter

SPLICE CONNECTOR (Internal) DPA7000 SPLICE COVER (External) DPA7100



METAL CS TRACK DPA1604 4' Length ¾"Square

> METAL CS TRACK DPA1608 8' Length 3/4"Square

METAL CS TRACK DPA1612 12' Length 34"Square

METAL CS TRACK DPA1616 16' Length 3/4" Square

CS TRACK ENDCAP (Black) DPA2345/BK CS TRACK ENDCAP (White) DPA2345/WH



CORD DRAWN OPTION To order, select traverse pole or CS track item #, then add corded item # below.

Poles are preassembled for:
Pleated drapes (one-way draw) DIN901KIT
Pleated drapes (center draw) DIN902KIT
Ripplefold drapes (one-way draw) DIN903KIT
Ripplefold drapes (center draw) DIN904KIT

Standard cord drop length is 96." Custom lengths available. Please specify cord length and side of cord drop when ordering.

Please specify the following when ordering a corded system:

- ☐ Finished pole length
- ☑ Cord Location: left or right☑ Draw Direction: center, left or right
- □ Carrier Type: for pleated or ripplefold drapes
- ☑ Cord Drop Length (standard 96." Custom lengths are available). Note: All corddrawn systems include a tension pulley.

Maximum drapery weight for corded poles & CS tracks: 60 lbs.

#### POLE CUT OPTIONS

Pole lengths are cut to order.

STRAIGHT CUT DP900

MITRE CUT DP901


## CUSTOM BENDING OPTIONS

COMPOUND BOW Pole DP940DPA Track DP940DPACS BOW Pole DP910DPA Track DP910DPACS 90° BAY Pole DP930DPA Track DP930DPACS BAY Pole DP920DPA Track DP920DPACS COMPOUND BAY Pole DP950DPA Track DP950DPACS


Bends are customized to your specifications. Please provide a template and allow for longer lead times.

Custom items are non-returnable. Deposit required.

#### TRAVERSE POLE FINISHES



#### - CS TRACK FINISHES



\*Finish may vary within collection



BALL BEARING GLIDE (Black) DPA2250/BK BALL BEARING GLIDE (Gray) DPA2250/GR BALL BEARING GLIDE (White) DPA2250/WH Weight limitation per glide: 21/2" lbs.



ENDSTOP (Black) DPA7540/BK ENDSTOP (White) DPA7540/WH



OVERLAP MASTER CARRIER (Black) DPA2013/BK OVERLAP MASTER CARRIER (White) DPA2013/WH



UNDERLAP MASTER CARRIER (Black) DPA2014/BK UNDERLAP MASTER CARRIER (White) DPA2014/WH



RIPPLEFOLD OVERLAP MASTER CARRIER (White) DPA2035/WH Use with Stiffener DPA2146/WH



RIPPLEFOLD UNDERLAP MASTER CARRIER (White) DPA2036/WH Use with Stiffener DPA2146/WH



LEFT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2046/WH



RIGHT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2045/WH

#### RIPPLEFOLD FULLNESS OPTIONS

Ripplefold snap carriers dictate the shape and spacing of your drapery folds. Snap carriers are double sided making them ideal for sheers and room dividers.



60% 1.6 times fullness



80% 1.8 times fullness



100% 2 times fullness





120% 2.2 times fullness





RIPPLEFOLD SNAP CARRIERS (Black) 25/8" on center for 60% fullness DPA2806/BK 2<sup>3</sup>/8" on center for 80% fullness DPA2808/BK 21/8" on center for 100% fullness DPA2810/BK 17/8" on center for 120% fullness DPA2812/BK



RIPPLEFOLD SNAP CARRIERS (White) 2<sup>5</sup>/8" on center for 60% fullness DPA2806/WH 23/8" on center for 80% fullness DPA2808/WH 21/8" on center for 100% fullness DPA2810/WH 1<sup>7</sup>/8" on center for 120% fullness DPA2812/WH



RIPPLEFOLD ENDSTOP (Black) DPA7545/BK RIPPLEFOLD ENDSTOP (White) DPA7545/WH



RIPPLEFOLD SNAP TAPE (Back) DPA2945/BK RIPPLEFOLD SNAP TAPE (Clear) DPA2945/CLR RIPPLEFOLD SNAP TAPE (White) DPA2945/WH Sold per yard. Snaps are 41/4" on center.

RIPPLEFOLD SNAP TAPE (Black) DPA2946/BK RIPPLEFOLD SNAP TAPE (Clear) DPA2946/CLR RIPPLEFOLD SNAP TAPE (White) DPA2946/WH Sold per 100 yard roll. Snaps are 41/4" on center.



6" CLEAR ACRYLIC BATON DPA90 6/ACR 48" CLEAR ACRYLIC BATON DPA9048/ACR



OVERLAP STIFFENER DPA2146/WH

Sew stiffener to drape. Connect master carrier and baton. Fits ripplefold master carriers DPA2035 and DPA2036 only.


#### BRACKETS FOR TRAVERSE POLES



METAL SINGLE BRACKET DPA7310 Fits Traverse Pole




METAL DOUBLE BRACKET DPA7311 Fits Traverse Poles



METAL DOUBLE BRACKET DPA7400

No window area is alike. Our versatile mounting options allow you to install window treatments your way.



METAL SINGLE BRACKET DPA7300



METAL ADJUSTABLE SINGLE BRACKET DPA7350\*




METAL ADJUSTABLE DOUBLE BRACKET DPA7450\*



METAL ADJUSTABLE DOUBLE BRACKET DPA7460\* Fits Traverse Pole in front and CS Track in back



METAL CEILING SUSPENSION BRACKET DPA7230 (shown on page 14) Specify suspension drop when ordering.



METAL FLUSH CEILING BRACKET DPA7250 Use with finials DPA1405 or DPA1400 only.



METAL CEILING BRACKET DPA7215 - Fits Traverse P ole




INSIDE MOUNT DPA1200

\* Not available in Steel finish


#### BRACKETS FOR CS TRACKS




METAL SINGLE BRACKET (Black) DPA4300/BK METAL SINGLE BRACKET (White) DPA4300/WH



METAL ADJUSTABLE BRACKET (Black) DPA4740/BK METAL ADJUSTABLE BRACKET (White) DPA4740/WH



CEILING BRACKET (Black) DPA3010/BK CEILING BRACKET (White) DPA3010/WH



CEILING SPLICE BRACKET (Black) DPA2410/BK CEILING SPLICE BRACKET (White) DPA2410/WH





CONNAUGHT FINIAL DAF210 1/4"L x 27/8"H x 11/2"D



BAILLIE FINIAL DAF211 3/4"L x 2 5/8"H x 11/2"D



DUNBAR FINIAL DAF212 2¾"L x 2"H x 1½"D



TRAFALGAR FINIAL DAF213 "L x 3/4"H x 11/2"D Plug DAF252 required to attach finial to pole.



GLASS GLOBE FINIAL DAF214 3/4" L x 25/8" H x 11/2" D



CRYSTAL FINIAL DAF215 3/4" L x 27/8" H x 11/2" D



ENDCAP DAF216 1"L x 1<sup>11</sup>/<sub>16</sub>"H x 1½"D

#### POLES CAN BE HAND DRAWN, CORD DRAWN OR MOTORIZED

#### HAND DRAWN OPTION



HAND DRAWN POLE DAF220
4' Length
HAND DRAWN POLE DAF221
8' Length
HAND DRAWN POLE DAF222
12' Length
HAND DRAWN POLE DAF223
16' Length

SPLICE CONNECTOR (Internal) DPA7000 SPLICE COVER (External) DAF251



CORD DRAWN OPTION

To order, select traverse pole item #, then add corded item # below.

Poles are preassembled for: Pleated drapes (one-way draw) DIN901KIT Pleated drapes (center draw) DIN902KIT Ripplefold drapes (one-way draw) DIN903KIT Ripplefold drapes (center draw) DIN904KIT

Standard cord drop length is 96." Custom lengths available. Please specify cord length and side of cord drop when ordering.

We cannot custom bend corded poles requiring severe bend angles. Please inquire.



MOTORIZATION OPTION

MOTORIZED SYSTEM DAFM08 8' Length MOTORIZED SYSTEM DAFM12 12' Length MOTORIZED SYSTEM DAFM16 16' Length Please specify the following when ordering:

BATON OR CORDED SYSTEM

Sinished pole length

☑ Cord Location: left or right
 ☑ Draw Direction: center, left or right
 ☑ Carrier Type: for pleated or ripplefold drapes

Cord Drop Length (standard 96." Custom lengths available). Note: All cord-drawn systems include a tension pulley.
 Maximum drapery weight for corded poles and CS tracks: 60 lbs.

#### POLE CUT OPTIONS

Pole lengths are cut to order.

STRAIGHT CUT DP900


MITRE CUT DP901

#### **CUSTOM BENDING OPTIONS**

COMPOUND BOW BOW 90° BAY BAY COMPOUND BAY DP940DAF DP950DAF DP950DAF

Bends are customized to your specifications. Please provide a template and allow for longer lead times. Custom items are non-returnable. Deposit required.

FINISHES Complimentary finish samples available upon request.





OVERLAP MASTER CARRIER (Black) DPA2013/BK (White) DPA2013/WH



UNDERLAP MASTER CARRIER (Black) DPA2014/BK (White) DPA2014/WH



RIPPLEFOLD OVERLAP MASTER CARRIER (White) DPA2035/WH Use with Stiffener DPA2146/WH



RIPPLEFOLD UNDERLAP MASTER CARRIER (White) DPA2036/WH Use with Stiffener DPA2146/WH



LEFT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2046/WH



RIGHT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2045/WH



BALL BEARING GLIDE (Black) DPA2250/BK (Gray) DPA2250/GR (White) DPA2250/WH



(Black) DPA7540/BK (White) DPA7540/WH



RIPPLEFOLD ENDSTOP (Black) DPA7545/BK (White) DPA7545/WH

#### RIPPLEFOLD FULLNESS OPTIONS

Ripplefold snap carriers dictate the shape and spacing of your drapery folds. Snap carriers are double sided making them ideal for sheers and room dividers.



60% 1.6 times fullness



80% 1.8 times fullness



100% 2 times fullness



120% 2.2 times fullness



RIPPLEFOLD SNAP TAPE (Black) DPA2945/BK RIPPLEFOLD SNAP TAPE (Clear) DPA2945/CLR RIPPLEFOLD SNAP TAPE (White) DPA2945/WH Sold per yard. Snaps are 41/4" on center.

RIPPLEFOLD SNAP TAPE (Black) DPA2946/BK RIPPLEFOLD SNAP TAPE (Clear) DPA2946/CLR RIPPLEFOLD SNAP TAPE (White) DPA2946/WH Sold per 100 yard roll. Snaps are 41/4" on center.



RIPPLEFOLD SNAP CARRIERS (Black) 2<sup>5</sup>/8" on center for 60% fullness DPA2806/BK 23/8" on center for 80% fullness DPA2808/BK 21/8" on center for 100% fullness DPA2810/BK 1<sup>7</sup>/8" on center for 120% fullness DPA2812/BK




RIPPLEFOLD SNAP CARRIERS (White) 25/8" on center for 60% fullness DPA2806/WH 23/8" on center for 80% fullness DPA2808/WH  $2^{1/8}$ " on center for 100% fullness DPA2810/WH 17/8" on center for 120% fullness DPA2812/WH



METAL CEILING SUSPENSION BRACKET DPA7230 (shown on page 14) Specify suspension drop when ordering.



METAL SINGLE BRACKET DAF240



METAL DOUBLE BRACKET DAF241




METAL CEILING BRACKET DPA7215, or use FLUSH CEILING BRACKET DPA7250 (on page 17). Use with endcap DAF216



6" CLEAR ACRYLIC BATON DPA90 6/ACR 48" CLEAR ACRYLIC BATON DPA9048/ACR

# AFFINITY MOTORIZATION



Drapery motorization is popular with homeowners and becoming the standard for hotel rooms, meeting venues and conference spaces.

Let us meet your motorization needs with our Affinity state-of-the-art MOTRZ Track System.

MOTRZ makes spaces stand out in terms of image and functionality.

MOTRZ provides a convenient solution for glare reduction and privacy while reducing energy costs and protecting furnishings from UV ray damage.

MOTRZ creates a positive user experience with superior performance, reliability and ease of operation.

MOTRZ extends the lifespan of draperies by eliminating the damage associated with manual operation.

Motorization systems come pre-assembled with a pole, Brimar's MOTRZ motor, endstops, 6-channel remote and powercord. Additional parts and fees apply to integrate with home automation systems.

#### MOTR7



MOTORIZED SYSTEM DAFM08 8' Length DAFM12 12' Length DAFM12 12' Length DAFM16 16' Length

HOW TO ORDER A MOTORIZED SYSTEM

Please specify:

 $\ensuremath{\boxtimes}$  Finished pole length

☑ Draw Direction: center, left or right

☑ Carrier Type: for pleated or ripplefold draperies

Note: Heavy fabric weight may require a heavy-duty
motor or a tandem motor system. Brimar's motor is
capable of handling up to 133 lbs.

Call us and we'll guide you through the ordering process.

- ☑ M MONEY M N MONEY MANAGEMENT M MANAGEMENT MANAGEMENT

- and longer system width may require a heavy-duty motor or a tandem motor system.

Poles under 108" ship UPS or FedEx. Poles over 108" ship via common carrier truck.

TRACK DEPTH: 3/4"



#### CS TRACKS CAN BE HAND DRAWN OR CORD DRAWN



METAL CS TRACK DPA1604 4' Length ¾"Square

METAL CS TRACK DPA1608 8' Length 3/4"Square

METAL CS TRACK DPA1612 12' Length 3/4" Square

METAL CS TRACK DPA1616 16' Length 3/4"Square

CS TRACK ENDCAP (White) DPA2345/WH CS TRACK ENDCAP (Black) DPA2345/BK ¾"Square



CORD DRAWN OPTION

To order, select CS track item #, then add corded item # below.

Poles are preassembled for: Pleated drapes (one-way draw) DIN901KIT Pleated drapes (center draw) DIN902KIT Ripplefold drapes (one-way draw) DIN903KIT Ripplefold drapes (center draw) DIN904KITT

Standard cord drop length is 96." Custom lengths available. Please specify cord length and side of cord drop when ordering.

Please specify the following when ordering a corded system:

- ☑ Finished pole length
- ☐ Draw Direction: center, left or right
- □ Carrier Type: for pleated or ripplefold drapes
- Cord Drop Length (standard 96." Custom lengths are available).
   Note: All cord-drawn systems include a tension pulley.

Maximum drapery weight for corded poles & CS tracks: 60 lbs.

#### POLE CUT OPTIONS

Pole lengths are cut to order.

STRAIGHT CUT DP900

MITRE CUT DP901

#### CUSTOM BENDING OPTIONS

COMPOUND BOW BOW 90° BAY BAY COMPOUND BAY DP940DPACS DP910DPACS DP930DPACS DP920DPACS DP950DPACS

Bends are customized to your specifications. Please provide a template and allow for longer lead times. Custom items are non-returnable. Deposit required.



BALL BEARING GLIDE (Black) DPA2250/BK BALL BEARING GLIDE (Gray) DPA2250/GR BALL BEARING GLIDE (White) DPA2250/WH Weight limitation per glide: 21/2" lbs.



ENDSTOP (Black) DPA7540/BK ENDSTOP (White) DPA7540/WH



OVERLAP MASTER CARRIER (Black) DPA2013/BK OVERLAP MASTER CARRIER (White) DPA2013/WH



UNDERLAP MASTER CARRIER (Black) DPA2014/BK UNDERLAP MASTER CARRIER (White) DPA2014/WH



RIPPLEFOLD OVERLAP MASTER CARRIER (White) DPA2035/WH Use with Stiffener DPA2146/WH



RIPPLEFOLD UNDERLAP MASTER CARRIER (White) DPA2036/WH Use with Stiffener DPA2146/WH



LEFT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2046/WH



RIGHT RIPPLEFOLD BUTT-MASTER CARRIER (White) DPA2045/WH



60% 1.6 times fullness



80% 1.8 times fullness



100% 2 times fullness



120% 2.2 times fullness

#### RIPPLEFOLD FULLNESS OPTIONS

Ripplefold snap carriers dictate the shape and spacing of your drapery folds. Snap carriers are double sided making them ideal for sheers and room dividers.



OVERLAP STIFFENER DPA2146/WH Sew to drape and connect master carrier and baton. Fits master carriers DPA2035 and DPA2036 only.



RIPPLEFOLD SNAP CARRIERS (Black) 25/8" on center for 60% fullness DPA2806/BK 23/8" on center for 80% fullness DPA2808/BK 21/8" on center for 100% fullness DPA2810/BK 17/8" on center for 120% fullness DPA2812/BK



RIPPLEFOLD SNAP CARRIERS (White) 25/8" on center for 60% fullness DPA2806/WH 2<sup>3</sup>/8" on center for 80% fullness DPA2808/WH 21/8" on center for 100% fullness DPA2810/WH 17/8" on center for 120% fullness DPA2812/WH



RIPPLEFOLD SNAP TAPE (Black) DPA2945/BK RIPPLEFOLD SNAP TAPE (Clear) DPA2945/CLR RIPPLEFOLD SNAP TAPE (White) DPA2945/WH Sold per yard. Snaps are 41/4" on center.

RIPPLEFOLD SNAP TAPE (Black) DPA2946/BK RIPPLEFOLD SNAP TAPE (Clear) DPA2946/CLR RIPPLEFOLD SNAP TAPE (White) DPA2946/WH Sold per 100 yard roll. Snaps are 41/4" on center.



RIPPI FFOI D ENDSTOP (Black) DPA7545/BK (White) DPA7545/WH



METAL BRACKET WITH CS CLIP (Black) DPA4300/BK METAL BRACKET WITH CS CLIP (White) DPA4300/WH



CS CEILING BRACKET (Black) DPA3010/BK CS CEILING BRACKET (White) DPA3010/WH



METAL ADJUSTABLE BRACKET (Black) DPA4740/BK METAL ADJUSTABLE BRACKET (White) DPA4740/WH



CS CEILING SPLICE BRACKET (Black) DPA2410/BK CS CEILING SPLICE BRACKET (White) DPA2410/WH

- ☑ ☑☑ ☑ ☑ ☑ ☑ ☑ ☑ ☑ ☑ ☑ ☑ ☑ ☑ ☐ Iraverse glides or cord draw options. Corded systems are preassembled. Please allow for longer lead times.
- evenly-spaced folds.
- traversing action.
- center draw capability.
- prevent a gap between the panels to prevent light from coming through.

- for ample support.

Poles under 108" ship UPS or FedEx. Poles over 108" ship via common carrier truck.

> 6" CLEAR ACRYLIC BATON DPA90 6/ACR 48" CLEAR ACRYLIC BATON DPA9048/ACR



POLE: 1 1/2"H x 3/8"D



DARK BEECHWOOD FINIAL DMX01/BWD 41/4"L x 13/4"H x 3/8"Depth



CLEAR ACRYLIC FINIAL DMX04/ACR 41/4" L x 13/4" H x 3/8" Depth



MOON FINIAL DMX08/MON\* 41/4"L x 13/4"H x 3/8"Depth



SHIMMERY PEARL FINIAL DMX02/IVR  $4\frac{1}{4}$ "L x  $1\frac{3}{4}$ "H x  $\frac{3}{8}$ "Depth



TORTOISE SHELL FINIAL DMX05/TOR\* 41/4"L x 13/4"H x 3/8"Depth



CLEAR ACRYLIC WRAPPED FINIAL DMX09/WRP 43/8"L x 13/4"H x 3/8"Depth



STAINLESS STEEL FINIAL DMX03/ST 41/4"L x 13/4"H x 3/8"Depth



KNOTTED WOOD FINIAL DMX06/TTW\*  $4\frac{1}{4}$ "L x  $1\frac{3}{4}$ "H x  $3\frac{1}{8}$ "Depth



STAINLESS STEEL ENDCAP DMX10/STL 13/16"L x 13/4"H x 3/8"Depth

\*Finial pattern may vary.



STEEL POLE DMX20/SNI 4' Length 1½"Height x 3/8" Depth STEEL POLE DMX21/SNI 8' Length 1½"Height x 3/8" Depth

STEEL POLE DMX22/SNI 196.85" Length 1½"Height x 3/8"Depth

SPLICE COVER (External) DMX24/STL 11/2" Wide



METAL SECONDARY RAIL DMX25/SNI 4' Length 9/16" Height x 7/16" Depth

METAL SECONDARY RAIL DMX26/SNI 8' Length 9/16" Height x 7/16" Depth

METAL SECONDARY RAIL DMX27/SNI 16' Length <sup>9</sup>/16"Height x <sup>7</sup>/16"Depth Secondary rail suspends ½" beneath front pole.



METAL RAIL RUNNER DMX35/STL Fits Secondary Rail

#### POLE CUT OPTIONS

Pole lengths are cut to order.

STRAIGHT CUT DP900

//

MITRE CUT DP901



SPLICE KIT DMX43/STL For use with double rod system.

#### CUSTOM BENDING OPTIONS

COMPOUND BOW BOW 90° BAY BAY COMPOUND BAY DP940DMX DP910DMX DP930DMX DP920DMX DP950DMX

Bends are customized to your specifications. Please provide a template and allow for longer lead times. Custom items are non-returnable. Deposit required.

Poles under 108" ship UPS or FedEx. Poles over 108" ship via common carrier truck.


# MANHATTAN

POLE: 1 1/2"H x 3/8"D




Our double bracket system supports multi panel draperies.


#### DOUBLE BRACKET SYSTEM COMPONENTS




- A. STEEL DOUBLE BRACKET DMX41/STL
- B. 4' SECONDARY RAIL DMX25/SNI 8' SECONDARY RAIL DMX26/SNI 16' SECONDARY RAIL DMX27/SNI
- C. RAIL ADAPTER (attaches rail to double bracket) DMX50/SNI
- D. METAL RAIL RUNNER DMX35/STL
- E. METAL ENDCAP (attaches to secondary rail) DMX51/STL




STEEL SINGLE BRACKET DMX40/STL Fits Steel Pole



STEEL SINGLE CENTER SPLICE BRACKET DMX42/STL Use to splice two steel poles.



STEEL SINGLE EXTENDED BRACKET DMX41/STL Fits Steel Pole



STEEL RETURN BRACKET (Right) DMX45/STL STEEL RETURN BRACKET (Left) DMX46/STL



STEEL CEILING BRACKET DMX44/STL



40" STEEL BATON DTX50/STL 41"-77" CUSTOM STEEL BATON DTX5 /STL







POLE: 1 7/8"H x 3/4"D



METAL NARROW ENDCAP DPL01/STL  $^{9}/_{16}$ "L x  $2^{1}/_{8}$ "H x  $^{15}/_{16}$ "D



METAL WIDE ENDCAP DPL02/STL  $1^{3}/_{16}$ "L x  $2^{1}/_{8}$ "H x  $^{15}/_{16}$ "D





TRAVERSE POLE DPL20 4' Length 17/8" x 3/4" TRAVERSE POLE DPL21 8' Length 17/8" x 3/4"

SPLICE COVER (External) DPL24/STL 19/16" Width

POLE CUT OPTION Pole lengths are cut to order.

STRAIGHT CUT DP900



METAL SECONDARY RAIL DMX25/SNI 4' Length 7/16" x 9/16' METAL SECONDARY RAIL DMX26/SNI

8' Length 7/16" x 9/16'



METAL SECONDARY RAIL RUNNER DMX35/STL Secondary rail suspends 1/2" beneath front pole.




SPLICE KIT DMX43/STL For use with double rod system.

#### MOTORIZATION OPTION



The Platforms pole retrofits to our Somfy Glydea™ motorized track as a decorative fascia. Additional parts and fees apply to integrate with home automation systems. For more information, please call Client Services.





METAL C-RING DPL30/STL



TRAVERSE GLIDE DPL35/WH



- $\hspace{1.5cm} \boxtimes \hspace{1.5cm} \boxtimes \hspace{1.5cm}$ Splicing poles is not recommended.
- Works well for center draw applications over 8 feet.

Poles ship via FedEx or UPS.



40" STEEL BATON DTX50/STL 41" - 77" CUSTOM STEEL BATON DTX5 /STL

6" CLEAR ACRYLIC BATON DPA90 6/ACR 48" CLEAR ACRYLIC BATON DPA9048/ACR

\*Pattern may vary.






# **PLATFORMS**

POLE: 1 7/8"H x 3/4"D

# 21/2"


METAL INVISIBLE SINGLE BRACKET DPL44/STL Bracket affixes to pole via four screw holes.

1/2" 3/4"



SINGLE BRACKET SYSTEM COMPONENTS

METAL SINGLE BRACKET DPL40/STL Can be used to splice two traverse poles.



METAL CEILING BRACKET DPL42/STL



METAL RETURN BRACKET (Right) DPL45/STL METAL RETURN BRACKET (Left) DPL46/STL




METAL INSIDE MOUNT DPL43/STL




METAL SPLICE COVER DPL24/STL

#### - DOUBLE DRAPERY SYSTEM COMPONENTS



- A. METAL DOUBLE BRACKET DPL41/STL
- B. 4' SECONDARY RAIL DMX25/SNI 8' SECONDARY RAIL DMX26/SNI 16" SECONDARY RAIL DMX27/SNI
- C. RAIL ADAPTER DPL50/STL Attaches rail to double bracket
- D. METAL RAIL RUNNER DMX35/STL
- E. METAL ENDCAP DMX51/STL Attaches to secondary rail



METAL SINGLE EXTENDED BRACKET DPL41/STL




#### PLATFORMS ADDS A DECORATIVE TOUCH TO MOTORIZED TRACKS.

The two-inch Platforms rod functions as a decorative wood fascia to our industrial Somfy Glydea™ motorized track. We affix the rod to the track for a refined designer look. Contact Client Services for more information regarding this option.










CLEAR ACRYLIC TIEBACK DTX60/ACR



STEEL TIEBACK DTX61/STL

- Bracket conceals undesirable seam.

  □ begoin bedoing bedoing

Poles ship via FedEx or UPS.





CLEAR ACRYLIC POLE DTX25/ACR 4' Length 11/8" Diameter CLEAR ACRYLIC POLE DTX26/ACR 8' Length 11/8" Diameter

SPLICE SCREW DA920
Acrylic poles cannot be custom bent.



STEEL POLE DTX20/STL 47½" Length 1½" Diameter STEEL POLE DTX21/STL 94½" Length 1½" Diameter SPLICE CONNECTOR (INTERNAL) DTX52 POLE CUT OPTIONS

Pole lengths are cut to order.

STRAIGHT CUT DP900


MITRE CUT DP901

#### CUSTOM BENDING OPTIONS


Applies to steel poles only

COMPOUND BOW BOW 90° BAY BAY COMPOUND BAY DP940DTX DP950DTX DP950DTX

Bends are customized to your specifications. Please provide a template and allow for longer lead times. Custom items are non-returnable. Deposit required.




CLEAR ACRYLIC RING DTX32/ACR 1/4" Thickness




CLEAR ACRYLIC SINGLE BRACKET DTX45/ACR

Mix and match poles with acrylic or metal accessories to create a contrasting or uniform look.



STEEL RING DTX31/STL 1/4" Thickness




STEEL C-RING DTX33/STL

1/8" Thickness
Rings bypass brackets (DTX46/STL)



STEEL ADJUSTABLE ELBOW DTX51/STL Compatible with steel pole option only.




STEEL SINGLE BRACKET DTX41/STL




STEEL DOUBLE BRACKET DTX42/STL




INSIDE MOUNT DTX43/STL



STEEL WALL/CEILING BRACKET DTX44/STL



STEEL BYPASS BRACKET DTX46/STL Use with ring DTX33/STL



STEEL RETURN BRACKET DTX47/STL Splice Connector DTX52 required.

















IVORY FINIAL DTX02/IVR\* 5¼"L x 15/8"H x 1¼"D

TORTOISE FINIAL DTX03/TOR\* 51/4"L x 15/8"H x 11/4"D

ONYX FINIAL DTX73/ONX 5½"L x 1¾"H x 1¼"D



TEXTURED WOOD FINIAL DTX72/HON 41/2"L x 11/4"H x 11/4"D



CARVED WOOD FINIAL DTX70/BWD 41/2"L x 11/4"H x 11/4"D



TEXTURED OVAL FINIAL DTX75/TTW 41/2"L x 21/2"H x 11/4"D



BEECHWOOD BALL FINIAL DTX06/BWD 2½"L x 2½"H x 11/8"D



HAMMERED METAL FINIAL DTX71/STL 4½"L x 1¼"H x 1¼"D



HAMMERED BALL FINIAL DTX74/BST 41/4"L x 11/4"H x "D



CONVEX STEEL FINIAL DTX07/STL 41/8"L x 11/2"H x 11/8"D



TURNED STEEL FINIAL DTX08/STL 31/8"L x 11/2"H x 11/4"D



CONCAVE STEEL FINIAL DTX09/STL  $4^{5}/8$ " L x  $2^{1}/8$ " H x  $1\frac{1}{4}$ " D



CLEAR ACRYLIC BALL FINIAL DTX10/ACR  $3^{7}/8$ "L x  $2\frac{1}{2}$ "H x  $1\frac{1}{4}$ "D




CLEAR ACRYLIC TURNED FINIAL DTX11/ACR 61/4"L x 11/4"H x 11/4"D




STEEL ENDCAP DTX12/STL 1"L x 1¼"H x 1¼"D

\*Finial pattern may vary.



CLEAR ACRYLIC TIEBACK DTX60/ACR



STEEL TIEBACK DTX61/STL

- center support. Bracket conceals undesirable seam.

Poles ship via FedEx or UPS.





STEEL POLE DTX20/STL 471/4" Length 11/8"Diameter STEEL POLE DTX21/STL

94½" Length 1½"Diameter

SPLICE CONNECTOR (Internal) DTX52

### POLE CUT OPTIONS

Pole lengths are cut to order.

STRAIGHT CUT DP900

MITRE CUT DP901

#### **CUSTOM BENDING OPTIONS**

COMPOUND BOW BOW 90° BAY BAY COMPOUND BAY DP940DTX DP950DTX DP950DTX

Bends are customized to your specifications. Please provide a template and allow for longer lead times. Custom items are non-returnable. Deposit required.



STEEL RING DTX31/STL 1/4" Thickness



BEECHWOOD RING DTX30/BWD 1/4" Thickness



STEEL C-RING DTX33/STL


1/8" Thickness
Rings bypass brackets (DTX46/STL)




STEEL SINGLE BRACKET DTX41/STL




STEEL DOUBLE BRACKET DTX42/STL




STEEL WALL/CEILING BRACKET DTX44/STL



STEEL BYPASS BRACKET DTX46/STL Use with steel c-rings DTX33/STL



BEECHWOOD SINGLE BRACKET DTX40/BWD



STEEL RETURN BRACKET DTX47/STL Splice Connector DTX52 required.



INSIDE MOUNT DTX43/STL



STEEL ADJUSTABLE ELBOW DTX51/STL



6" CLEAR ACRYLIC BATON DPA90 6/ACR 48" CLEAR ACRYLIC BATON DPA9048/ACR



POLE DIAMETER: 1 1/4"



URBAN FINIAL DPA1401 2"L x 2½"H x 1¼"D



COSMOPOLITAN FINIAL DPA1402 21/4"L x 21/4"H x 11/4"D



CARNEGIE FINIAL DPA1404 ½"L x 2½"H x 1¼"D



EMPIRE FINIAL DPA1405 21/4"L x 11/4"H x 11/4"D




CRYSTAL FINIAL DPA1406 25/8"L x 23/4"H x 11/4"D



ENDCAP DPA1400 11/2"L x 11/4"H

- center support. Bracket conceals undesirable seam.

Poles under 108" ship UPS or FedEx. Poles over 108" ship via common carrier truck.



METAL RING DX131 1/4" Thickness



METAL TIEBACK DX150\*



METAL TIEBACK DX151\*

\*Not available in Chrome finish

90° BAY

DP930DX



SMOOTH METAL POLE DX120 4' Length 11/4" Diameter

SMOOTH METAL POLE DX121 8' Length 11/4" Diameter

SMOOTH METAL POLE DX122 10' Length 11/4" Diameter

SPLICE CONNECTOR (Internal) DTX52

### POLE CUT OPTIONS

Pole lengths are cut to order.

STRAIGHT CUT DP900

MITRE CUT DP901

BAY

DP920DX

COMPOUND BOW

DP940DX

BOW DP910DX

COMPOUND BAY DP950DX

Pole bends are customized to your exact specifications. Please provide a template and allow for longer lead times. Non-returnable. Deposit required.


FINISHES Complimentary finish samples available upon request.







METAL WALL/CEILING BRACKET DX141
Bracket projection may be reduced from 51/4" max to 2 5/8" min
Custom Bracket Cut DB900



METAL DOUBLE BRACKET DX142 Bracket projection may be reduced from 43'4" max to 21/2" min Custom Bracket Cut DB900



METAL RETURN BRACKET DX143 Splice Connector DTX52 required.



INSIDE MOUNT DPA1200



METAL ADJUSTABLE ELBOW DX180



40" METAL BATON DX160



48" CLEAR ACRYLIC BATON DPA9048/ACR















CROWN FINIAL DWG02 53/8"L x 7/8"H x 23/4"D

SCEPTRE FINIAL DWG03 63/8"Lx 5/8"Hx27/8"D

GEM FINIAL DWG04 47/8"L x 4"H x "D



LAUREL FINIAL DWG05 53/8"L x 3/4"H x 25/8"D




LYRE FINIAL DWG06 61/8"Lx "Hx21/2"D




BALL FINIAL DWG07\* 4"Lx "Hx2½"D

\* Not available in ABZ finish



ROI TIEBACK DWG50



SOLEIL TIEBACK DWG51

- and designed for sophisticated interiors. A beautiful walnut grain also complements the collection. Mix walnut and gilded pieces.
- are to be expected and appreciated.
- support. Bracket conceals undesirable seam.

Poles ship via FedEx or UPS.



SMOOTH WOOD POLE DWG20 4' Length 2" Diameter SMOOTH WOOD POLE DWG22\* 8' Length 2"Diameter

SPLICE SCREW DA920



REEDED WOOD POLE DWG23 4' Length 2"Diameter REEDED WOOD POLE DWG25\* 8' Length 2"Diameter

SPLICE SCREW DA920


POLE CUT OPTIONS

Pole lengths are cut to order.

STRAIGHT CUT DP900

MITRE CUT DP901

FINSHES Complimentary finish samples available upon request.










DKW

# **VERSAILLES**


POLE DIAMETER: 2"




DECORATIVE WOOD RING DWG30 1/2" Thickness




PLAIN WOOD RING DWG31\*
1/2" Thickness




DECORATIVE WOOD BRACKET DWG41



METAL WALL/CEILING BRACKET DWG46\*



METAL WALL/CEILING BRACKET DWG47\*



METAL BRACKET DWG40



INSIDE MOUNT SET DWG43

\_ \* Not available in ABZ finish



6" CLEAR ACRYLIC BATON DPA90 6/ACR 48" CLEAR ACRYLIC BATON DPA9048/ACR







STOCKBRIDGE FINIAL DEM01 6"L x 41/4"H x 25/8"D



AVEBURY FINIAL DEM02 4½"Lx "Hx2½"D



PORTLEDGE FINIAL DEMO3 1/2"L x 41/4"H x 23/8"D



WADDESDON FINIAL DEM04 2½"L x ½"H x "D



WINGFIELD FINIAL DEM05 11/4"L x 23/4"H x 21/2"D



SMOOTH WOOD POLE DEM20 4' Length 2"Diameter SMOOTH WOOD POLE DEM21 8' Length 2"Diameter


SPLICE SCREW DA920

POLE CUT OPTIONS

Pole lengths are cut to order.

STRAIGHT CUT DP900

MITRE CUT DP901



½" Thickness

6" CLEAR ACRYLIC BATON DPA90 6/ACR 48" CLEAR ACRYLIC BATON DPA9048/ACR






WOOD ADJUSTABLE WALL/CEILING BRACKET DEM40 Bracket projection may be reduced from 91/2" max to 51/4" min

Custom bracket cut DB900

INSIDE MOUNT DEM43



DECORATIVE WOOD HOLDBACK DEM60

- support. Bracket conceals undesirable seam.

Poles ship via FedEx or UPS.

FINISHES Complimentary finish samples available upon request.





IRON BALL FINIAL DCH01/FGI 2¾"L x 2"H x 1"D



IRON TWIST FINIAL DCH02/FGI 61/8"L x 13/4"H x 1"D



CROPPED OVAL WOOD FINIAL DCH06/TTW 1/4"L x 2"H x 1"D



WOOD PYRAMID FINIAL DCH08/TWI 2¾"L x 2"H x 1"D



LEATHER CYLINDER FINIAL DCH05/LTW 41/8"L x 1"H x 1"D




TURNED WOOD FINIAL DCH07/TWI 41/2"L x 21/2"H x 1"D



IRON ENDCAP DCH09/FGI 1"L x 1"H x 1"D



IRON TIEBACK DCH50/FGI



WOOD TIEBACK DCH51/TTW



FORGED IRON TIEBACK HOOK DCH52/FGI



FORGED IRON POLE DCH20/FGI 4' Length 3/4" Diameter FORGED IRON POLE DCH21/FGI 8' Length ¾"Diameter

SPLICE CONNECTOR (Internal) DCH62



TEXTURED WOOD POLE DCH22/TWD 4' Length 3/4" Diameter

TEXTURED WOOD POLE DCH23/TWD 8' Length 3/4" Diameter

SPLICE CONNECTOR (External) DCH61



POLE CUT OPTIONS

Pole lengths are cut to order.

STRAIGHT CUT DP900

MITRE CUT DP901

### **CUSTOM BENDING OPTIONS**

Applies to iron poles only.

COMPOUND BOW DP940DCH

BOW DP910DCH

90° BAY DP930DCH


BAY DP920DCH COMPOUND BAY DP950DCH

Bends are customized to your specifications. Please provide a template and allow for longer lead times. Custom items are non-returnable. Deposit required.

- mountainside. Mix and match forged iron and wood materials for a layered look.

- support. Bracket conceals undesirable seam.


Poles ship via FedEx or UPS.



TEXTURED WOOD RING DCH30/TWD 1/4" Thickness




FORGED IRON HOOK RING DCH31/FGI 1/4" Thickness



FORGED IRON SINGLE BRACKET DCH40/FGI




FORGED IRON DOUBLE BRACKET DCH41/FGI




FORGED IRON CEILING BRACKET DCH44/FGI



INSIDE MOUNT DCH45/FGI



TEXTURED WOOD SINGLE BRACKET DCH42/TWD



FORGED IRON STANDARD BRACKET DCH46/FGI



FORGED IRON RETURN BRACKET DCH43/FGI Fits iron Chalet pole only. Includes splice connector.



40" FORGED IRON BATON WITH LEATHER HANDLE DCH60/LTW



6" CLEAR ACRYLIC BATON DPA90 6/ACR 48" CLEAR ACRYLIC BATON DPA9048/ACR



## SIGNATURE METAL

POLE DIAMETER: 1"




IRON GLOBE FINIAL DF133 "L x 21/4" H x 11/2" D



FONTWELL FINIAL DF134 4 L x 2 5/8 H x 1 3/4 D



METAL ENDCAP DA161 Fits 1"Pole



METAL RING DR101 1/4" Thickness



SMOOTH METAL POLE DP120 4' Length 1"Diameter

SMOOTH METAL POLE DP121 8' Length 1"Diameter

SMOOTH METAL POLE DP122 10' Length 1"Diameter

Each pole comes with two plugs. Extra plugs sold separately. DA900

SPLICE CONNECTOR (Internal) DA911

### POLE CUT OPTIONS Pole lengths are cut to order.

STRAIGHT CUT DP900

MITRE CUT DP901

### **CUSTOM BENDING OPTIONS**

COMPOUND BOW BOW 90° BAY BAY COMPOUND BAY DP940DCH DP950DCH DP950DCH

Bends are customized to your specifications. Please provide a template and allow for longer lead times. Custom items are non-returnable. Deposit required.



6" CLEAR ACRYLIC BATON DPA90 6/ACR 48" CLEAR ACRYLIC BATON DPA9048/ACR

Poles under 108" ship UPS or FedEx. Poles over 108" ship via common carrier truck.



METAL ADJUSTABLE SINGLE BRACKET DB101



INSIDE MOUNT DB121



ADJUSTABLE ELBOW DA180 Fits 1"Pole

### FINISHES Complimentary finish samples available













LLOYD FINIAL DCC03 4"L x 2½"H x 2"D

ENDCAP DCC04 3/4"L x 21/4"H x 2"D



METAL POLE DCC20 4' Length 1½"Diameter METAL POLE DCC22 8' Length 1½"Diameter

SPLICE CONNECTOR (Internal) DA912

POLE CUT OPTIONS

½"L x 2"H x 2"D

Pole lengths are cut to order.

STRAIGHT CUT DP900


MITRE CUT DP901

- ☑ M MANNE M M M MANNE MANNE M MANNE M MANNE M MANNE M

Poles ship via FedEx or UPS.



METAL RING DCC30 1/8" Thickness




TIEBACK DCC50 3½" Post

6" CLEAR ACRYLIC BATON DPA90 6/ACR


48" CLEAR ACRYLIC BATON DPA9048/ACR



METAL ADJUSTABLE WALL/CEILING BRACKET DCC40 Bracket projection may be reduced from 5½" max to 4"min. Custom bracket cut DB900



 $\label{lem:finished} \textbf{FINISHES} \quad \textbf{Complimentary finish samples available upon request.}$ 



# Our specialty is bending poles and providing hardware solutions.

Allow us to custom bend our metal poles, CS tracks or square acrylic poles for your next window treatment project where bow and bay windows reside. French returns are also our specialty.

We make it easy to order custom curved rods in 3 simple steps.

1) Select a collection 2) Request a quote ) Send us a brown-craft paper template ... we'll do the rest!



