



ONA DRAPERY HARDWARE











ONA DRAPERY HARDWARE



Ona Drapery Hardware is your source for custom made drapery hardware. We manufacture every rod set to order using only premium heavy gauge steel, wrought iron, crystal and more.

Something for everyone. From traditional to contemporary, we offer many choices of styles and finishes to meet your every need.

3 orm and function. Our patented ONAVERSE™cord traverse system is available in our 1-5/8" iron rods. Featuring a concealed mechanism, this unique decorative traverse rod is quiet and easy to operate.

We pride ourselves on quality workmanship, timely delivery and customer satisfaction. Select Ona Drapery Hardware and order with confidence.





Master Catalog #57

TABLE OF CONTENTS:

STANDARD FINISHES	2
PREMIUM FINISHES	5
SUPER PREMIUM – POLISHED PLATED FINISHES	6
SUPER PREMIUM – MATTE PLATED FINISHES	7
IRON RODS	8
SPLICES, BAY & CURVED RODS	9
FRENCH RODS, ½" & ¾" DIAMETER	10
FRENCH RODS, 1" & 1-5/8" DIAMETER	11
RINGS	13
BATONS, WINDOW CRANES & SCROLL ROD WITH PEGS	14
ONAVERSE™ IRON TRAVERSE ROD	15
GROMMAVERSE™ IRON TRAVERSE ROD	16
ONAGLIDE™	17
ONARAIL™	20
ONA ACRYLIC RODS 1-5/8" DIAMETER	21
FINIALS	23
IRON FINIALS FOR ½" RODS	24
IRON FINIALS FOR ¾" & 1" RODS	28
IRON FINIALS FOR 1-5/8" RODS	35
CRYSTAL FINIALS	40
ONALUX™ FINIALS	43
ONA ARTGLASS FINIALS	46
ONA COUTURE ARTGLASS FINIALS	51
ONA ECO-FINIALS	53
BRACKETS	55
HOLDBACKS & SWAG HOLDERS	70
HOOKS & PEGS	71
ROSETTES	72
NOVELTY ROSETTES	77
CENTERPIECES	78
SAMPLES	79



STANDARD FINISHES

All prices include a Standard finish of your choice. All our Standard finishes are hand done in house by our skilled artisans. Premium and Super Premium finishes are available for a surcharge.





STANDARD FINISHES

All prices include a Standard finish of your choice. All our Standard finishes are hand done in house by our skilled artisans. Premium and Super Premium finishes are available for a surcharge.



STANDARD FINISHES

All prices include a Standard finish of your choice. All our Standard finishes are hand done in house by our skilled artisans. Premium and Super Premium finishes are available for a surcharge.



PREMIUM FINISHES

Our Premium finishes feature a beautiful sheen and are available in a variety of popular color ways. Finishes marked **OD** are weather resistant and suitable for installation *outdoors. Some finishes are complementary to popular grommet colors and marked as such. Minimum charges and application surcharges apply. Additional lead time required.





NEW! 24K

Grommet match:

Polished Brass

NEW! White

OD

required including occasional touch up or waxing over time.

and suitable for exterior installation. However, we do not warrant the finish to exposure due to climatic conditions over which it has no control. Minimal maintenance may be

SUPER PREMIUM - POLISHED PLATED FINISHES

Stunning hand polished and plated finishes are available on all our smooth round rods and hardware. Choose Polished Chrome for a spectacular bright finish or Polished Nickel for a slightly warmer hue. Our Polished Copper and Polished Brass are un-lacquered "Living Finishes" that will naturally darken and develop a lustrous patina over time. An optional clear coat may be specified to maintain a bright look if preferred. We suggest selecting smooth finials for the most even appearance. **Textured finials will show contrast once plated as only high points can be polished bright**. Surcharges apply. Additional lead time required.

Polished Nickel



Polished Chrome



Polished Copper - un-lacquered "living finish"




Polished Brass – un-lacquered "living finish"





SUPER PREMIUM – MATTE PLATED FINISHES

Matte plated finishes are available on all our smooth round rods and hardware. Hand brushing after plating provides a softened and modern effect. Our Matte Copper and Matte Brass are un-lacquered "Living Finishes" that will naturally darken and develop a lustrous patina over time. An optional clear coat may be specified to maintain a bright look if preferred. We suggest selecting smooth finials for the most even appearance. **Textured finials will show contrast once plated as only high points can be polished bright**. Surcharges apply. Additional lead time required.



IRON RODS

All iron rods are cut exactly to the length you specify. The following rod styles and sizes are available. Rod sections are shown in actual size. **Standard finishes are included in pricing. Premium and Super Premium finishes available. Surcharges apply.** We can ship rods up to 118" in one piece with standard shipping service. For rods longer than 118" we recommend splicing. If you require a one piece rod longer than 118" please call for a freight quote.

1/2" Round (bracket required every 60") Finish: Gilt



½" Twist (bracket required every 60") Finish: Heirloom



1/2" Square (bracket required every 60") Finish: Havannah



1/2" Square Hammered (bracket every 60") Finish: Natural Iron



3/4" Round (bracket required every 72") Finish: Sepia



34" Round Hammered (bracket every 72") Finish: Aged Iron



1" Round (bracket required every 108") Finish: Versailles



%" Twist bracket every 72") Finish: Burnished Bronze (Use 1½" ID rings or larger. 1" ID rings will <u>not</u> work.)




1" Square (bracket required every 108") Finish: Brushed Nickel



1" Square Hammered (bracket required every 108") (2" ID rings are recommended.) Finish: Bronze



*1-5/8" Round (bracket required every 120") *Available with ONAVERSE™ cord traverse system. Finish: Black



NEW! Specialty rods – Bamboo effect (120" max length, must be cut between knuckles. Finished length subject to vary).

*Rods are not shown to scale. Diameter is measured between knuckles. Super Premium finishes not available.

NEW! *5/8" Bamboo (bracket required every 60")
Finish: Brass



NEW! *1" Bamboo (bracket required every 72")
Finish: Antique Brass





SPLICES, BAY & CURVED RODS

Splice

We can ship rods up to 118" in one piece with standard shipping service. For rods longer than 118" we recommend splicing. If you require a one piece rod longer than 118" please call for a freight quote.

Easy to order,

• Specify overall rod length and indicate location of splice if other than center. A bracket must be used at each splice point for support.



Miter Cut with Adjustable Joint

The best solution for 1" or 1-5/8" bay and corner rods. Adjustable joint is available with 1" and 1-5/8" rods only. Rod ends will be miter cut to the angle you specify. Adjustable joint is hinged to allow adjustment to match mitered angles and slides inside the rod. Set screws on backside of rod tighten to join rod together.

Easy to order,

• Specify wall angles and backwall measurements (not including finials). We will make the necessary deductions. Adjustable brackets are recommended. Four brackets are usually sufficient for most three-sided bay windows.



Adjustable Joint



Miter Cut & Weld

Recommended for ½" or ¾" rods.

Specify wall angles and backwall measurements (not including finials).

Adjustable brackets recommended. Freight shipment may be required.



Miter Cut Only

Recommended when butting $\frac{1}{2}$ " rods together. Please specify wall angles and backwall measurements (not including finials).

Adjustable brackets recommended.



Curved Corner Joint*

For 1" & 1-5/8" rods only. Measures 5" \times 5". Splice rods into curved corner joint to create a soft 90° curve. Non load bearing*.



Continuously Curved Rods

We offer custom curving for bay, bow and arched windows for all of our rods. Rings or tabs can be welded to rods if necessary. Templates are required for bow and arched rods. Please indicate on template where rod ends (not including finials). Adjustable brackets are recommended. Freight shipment may be required.



Arched rod with welded rings



Continuously curved ONAVERSE™ 1-5/8" iron traverse rod





FRENCH RODS, 1/2" & 3/4" DIAMETER

One of the most popular drapery hardware styles right now are French Rods that return to the wall. We offer many options to configure these rods to your application.



French Rods for ½" and ¾" diameter rods are solid. We Heat & Bend the returns to the rod in one piece. The return ends are drilled to slip onto pinned bases. Provide Face Width measurement when ordering. Specify base style. Standard projection is 3½" to rod center. Please specify if you require a custom projection. Minimum projection for ½" rods is 1½". Minimum projection for ¾" rods is 2". Center supports are recommended for rods over 60". Swivel base brackets are recommended as center supports and can be ordered with coordinating bases. Café brackets are suggested as center supports for ½" rods using Café bases under 3½" projection.

Easy to order,

- 1. Specify: Face Width, Rod Style, Pinned Base Style and Finish.
- 2. Standard projection is 3½" measured to the rod center. Please specify if you require a custom projection.
- 3. Order additional brackets, rings and batons as needed.
- 4. Pricing: Rod cost = face width + return lengths rounded up to the next full foot + each heat & bend return (returns include pinned bases of your choice).






MADE IN THE USA

FRENCH RODS, 1" & 1-5/8" DIAMETER

One of the most popular drapery hardware styles right now are French Rods that return to the wall. We offer many options to configure these rods to your application.





French Rods for 1" and 1-5/8" diameter rods are hollow. Returns are sold separately and splice into the rod ends. Returns without bases require brackets. Returns with welded bases suspend the rod and allow for direct installation. Standard projection is 3½" to rod center. 6" projection available at no extra charge (6½" for 1-5/8" rods). Custom projection available at an extra charge. Provide Face Width measurement when ordering. Center supports are recommended for rods over 96". See coordinating bracket section.

Easy to order,

- 1. Specify: *Face Width, Rod Style, Return Style and Finish. * We will cut rods to the appropriate length to equal your specified face width.
- 2. Standard projection is 3½" measured to the rod center. Please specify if you require a custom projection.
- 3. Order additional brackets, rings and batons as needed.
- 4. Pricing: Rod cost = Face width (minus 10" for returns) rounded up to the next full foot + each return.

Return

Splices into rod end. Adds approximately 5" per side. Brackets are required.



Return with *Base

Splices into rod end. Adds approximately 5" per side. *Specify base style.





1" ROUND RETURNS FOR FRENCH RODS

Specify 3½" or 6" projection to rod center. Custom projection available at an extra charge.

Return with Standard Base -Our most popular style!-



Specify 3½" or 6" projection. Base: 1" W x 4" L. Finish shown: Versailles

Return



Specify 3½" or 6" projection. Additional brackets required. Finish shown: *Polished Nickel*

Return with Deco Base



Specify 3½" or 6" projection. Base: 1½" W x 3½" L. Finish Shown: Brushed Nickel

Return with Square Base



Specify 3½" or 6" projection. Base: 1½" W x 3" L Finish shown: Sepia

Return with Horizontal Base*



Specify 3½" or 6" projection. Base: 4" W x 1" L *Do not use with heavy treatments. Finish Shown: *Versailles*.

Return with Round Base*



Specify 3½" or 6" projection. Base: 2" Diameter * Round Swivel brackets are recommended as center supports.

Double Return with Standard Base



Projection: 3" & 6". Base: 1" W x 4" L. Finish shown: Versailles

Assembly shown.

Finish shown: Pearl

Double Drop In Bracket



For use with double returns. Projection: 3" & 6".

1" SQUARE RETURNS FOR FRENCH RODS

Specify 3½" or 6" projection to rod center. Custom projection available at an extra charge.

Return with Standard Base



Specify 3½" or 6" projection. Base: 1" W x 4" L. Finish shown: Brushed Nickel

Return



Specify 3½" or 6" projection. Additional brackets required. Finish Shown: *Brushed Nickel*

Return with Deco Base



Specify 3½" or 6" projection. Base: 1½" W x 3½" L Finish shown: *Natural Iron*

Return with Square Base



Specify $3\frac{1}{2}$ " or 6" projection. Base: $1\frac{1}{2}$ " W x 3" L Finish shown: *Black*

Return with Horizontal Base*



Specify 3½" or 6" projection. Base: 4" W x 1" L *Do not use with heavy treatments. Finish Shown: *Brushed Nickel*

Double Return with Standard Base



Projection: 3" & 6". Base: 1" W x 4" L. Finish shown: Brushed Nickel

Assembly shown



Return*

Double Drop In Bracket



For use with double returns. Projection: 3" & 6".

1-5/8" RETURNS FOR FRENCH RODS

Specify $3\frac{1}{2}$ " or $6\frac{1}{2}$ " projection to rod center. Custom projection available at an extra charge.

Return with Base*



Specify 3½" or *6½" projection. Base: 1¾" W x 4½" L *Adjustable center brackets are recommended

*Heavy Duty Brackets are required for 6½" projection. Finish shown: *Gilded Silver*

Specify 3½" or *6½" projection.

*Adjustable center brackets are recommended.

*Heavy Duty Brackets are required for 6½" projection. Finish shown: *Brite Silver*



RINGS

Iron Rings are sold individually. All sizes are referenced by inside diameter (ID). Eyelet rings are recommended for most applications. Eyelets measure approximately 3/8" (ID). All rings can be furnished without eyelets upon request (surcharge applies).

1" ring with eyelet

Most popular choice for ½" & ¾" rods. Will not fit 3/4" twist rods. 1" ID, 1-3/8" OD Measures 1-3/16" from top of rod to top of eyelet.

"C" rings with eyelet

Available for 1" or 1/5/8" rods only. Recommended for large curved rods or excessive spans. Use 2" i.d with 1" rods. Use 2-1/2" ID with 1-5/8" rods. Bypass brackets are required.



Assembly shown



1" Square ring with eyelet

Will not fit 3/4" twist rods. 1" ID, 1-3/8" OD Measures 1-3/16" from top of rod to top of eyelet.



2¾" Diamond ring with eyelet

Get creative with this oversize ring! Recommended for stationary panels only. 2¾" ID, 3¼" OD



1 1/2" ring with eyelet

Most popular choice for 1" rods. Fits all 1" and smaller rods. 1½" ID, 2" OD.

Measures 1¾" from top of rod to top of eyelet.



3" ring with eyelet

Provides a dramatic appearance. 3" ID, 3-5/8" OD. Measures 3-5/16" from top of rod to top of eyelet.



1"Diamond ring with eyelet

Will not fit 34" twist rods. 1" ID, 1-3/8" OD



*Grommet # 15

Grommet size # 15 is 2" inside diameter. For GROMMAVERSE™ & 1-5/8" rods. *Stock finishes only.



*Grommet # 12

Grommet size # 12 is 1-9/16" inside diameter. For use with rods up to 1" diameter. *Stock finishes only.

2" ring with eyelet

Most popular choice for ONAVERSE™ and all 1-5/8" rods.

Fits 1-5/8" and smaller rods.

2" ID, 2½" OD

Measures 2¼" from top of rod to top of evelet.



Clip Rings

Recommended for stationary panels only. Do not use with heavy panels. Not for use with batons.



1" ring with clip

1" ID, 1-3/8" OD. Measures 2" from top of rod to top of clip opening.

2" ring with clip

2" ID. 2½" OD

Measures 3" from top of rod to top of clip opening.

1 1/2" Square ring with eyelet

Fits all 1" and smaller rods. 1½" ID. 2" OD

Measures 1¾" from top of rod to top of eyelet.



*Grom-A-Link™ # 15 assembly

Required for *GROMMAVERSE™* rods. Sold per link, includes # 10 bead chain and connectors.

(Finish: Matte Nickel - not visible.)



*Grom-A-Link™ # 12 assembly

Recommended for operational panels. Sold per link, includes # 6 bead chain and connectors.

(Finish: Matte Nickel - not visible.)

*Grom-A-Link is a trademark of the Rowley Company

21/2" ring with eyelet

Recommended for frequently operated panels when used with Iron Batons. 2½" ID, 3" OD

Measures 2¾" from top of rod to top of eyelet.



"S" ring

Use to hook on grommeted panels. Fits all 1" and smaller rods. 1½" ID, 2" OD

Measures 3" from top of rod to inside of hook.



1 1/2" Diamond ring with eyelet

Fits all 1" and smaller rods. 1" ID, 1-3/8" OD



Multi-Use Teflon Lubricant

Recommended for functioning panels. Apply along the top of rods for easy operation of rods and rings. Long lasting. Reapplication not necessary in most cases (4 ounce).





BATONS, WINDOW CRANES & SCROLL ROD WITH PEGS

Iron Batons

Designed to facilitate opening and closing drapery panels. Made of ½" round iron. Specify length (36", 48" and 60" are most common). Hammered end is standard. A finial may be added for an additional charge. Please specify finial style. Designed to clip on to the body of the lead ring of the drapery panel (not the eyelet). Not recommended for use with ONAGLIDE™ or ONARAIL™ rods due to weight.

Standard Baton Finish: Brushed Nickel



Baton with Finial Finial: Plumbum / Finish: Henna



Acrylic Batons - Clear. Lengths available: 24", 30", 36", 48", 60", 72"



10-

Fiberglass Batons. Lengths available: 33", 48", 60", 72", 96"

White

Black

Brown

Silver

Gold

Fiberglass Batons with handle - Ivory. Lengths available: 33", 48", 60"



Window Cranes

Available in ½" round up to 36". Will support up to 8 lbs. Also available in ¾" round up to 36". Will support up to 12 lbs. Specify rod length between finial and hinge. Specify finial style. Base: 2" round. Projection to rod center is 1½" (custom projection available for an additional charge).

Window Crane

Finial: Baby Pineapple / Finish: Versailles

Window Crane with Shangri-La Scroll

(Scroll measures 8½"W x 4½"L) Finial: Ball / Finish: Brushed Nickel





Window Crane Support

Provides additional support and maintains a level appearance for window cranes. Base: 2" round. Length is 2%" (custom length available for an additional charge).

Window Crane Support Finish: Versailles



Assembly shown

Finial: Baby Pineapple / Finish: Versailles



Scroll Rod with Pegs

½" round. Specify length tip to tip (up to 60" maximum).

Specify peg spacing (5" is typical).

2 concealed round swivel brackets are included and serve as the first attachment points for treatments. Custom curving available per quote (template required).



Shown with tie top panel





ONAVERSE™ IRON TRAVERSE ROD

Our patented *ONAVERSE™* 1-5/8" diameter iron cord traverse rods move heavy panels with ease. Our exclusive design features an internal mechanism that is not visible from below. Friction reducing glides along the top of the rod ensure smooth and quiet operation. *ONAVERSE™* rods utilize our 2" ID rings with eyelets as standard. 2½" ID C-rings are available for special applications. Pair with any of our standard 1-5/8" components (finials, brackets etc...). Continuous curving is available for bay and bowed window applications. *ONAVERSE™* rods are heavy duty and feature all steel ball bearing pulleys for maximum durability and superior function. Optional motor kit is available.







(Bottom View)






United States Patent #8,544,148

Easy to order,

- 1. Specify overall rod length (not including finials). Brackets should be installed a minimum of 3" in from the rod ends. Please allow extra rod length to accommodate this. Specify finish.
- 2. Indicate if rod will be two way draw, one way stack left, or one way stack right.
- 3. Specify the cord location either right or left, and the length of cord drop you require. Note: Baton draw is available on request.
- 4. Order brackets, finials and rings as required. Master carriers include two rings per carrier.

Note: Maximum span between brackets is 120". Maximum rod length (one piece) is 240". Maximum recommended panel weight is 6 pounds per foot. We do not recommend splicing. A steel tension pulley is standard. Motorization is optional. <u>Heavy duty brackets</u> are recommended for panel lengths over 108", spans over 96", projections over 3-1/2", and for double rod sets. **Professional installation into studs or wood backing is recommended.**



Bypass brackets and C-Rings

Available for special applications. Rings are 2½" ID. Recommended for large curved rods or excessive spans.



Lock Ring

For use with inside mount socket brackets only. Slides into rod end. Order one per cord side.



Radio Technology Somfy®

Create a Smart Home Experience with Somfy myLink™

- WiFi to RTS bridge
- Integration ready
- Allows for voice control




*Somfy® and myLink™ are registered trademarks of Somfy®

Motor Kit

Add the convenience of motorization to *ONAVERSE™* traversing rods. Motor kit includes everything you need. Simply plugs into nearest wall outlet. Low voltage (12 volt) motor drives the cord to traverse draperies. Hand held remote control with radio frequency ensures positive operation. Maximum recommended single motor rod span: 168".







GROMMAVERSE™ IRON TRAVERSE ROD

Easily move grommeted panels with our new *GROMMAVERSE™* 1-5/8" diameter iron cord traverse rod. Featuring our patented *ONAVERSE™* cord traverse system. The internal mechanism is not visible from below. Friction reducing glides along the top of the rod ensure smooth and quiet operation. *GROMMAVERSE™* 1-5/8" diameter iron rods are designed to utilize #15 grommets in conjunction with the GROM-A-LINK™ pleat control system. Block brackets are recommended. Select any of our standard 1-5/8" finials. Continuous curving is available for bay and bowed window applications. *GROMMAVERSE™* rods are heavy duty and feature all steel ball bearing pulleys for maximum durability and superior function. Optional motor kit is available.

Finial: Cyrus / Finish: Polished Chrome





United States Patent #8,544,148

Easy to order,

- 1. Specify overall rod length (not including finials). Brackets should be installed a minimum of 3" in from the rod ends. Please allow extra rod length to accommodate this. Specify finish.
- 2. Indicate if rod will be two way draw, one way stack left, or one way stack right.
- 3. Specify the cord location either right or left, and the length of cord drop you require. Note: Baton draw is available on request.
- 4. Order Block Brackets, and finials as required.
- 5. 2 X panel fullness and 6" spacing is recommended. An even number of grommets are required (usually 8 grommets per width).

Note: Maximum span between brackets is 120". Maximum rod length (one piece) is 240". Maximum recommended panel weight is 6 pounds per foot. We do not recommend splicing. A steel tension pulley is standard. Motorization is optional. <u>Block Brackets</u> are recommended. **Professional installation into studs or wood backing is recommended.**







Block Brackets

Recommended for $\textit{GROMMAVERSE}^{\intercal}$.



*Grommet # 15

2" ID Required for *GROMMAVERSE™* rods. *Stock finishes only.



Grom-A-Link™ # 15*

Required for for *GROMMAVERSE™* rods. Sold per link, includes # 10 bead chain and connectors.



(Finish: Matte Nickel – not visible.)

*Grom-A-Link™ is a trademark of the Rowley Company

Radio Technology Somfy®

Create a Smart Home Experience with Somfy myLink $^{\mbox{\tiny TM}}$

- WiFi to RTS bridge
- Integration ready
- Allows for voice control




*Somfy® and myLink™ are registered trademarks of Somfy®

Motor Kit

Add the convenience of motorization to *GROMMAVERSE™* traversing rods. Motor kit includes everything you need. Simply plugs into nearest wall outlet. Low voltage (12 volt) motor drives the cord to traverse draperies. Hand held remote control with radio frequency ensures positive operation. Maximum recommended single motor rod span: 100".







ONAGLIDE™

ONAGLIDE™ available in 1" and 1-5/8" diameters features a sturdy H-Rail profile that allows gliders to traverse along the full length of the rod without being obstructed by brackets which attach to the top of the rod. ONAGLIDE™ can be used as standalone rods or as under rods for sheers behind an ONA Iron rod. Available for Pinch Pleated or Ripplefold® panels. Baton draw is recommended for most applications up to 5 lbs / ft. Cord traverse is available for use with lighter panels or sheers up to 3 lbs / ft. Brackets recommended every 3' − 4' for 1" diameter and 4' − 5' for 1-5/8" diameter. Sold as an assembled set not including finials or brackets. Select any of our finials and bracket styles! Available in all Standard and Premium finishes (Curving and Super Premium finishes N/A). Optional motor kit is available.



NEW! ONAGLIDE™

1-5/8" diameter examples shown:

Imperial Ball finial. Finish: Swiss Gold



Chandra finial. Finish: Gilded Silver



Cyrus finial. Finish: Burnished Bronze



Double 1-5/8" ONAGLIDE™ Kingston finial. Finish: Black



Double 1-5/8" Iron rod front, ONAGLIDE™ back. Striated Ball finial. Finish: Burnished Bronze





NEW! ONAGLIDE™

1" diameter examples shown:

Decius finial. Finish: Black



Crystal Radiance finial. Finish: Brushed Nickel



Onion Dome finial. Finish: Burnished Bronze



French Return. Finish: Black



Lemon Drop finial. Finish: Brushed Nickel



Clear ONALUX™ Bell finial. Finish: Brushed Nickel



Double 1" ONAGLIDE™ Round Peg finial. Finish: Burnished Bronze



Double 1" Iron rod front, ONAGLIDE™ back. Barcelona finial. Finish: Burnished Bronze





ONAGLIDE™ - Easy to order,

- Sold as an assembled set. Includes master carriers, pulleys, sliders (1 every 3%" for pinch pleat) / connected carriers for Ripplefold®, end stops, and a metal tension pulley if corded. Finials, Brackets, splices and batons sold separately.
- Specify if baton or cord draw, pinch pleat or Ripplefold® (120%, 100%, 80%, 60%), Butt or Overlap Masters. Specify: Rod length, one way or two way draw, cord side, cord drop and finish. If baton draw, order batons separately.
- For best function we recommend against splicing. If rods are to be spliced, let us know the overall rod length, and the splice locations.

ONAGLIDE™

Profile: 1" and 1-5/8" diameters available.



Finials for 1" diameter

Select any of our finials from the ¾"- 1" section. Order by name. Price by price group A-Z

Slotted design allows gliders to pass around the

curve. For double Ripplefold® use 7½" projection.

Vega finial. Finish: Burnished Bronze



Finials for 1-5/8" diameter

Select any of our finials from the 1-5/8" section. Order by name. Price by price group A-Z

Faceted Ball finial. Finish: Antique Brass



End Cap A

End cap covers 1" of rod.



Flat Cap D

Flat Cap butts flat to rod end.



Optional for finials. Add Flat Cap cost to finial cost.



1" Diameter

French Return

3½" projection K 6" projection 7½" projection M



3½" projection 6" projection M 7½" projection N

1-5/8" Diameter



Base: 2-1/2" diameter

3½" projection



6" projection K



Double 3" & 7½" projection



Standard Style Bracket B

Projection: 31/2" Base: 1" W x 4" L



Custom D

Adjustable **D** Custom Adjustable

Double 3" & 6" Double Ripplefold® 3" & 7½"

Center (horizontal base) D

Center Custom E

Center Adjustable

Center Custom Adjustable G

Center Double 3" & 6" G

Center Double Ripplefold® 3" & 7½" H

Deco Style Bracket D

Projection: 31/2" Base: 11/2" W x 31/2" L



Custom E Adjustable F

Custom Adjustable G

Double 3" & 6" G

Double Ripplefold® 3" & 7½" H Center (horizontal base)

Center Custom E

Center Adjustable F

Splice Cover (optional) B

(Must bracket to either side)

1" wide, conceals seam.

Center Custom Adjustable G Double Center 3" & 6" G Double Center Ripplefold® 3" & 7½" H

Round Style Bracket D

Projection: 31/2" Base: 2" diameter



Custom E

Adjustable F Custom Adjustable G

Double 3" & 6" G

Double Ripplefold® 3" & 7½" H

Double Center 3" & 6" G

Double Center Ripplefold® 3" & 7½"

Square Style Bracket D

Projection: 31/2" Base: 1½" W x 3" L



Custom E

Adjustable F

Custom Adjustable G

Double 3" & 6" G

Double Ripplefold® 3" & 7½" H

Center (horizontal base)

Center Custom E

Center Adjustable

Center Custom Adjustable G

Double Center 3" & 6" G

Double Center Ripplefold® 3" & 7½" H

Splice B



Ceiling Base: 1-7/8" W Drop: 2-3/8"



Ceiling Short

Drop: 5/8"



Miter Cut with Adjustable Joint Joint only



Ceiling Flush B





Knuckle Joint K Available for 1" round only



Low Profile Socket B

Inside mount. Specify left or right.





ONAGLIDE™ COMPONENTS

Assembled sets includes master carriers, pulleys, sliders (1 every 3½" for pinch pleat) / connected carriers for Ripplefold®, end stops, and a metal tension pulley if corded. Finials, brackets, splices and batons sold separately.

Ripplefold® is a trademark of Kirsch.



Right Overlap



Left Underlap



Right Overlap



Left Underlap



Butt Master Rolling Carriers Baton Draw Ripplefold® Rolling



Left Butt



Overlap Master Sliding Carriers Cord Draw Pinch Pleat Sliding

Right Overlap



Left Underlap



Overlap Master Sliding Carriers Cord Draw Ripplefold® Sliding

Right Overlap



Left Underlap



Butt Master Sliding Carriers Cord Draw Ripplefold® Sliding

Right Butt



Left Butt



Rolling Carrier for Baton Draw

Ball bearing Pinset: 5/8"



Slider for Cord Draw Pinset: 5/8"

High Performance Ball Bearing Carriers for Baton Draw Ripplefold®




Sliding Carriers for Cord **Draw Ripplefold®**



Specify Fullness: 60%, 80%, 100%, 120% Ripplefold® Snap

Tape 4¼" spacing



END STOP





Radio Technology Somfy®

Create a Smart Home Experience with Somfy myLink™

- WiFi to RTS bridge
- Integration ready
- Allows for voice control




*Somfy® and myLink™ are registered trademarks of Somfy®

Motor Kit

Add the convenience of motorization to *ONAGLIDE™* traversing rods. Motor kit includes everything you need. Simply plugs into nearest wall outlet. Low voltage (12 volt) motor drives the cord to traverse draperies. Hand held remote control with radio frequency ensures positive operation. Maximum recommended single motor rod span: 132".





BATONS

Fiberglass or Clear Acrylic batons are recommended for use with all baton draw ONAGLIDE™ rods. (Iron batons are not recommended due to weight.)

Acrylic Batons - Clear. Lengths available: 24", 30", 36", 48", 60", 72"



Fiberglass Batons. Lengths available: 33", 48", 60", 72", 96"

White **Black**

Brown

Silver

Gold

Fiberglass Batons with handle - Ivory. Lengths available: 33", 48", 60"



ONARAIL™

ONARAIL™ features a sleek, square profile finished with matching end caps. Add our Barn Wheel Set to create a loft / industrial look. ONARAIL™ can be used as standalone rods or as under rods for sheers behind an ONA Iron rod. Available in cord traverse or baton draw operation. Sturdy aluminum / steel construction supports 5 lbs / foot. Brackets recommended every 4' - 5'. Sold as an assembled set. Optional motor kit is available. Available in Standard Finishes only.

ONARAIL™



Shown with optional Barn Wheel Set / Finish: Black





Double 1-5/8" round front / ONARAIL™ back Finish: Burnished Bronze

Easy to order,

- Sold as an assembled set. Includes master carriers, pulleys, ball bearing sliders (1 every 3½"), end stops, return extender, end caps and a metal tension pulley. Brackets, splices and Barn Wheel sets sold separately. Curved rods are available. Please call for a quotation.
- Specify if baton or cord draw. Specify: Rod length, one way or two way draw, cord side, cord drop and finish. If baton draw, order batons separately.
- For best function we recommend against splicing. However, If rods are to be spliced, let us know the overall rod length, and the splice locations.

ONARAIL™ - Assembled set shown



Barn Wheel Set (3" diameter)

Includes (1) fixed and (1) moving wheel. Order one set for one way draw rods. Order two sets for two way draw rods.





ONARAIL™

Profile: 11/4" W x 1" L



END CAP 1¼" x 1¼"



BRACKET

Projection: 3" Base: 1-1/8" W x 21/2" L



DOUBLE BRACKET

Projection: 3" & 6" Base: 1-1/8" W x 3" L



CEILING BRACKET

Base: 1-5/8" W x 1¾" L



SPLICE Base: 3½" W x 1-3/8" L



Slider

Ball bearing / Pinset: 1/2"



RETURN EXTENDER Specify left or right. If cord draw, use only one

opposite cord side.



END STOP



TENSION



Radio Technology Somfy®

Create a Smart Home Experience with Somfy myLink™

- WiFi to RTS bridge
- Integration ready
- Allows for voice control



Motor Kit

100

Add the convenience of motorization to $\textit{ONARAIL}^{\intercal M}$ traversing rods. Motor kit includes everything you need. Simply plugs into nearest wall outlet. Low voltage (12 volt) motor drives the cord to traverse draperies. Hand held remote control with radio frequency ensures positive operation. Maximum recommended single motor rod span: 144".





Acrylic Batons - Clear. Lengths available: 24", 30", 36", 48", 60", 72"

Fiberglass Batons. Lengths available: 33", 48", 60", 72", 96" White Black ¹

Gold=

Fiberglass Batons - Off white. Lengths available: 33", 48", 60"



Brown Silver

ONA ACRYLIC RODS 1-5/8" DIAMETER

Specify our crystal-clear Acrylic rods for a sophisticated and modern look. Select complementary Acrylic components or Mix and match from any of our 1-5/8" finials, brackets and rings to suit the décor. Our 1-5/8" Acrylic rods are rigid enough to span 5' - 6' between brackets in most cases. Maximum lengths available are 96". For longer lengths, we offer a special Acrylic cement to create a welded splice on site. Acrylic rods and components are recommended for light to medium weight treatments.

Acrylic Barcelona shown





Easy to order,


- 1. Specify: Rod length, Finials, Brackets and Rings. Mix and match any of our 1-5/8" finials, brackets, rings and findings.
- 2. Specify finish for all findings if other than Acrylic.
- 3. If rods will be spliced, let us know the overall rod length, and the splice locations. Order Acrylic cement for spliced rods.

Ona Acrylic Rod, 1-5/8" diameter (actual size)



ONA ACRYLIC FINIALS







FINIALS

Ona Drapery Hardware manufactures a wide variety of Finials for all sizes and profiles of rods we manufacture. Our finials are showcased in the following pages and cataloged by the rod size they fit. Finials for our solid rod (½" & ¾" diameter) feature a cuff that slides over the rod end and held in place by a set screw on the back of the cuff. Finials for hollow rods (1" & 1-5/8" diameters) are designed to slide into the rod end and are held in place by a set screw on the back of the rod. We also offer modification and customization of any of our finials. We can fabricate any of our finials to fit Wood Poles, or other hardware. We can modify C.O.M. finials to fit your rods. We can also create or customize a finial to your specifications.

Iron Finials













Easy to order,

- 1. Finials are sold individually. Specify the quantity and finial style from the appropriate section. We will automatically fabricate the finials to fit the rod size and profile ordered in the finish you specify.
- 2. Order by name. Price by letter group **A Z**

Custom Options

Pinned Finial*

*For solid ½" & ¾" rods only.

If you would like to eliminate the external finial collar, specify "Pinned Finials". The rod end will be bored and cross drilled for set screw. Finial will have an attached pin to slip into rod end. Provides a seamless look.

Pinned Finial option priced in addition to finial. Specify finial style.



Pinned Finial: Baby Pineapple / 1/2" Round Rod / Finish: Versailles



Wood Pole Finial Adapter


Adapt any of our finials to fit a wood pole. Available for: 1-3/8", 2", 2%" & 3" diameter wood poles. Specify finial. Finial will be welded to the adapter. Price finial plus wood pole adapter.

Wood Pole Adapter: Shown for 1-3/8" diameter. Finial: Andromeda / Finish: Hammered Steel



IRON FINIALS FOR 1/2" RODS

Order by name. Price by letter group A - Z





Alba (5¼" x 2¼") E Finish: Espresso



Baby Pineapple (2¼" x 1-3/8") D Finish: Versailles



Ball (1-9/16" x 1-9/16") E Finish: Burnished Bronze



Barcelona (2" x 1¾") D Finish: *Beijing*



Basket (5½" x 2¼") = Finish: Antique Brass



Bird Cage (3" x 3") E



Bishop (2" x 1") A
Finish: Brushed Nickel



Brolio (4¼" x 3½") = Finish: Burnished Bronze



Bud (2½" x 1¼") C Finish: Versailles



Bullet (1¼" x 1¼") D Finish: Burnished Bronze



Button (5/8" x ¾") A
Finish: Black



Carousel (1½" x 1¼") D Finish: Henna



Cathedral (6½" x 3½") Finish: Hammered Steel



Chandone (5" x 2¾") **C** Finish: *Burgundy*



Charlemagne (7¾" x 4½") G Finish: Chalet



Chaucer (4" x 2¼") A
Finish: Hammered Silver



Corona (5/8" x 1½") Finish: Versailles





IRON FINIALS FOR 1/2" RODS Order by name. Price by letter group A - Z Crows Foot (3" x 3¾") **Curlicue** (3¾" x 2½") **Ξ** Crescent (3½" x 4") Finish: Antique Finish: Bronze Finish: Gold Blush Diamond (5¼" x 2") End Cap (¾" x ¾") A End Cap Square (¾" x 1") Finish: Burnished Bronze Finish: Brushed Nickel Finish: Natural Iron Etruscan (5¾" x 3½") Faceted Ball (1-9/16" x 1-9/16") Fancy Scroll (2¾" x 6") Finish: Havannah Finish: Black Finish: Black Fiero (5" x 2½") Flair (3" x 6") Fleur-de-lis (4½" x 2½") **D** Finish: Mineral Finish: Sable Finish: Natural Iron French (4-3/8" x 2½") A Forked (4" x 21/4") 3 French Twist (4¾" x 2½") **B** Finish: Mineral Finish: Champagne Finish: Ash Hammered Leaf (3½" x 2") Imperial (11/4" x 1-7/8") C Heart (5" x 4") Finish: Pearl Finish: Gold Blush Finish: Pewter

IRON FINIALS FOR 1/2" RODS Order by name. Price by letter group A - Z Joust (4" x 1¾") A Leaf (5½" x 3½") A Lemon Drop (2" x 11/4") C Finish: Leather Finish: Burgundy Finish: Sepia Lucia (4½" x 1¾") D Mercury (41/4" x 13/4") Moscow (5" x 1¾") D Finish: French Blue Finish: Gold Dust Finish: Hammered Silver Multi Basket (6" x 21/4") Needle (2" x 1½") Nouveau (4" x 4") Finish: Gilded Silver Finish: Gilt Finish: Sepia Nubia (1¼" x 1¼") D Oasis (4¾" x 2¼") A Orb (¾" x 1¼") Finish: Black Finish: Black Finish: Gilt Orbit (3" x 3") G Pointed Orb (1½" x 1¼") **D Poseidon** (5" x 5") Finish: Sable Finish: Brushed Nickel Finish: Aged Iron Rosette as a Finial. Schooner (2½" x 1-5/8") C Scroll (2-3/8" x 4") See Rosettes for Styles and pricing. Finish: White Finish: Sepia Marguerite Shown. Finish: Gilded Silver

IRON FINIALS FOR 1/2" RODS Order by name. Price by letter group A - Z Sero (4¼" x 3¾") C Sirius (4½" x 4½") **G Songbird** (3-5/8" x 2") Finish: Gold Dust Finish: Natural Iron Finish: Antique Brass Spanish (4½" x 2¾") A Spiral (6½" x 4½") Spire (41/4" x 1") Finish: Havannah Finish: Black Finish: Pewter Star (3" x 1½") Striated Ball (21/4" x 11/4") **D** Three Tier Orb (1½" x 1½") **D** Finish: Gold Blush Finish: Henna Finish: French Blue Tuscania (5" x 21/4") C Two Tier Orb (1¼" x 1¼") D Velos (3¼" x 1¼") D Finish: Antique Finish: French Blue Finish: Moss Willow (3" x 11/4") Victoria (5¼" x 4") Finish: Heirloom Finish: Moss

IRON FINIALS FOR 3/4" & 1" RODS Order by name. Price by letter group A - Z Acer (3¼" x 1½") C Acorn (4" x 2½") **D** Finish: Moss Finish: Henna Finish: Leather Adela (5" x 4¾") Ananas (3½" x 2¼") G Andromeda (5¼" x 5¼") Finish: Hammered Steel Finish: White Finish: Gilt Arrow Head (5" x 2") Bacca (8¼" x 5") K Aurora (6" x 2¾") Finish: French Blue Finish: *Hammered Silver* Finish: Leather Ball (2" x 2") G Bangkok (7" x 3¾") NEW! Bannister (1" x 1½") G Finish: Black Finish: Beijing Finish: Burnished Bronze Barcelona (2½" x 2½") **G** Basket (5½" x 2½") Beaumont (¾" x 1½") G Finish: Burnished Bronze Finish: Black Finish: Henna Bella (2" x 1¼") Bird Cage (3" x 3") Bishop (2½" x 1½") Finish: French Blue Finish: Nutmeg Finish: Bronze

IRON FINIALS FOR 3/4" & 1" RODS Order by name. Price by letter group A - Z **Branch** (6" x 7") **K** Brolio (4¼" x 3½") Button for ¾" (¾" x 1") 🗛 Finish: Hammered Steel Finish: Beijing Finish: Henna Button for 1" (¾" x 1½") Calla Lily (8" x 4½") J Castus (4" x 1¾") G Finish: Gilded Silver Finish: Gilt Finish: Antique Brass Cathedral (6½" x 3½") C Chandra (5½" x 4¼") Chalice (4¼" x 3¾") Finish: Havannah Finish: Sepia Finish: Heirloom Circlet (½" x 2") G Charlemagne (7¾" x 4½") **G** Charo (3" x 1½") D Finish: Versailles Finish: Espresso Finish: Black Collared Ball (2½" x 2") Cora (1-3/8" x 2") Cordoba (3" x 1½") **G** Finish: Burnished Bronze Finish: Sepia Finish: Gilt Coreo (6" x 21/4") Cork Screw (6" x 1½") Corona (7/8" x 2") G Finish: Henna Finish: Antique Brass Finish: Antique

IRON FINIALS FOR 3/4" & 1" RODS Order by name. Price by letter group A - Z Cube (2" x 2") Crescent (3½" x 4") Crows Foot (3" x 3¾") Finish: Mineral Finish: Brass Finish: Brushed Nickel Cylinder (2" x 1½") **G** Decius (2½" x 1¾") Diamond (51/4" x 2") Finish: Hammered Silver Finish: Pearl Finish: Havannah Eclipse (1½" x 2") Donatus (4" x 2") Empress (1¾" x 2") Finish: Nutmeg Finish: Black Finish: Burgundy End Cap for 1" rods (1/8" x 1-3/8") A End Cap Square (1/8" x 1½") End Cap for %"rods (1" length) A Fits over rod. Finish: Pewter Fits into rod. Finish: Burnished Bronze Fits into rod. Finish: Pewter Etruscan (5¾" x 3½") Faceted Ball (2" x 2") Fancy Scroll (2¾" x 6") Finish: Heirloom Finish: Brushed Nickel Finish: Black Flair (3" x 6") Fern (3¼" x 1¾") D Filigree (4-3/8" x 4-5/8") Finish: Moss Finish: Sepia Finish: Aged Iron

IRON FINIALS FOR 3/4" & 1" RODS Order by name. Price by letter group A - Z Forged Leaves (8" x 5") Fleur-de-lis (4½" x 2½") **D** Flower (2-3/8" x 2-3/8") Finish: Beijing Finish: Burnished Bronze Finish: Henna French (4¼" x 3¼") **D** Ginkgo (6¼" x 6") J French Twist (4¾" x 2½") **B** Finish: Pewter Finish: Ash Finish: Versailles **Gyro** (5" x 5") **K** Hampton (1" x 1½") Heart (5" x 4") Finish: Gilt Finish: Versailles Finish: Gold Ingot (½" x 1½") Joust (5¼" x 2½") C Kingston (2" x 2½") **▮** Finish: Natural Iron Finish: Henna Finish: *Hammered Steel* Laurel Leaf (8" x 5½") Lemon Drop (2¾" x 1¼") **D Lobed Leaf** (6" x 3") Finish: Brass Finish: Gold Blush Finish: Moss Loop (7½" x 2¼") Lora (1¾" x 1½") **NEW!** Lorton (1" x 1½") **G** Finish: Natural Iron Finish: Gilded Silver Finish: Burnished Bronze

IRON FINIALS FOR 3/4" & 1" RODS Order by name. Price by letter group A - Z Multi Basket (5¼" x 3½") **G** Lucia (4½" x 1¾") D Moscow (8" x 2¾") Finish: French Blue Finish: Versailles Finish: Sable Neo (2" x 2") J Nouveau (5" x 5") **G** Onion Dome (21/4" x 2") Finish: Gilded Silver Finish: Antique Brass Finish: Bronze Pedestal (11/4" x 2") G Pineapple (5½" x 2½") **G Orbit** (6" x 6") Finish: Burnished Bronze Finish: Burnished Bronze Finish: Black Pisces (4¼" x 1¾") **D** Planta (10¼" x 8¾") J Plumbum (5¼" x 1¼") **D** Finish: Beijing Finish: Henna Finish: Pearl Plume (7½" x 3") **C** Pyramid (31/4" x 11/4") C Poseidon (5" x 5") Finish: Black Finish: Natural Iron Finish: Heirloom Queen of Hearts (6½" x 2¾") G Rhone (1" x 1½") Ronzio (6½" x 4") **K** Finish: Pearl Finish: Hammered Steel Finish: Pewter

IRON FINIALS FOR 3/4" & 1" RODS Order by name. Price by letter group A - Z Scroll (2-3/8" x 4") Rosette as a Finial or End Cap Round Peg (1½" x 1½) See Rosettes for styles and pricing. Finish: Pewter Finish: Burnished Bronze Serena (6" x 1¾") D Series (3" x 1") **Seville** (5" x 5") Finish: Champagne Finish: Gilded Silver Finish: Burgundy **Songbird** (3-5/8" x 2") **Sherwood** (3-3/8" x 2") Simple Basket (7½" x 2½") Finish: Chalet Finish: Henna Finish: Nutmeg Spear (5¼" x 4") Spike (3½" x 1½") C Spiral (6½" x 4½") Finish: Leather Finish: Black Finish: Sepia Spire (6¼" x 2") Spring (5½" x 2½") K Square Peg (1½" x 1¼") Finish: Black Finish: Bronze Finish: Pewter Striated Ball (2½" x 2") Tail Feather (6" x 3") Taj Mahal (3½" x 2") Finish: Bronze Finish: Natural Iron Finish: Sable


IRON FINIALS FOR 3/4" & 1" RODS Order by name. Price by letter group A - Z Titus (4" x 2") G Trepid (2" x 1½") Terrace (2½" x 2¼") G Finish: Champagne Finish: Aged Iron Finish: Natural Iron Triumph (6" x 3½") Trommel (2¾" x 1½") Trompette (3¼" x 2¼") Finish: Sepia Finish: Brite Silver Finish: Gilded Silver Valiant (5½" x 2½") Tuscania (5" x 21/4") C Urn (4" x 1½") Finish: White Finish: Brushed Nickel Finish: Antique Vaso (3" x 2") G Vega (2¼" x 2") Verona (7" x 4") Finish: Leather Finish: Pearl Finish: Espresso Victoria (5¼" x 4") Vienna (6¼" x 2") Vine (5" x 6½") Finish: Antique Brass Finish: Henna Finish: Gold Dust Willow (3" x 11/4") Zolle (4½" x 2¾") Finish: Mineral Finish: Moss

IRON FINIALS FOR 1-5/8" RODS Order by name. Price by letter group A – Z **Abigail** (5" x 7") **▮** Acanthus Leaf (8" x 3½") Andromeda (5¼" x 5¼") Finish: Pewter Finish: Gold Blush Finish: Brushed Nickel **Anthea** (6½" x 7") **J** Ball (3" x 3") J NEW! Bannister (1½" x 2") J Finish: Beijing Finish: Antique Finish: Burnished Bronze Barcelona (2¾" x 3") **J** Basket (8½" x 3¾") J Bellota (4½" x 3¼") K Finish: Burnished Bronze Finish: Burnished Bronze Finish: Heirloom Bellus (6¼" x 4¼") K **Bird Cage** (5" x 5") **J** Birds (8¼" x 5¼") 🔀 Finish: Ash Finish: Black Finish: Antique Braided Fleur (5½" x 4") J **Branch** (6" x 7") **K** Britannia (5¼" x 6½") J Finish: Sable Finish: Natural Iron Finish: Gold Canterbury (6½" x 3") **Calla Lily** (9" x 6") **J** Button (11/4" x 2") Finish: Brushed Nickel Finish: Heirloom Finish: Pewter

IRON FINIALS FOR 1-5/8" RODS Order by name. Price by letter group A - Z Charo (4" x 2¾") Chandra (5½" x 4¼") Charlemagne (7¾" x 4½") **G** Finish: Pearl Finish: Gold Blush Finish: Pewter Circlet (½" x 3") Cleopatra (3½" x 2½") K Collared Ball (3½" x 3") Finish: Black Finish: Black Finish: Sepia Corona (1¼" x 3") J Crown (6½" x 4") J Crows Foot (3" x 3¾") Finish: Mineral Finish: Sepia Finish: Black Cylinder (3" x 2") K Cupro (3" x 3") K Cuspis (2½" x 2") Finish: Brushed Nickel Finish: Burnished Bronze Finish: Gold Decius (3¾" x 2¾") J **Dragon Leaf** (9" x 51/4") Cyrus (4" x 1-5/8") 🔀 Finish: Brushed Nickel Finish: Antique Finish: Beijing Eclipse (1½" x 3") J End Cap (1/8" length) Faceted Ball (2-3/8" x 2-3/8") K Finish: Brushed Nickel Finish: Black Finish: Sepia

IRON FINIALS FOR 1-5/8" RODS Order by name. Price by letter group A - Z Fancy Fleur (9½" x 5½") K Fancy Scroll (2¾" x 6") Fire Leaf (6" x 5½") Finish: Chalet Finish: Antique Brass Finish: Henna Flair (3" x 7") Fleur-de-lis (6-5/8" x 3¾") Gala (9½" x 5") Finish: Bronze Finish: Champagne Finish: Antique Brass Geometric (5" x 4½") K Guimar (1½" x 2¾") J **Gyro** (6" x 6") Finish: Bronze Finish: Black Finish: *Hammered* Steel Helena (4" x 41/4") J Heavy Double Scroll (8" x 3¾") **J** Heavy Scroll (3" x 5") Finish: Chalet Finish: Heirloom Finish: Bronze Hourglass (4" x 2") G Imperial Ball (4¾" x 3") M Kingston (2" x 2½") **★** Finish: Aged Iron Finish: Brushed Nickel Finish: Espresso Locket (4" x 3¾") J **NEW!** Lorton (1¾" x 2") **J** Meridian (1" x 3") Finish: Gold Blush Finish: Burnished Bronze Finish: Henna

IRON FINIALS FOR 1-5/8" RODS Order by name. Price by letter group A - Z Moda (4" x 2") J Metropolis (61/4" x 2") Milano (8" x 2¾") G Finish: Hammered Silver Finish: Black Finish: Espresso Modern Leaf (5" x 5") G Neo (3" x 3") K Multi Basket (8" x 5½") Finish: Gilded Silver Finish: Brushed Nickel Finish: Natural Iron Nouveau (6" x 6") Onion Dome (2¼" x 1¾") K Opus (6½" x 6½") J Finish: Gilded Silver Finish: Gilded Silver Finish: Natural Iron Orbit (6" x 6") Parisian (5½" x 2¾") Pedestal (11/4" x 3") Finish: Gold Dust Finish: Sepia Finish: Black Pierced (9½" x 2½") J Pila (2¼" x 2½") K Pineapple (5½" x 2½") **G** Finish: Henna Finish: Mineral Finish: Sable Regal (7¾" x 4½") K Planta (10¼" x 8¾") J Queen of Hearts (6½" x 2¾") G Finish: Henna Finish: Heirloom Finish: Heirloom



CRYSTAL FINIALS

Crystal Finials are made with genuine SWAROVSKI ELEMENTS – Simply stunning.

Order by name. Price by letter group A - Z

NEW! Mini Crystal Ball (1" x 1")

Available for 1/2" rods. Rod Finish: Gilt



Crystal Chaton (1¼" x 2") M

Available for ¾" & 1" rods. Rod Finish: Heirloom



Small Crystal Ball (2" x 2") M

Available for ¾" & 1" rods. Rod Finish: Heirloom



Large Crystal Ball (3" x 2¾")

Available for 1-5/8" rods. Rod Finish: Natural Iron



Crystal Radiance (2" x 2-3/8") O

Available for ¾" & 1" rods. Rod Finish: Natural Iron



Crystal Radiance (2" x 2-3/8") • Available for 1-5/8" rods. Rod Finish: Sepia



Crystal Strato-Sphere (1-5/8" x 2-3/8")

■

Available for ¾" & 1" rods. Rod Finish: Gilded Silver



Crystal Strato-Sphere (1-5/8" x 2-3/8") N Available for 1-5/8" rods. Rod Finish: Sepia



NEW! Crystal Cylinder (3" x 2") R

Available for ¾" & 1"& 1-5/8" rods.

1" & 1-5/8" Rods shown below. Rod Finish: Polished Chrome





Crystal Half Ball (1" x 2") M

Available for ¾" & 1" rods. Rod Finish: Brushed Nickel



SWAROVSKI® is a registered trademark.



CRYSTAL HOLDBACKS

Crystal Holdbacks are made with genuine SWAROVSKI ELEMENTS and are available in all small finial styles. Specify finial style, Post or Wrap Around Mount and finish. Crystal finial and mount priced separately.

Order by name. Price by letter group A - Z+ Mount

Small Crystal Ball M+Mount

(Shown with post mount)
Post Finish: Brushed Nickel





Side View Post mount adjusts 3'' - 5''. Custom projection available.

Crystal Chaton M+Mount

(Shown with post mount)
Post Finish: Gilded Silver





Side View Post mount adjusts 3'' - 5''. Custom projection available.

Crystal Half Ball M+Mount

(Shown with post mount)
Post Finish: Heirloom





Side View

Post mount adjusts 3" – 5". Custom
projection available.

Crystal Radiance O+Mount (Shown with post mount) Post Finish: Brushed Nickel



Side View
Post mount adjusts 3" — 5". Custom
projection available.

Crystal Strato-Sphere N+Mount

(Shown with post mount)
Post Finish: Versailles





Side View
Post mount adjusts 3" – 5". Custom
projection available.

Crystal with Wrap Around Mount

Crystal finial and mount priced separately. Order by name. Price by letter group A - Z+Mount

Small Crystal Ball shown. Finish: Brushed Nickel

Wrap around mount dimensions: $5" \times 5"$ not including Crystal.

Custom dimensions available.



CRYSTAL DROP FINIALS

Crystal Drop finials are made with genuine SWAROVSKI ELEMENTS – Simply stunning. Specify Crystal Drop color.

Order by name. Price by letter group A – Z

Charle (6¼" x 6½")
Available for 1" & 1-5/8" rods.
Crystal Drop color: Silver Shade
Rod Finish: Burnished Bronze



Coba (7¾" x 7¼") N

Available for 1" & 1-5/8" rods.

Crystal Drop color: Silver Shade

Rod Finish: Gilded Silver



Crystal Dragon Leaf (9" x 7") Available for 1" & 1-5/8" rods.
Crystal Drop color: Clear
Rod Finish: Hammered Silver



Gemma (4½" x 6½") N Available for 1" & 1-5/8" rods. Crystal Drop color: Clear Rod Finish: Black



Fountain (6¾" x 6¾") M

Available for 1" & 1-5/8" rods.

Crystal Drop color: Clear

Rod Finish: Hammered Silver



Ibis (6" x 7¾") N

Available for 1" & 1-5/8" rods.

Crystal Drop color: Golden Shadow

Rod Finish: Versailles



Harp (8" x 4") M

Available for 1" & 1-5/8" rods.

Crystal Drop color: Black / Rod Finish: Gloss Black



Shangri-La (8½" x 6") M

Available for 1" & 1-5/8" rods.

Crystal Drop color: Copper / Rod Finish: Sepia



Crystal Drop Finials featured above are made with SWAROVSKI ELEMENTS.

Create your own unique design and add a touch of brilliance to any of our finials or accessories with Crystal Drops. Submit a detailed sketch of your design for a quotation. Crystal drops measure 7/8" W x 1%" L.











SWAROVSKI® is a registered trademark.



ONALUX™ FINIALS

Add an exciting touch of color with our new **ONALUX**[™] finials and holdbacks. Made of a proprietary resin and available in three styles. Available in broad range of brilliant colors and earth tones. Made in the U.S.A. **Order by name. Price by letter group A** – **Z**

ONALUX™ Ball FinialRod finish: *Natural Iron /* Color: *Ice*



Small Ball (2-1/8") for ¾" & 1"rods. Large Ball (3") for 1-5/8" rods. Available in all colors listed below

ONALUX™ Bell Finial*

Rod Finish: Gilded Silver / Color: Clear



Small Bell (1-5/8" x 2½") for ¾" & 1"rods. Large Bell (2¼" x 3½") for 1-5/8" rods. Available in all colors listed below.

*Shape may vary slightly.

NEW! *ONALUX*[™] **Cylinder Finial** Rod finish: *Gilded Silver /* Color: *Clear*



Small Cylinder (2" x 1-3/8")
Available for ¾" & 1"rods.

Available in all colors listed below.

ONALUX™ HOLDBACKS

 $ONALUX^{TM}$ Holdbacks are available with two mounting styles. Specify finial style and color, type of mount and finish. $ONALUX^{TM}$ finial and mount priced separately. **Order by name. Price by letter group A - Z+Mount**

Wrap Around Mount Price group+Mount Small Ball: Clear / Brushed Nickel



Wrap around mount dimensions: 5" x 5" not including Finial.

Custom dimensions available.

Post Mount Price group+Mount

Small Bell: Ivory / Brushed Nickel



Post mount adjusts 3"-5". Custom projection available.

ONALUX™ COLORS

Amber Opal



Amethyst



Azure



Black & Tan



Black Diamond



Black Quartz



Ceylon



Chartreuse













ONA ArtGlass FINIALS

Add spectacular elegance with *ONA ArtGlass* finials and holdbacks. Hand blown and crafted in the U.S.A., each piece is an individual piece of art and will have its own unique characteristics. Subtle variations in shape color and size are to be expected. *Made to order, non-returnable.*





ONA ArtGlass finials are available in the five styles below. Small size fits $\frac{3}{4}$ " – 1" rods, Large size fits 1-5/8" rods. Please see color choices for availability.

Order by name. Price by letter group A - Z











ONA ArtGlass HOLDBACKS

ONA ArtGlass Holdbacks are available in all finial styles. Specify finial style and color, type of mount and finish. ONA ArtGlass finial and mount priced separately.

Order by name. Price by letter group A - Z+ Mount

Wrap Around Mount A - Z+ Mount

Small Ball: Giraffe / Brushed Nickel



Post Mount A - Z+ Mount
Small Ball: Ra / Brushed Nickel



Wrap around mount dimensions: 5" x 5" not including Finial. Custom dimensions available.

Post mount adjusts 3'' - 5''. Custom projection available.



ONA ArtGlass FINIALS

Order by name. Price by letter group A - Z




Large Fan 5" x 6½" T

Large Ball 3" z

Large Ball 3" T

Large Ball 3" U

ONA ArtGlass FINIALS Order by name. Price by letter group A – Z Cobalt Flame NEW! Flora Giraffe



Small Ball 2¼" S Large Ball 3" T NEW! Hespera



Small Ball 2¼" R
Large Ball 3" S
Small Cylinder 2" X 1½" R
Large Cylinder 3" x 2" S
Small Egg 2" X 1½" R
Large Egg 4¼" x 3" S

NEW! Jade

Green Swirl











Small Ball 2¼" S Large Ball 3" T NEW! Juno





Small Ball 2¼" X Large Ball 3" Z

NEW! Iris

Small Ball 2¼" S Large Ball 3" T NEW! Merial









Small Ball 2¼" S Large Ball 3" T

Small Ball 2¼" Large Ball 3" U

Millefiori Orange

Small Ball 2¼" S Large Ball 3" T NEW! Neptune

Small Ball 2¼" T
Large Ball 3" U

NEW! Noelani









Small Ball 2¼" S Large Ball 3" T

Small Ball 2¼" S Large Ball 3" T

Small Ball 2¼" T Large Ball 3" U

Small Ball 2¼" S Large Ball 3" **T**

ONA ArtGlass FINIALS Order by name. Price by letter group A - Z **NEW!** Periwinkle **Orange Flame Peacock Orange Fan** Small Flame 6" x 2½" S Large Flame 7" x 3" T Small Fan 4" x 5½" S Small Ball 2¼" X Small Ball 2¼" S Large Fan 5" x 6½" T Large Ball 3" Large Ball 3" **NEW!** Pink Chablis **NEW!** Pincone **NEW!** Plexus **NEW!** Poseidon One Size 4½" x 2½" **T** Small Ball 21/4" S Small Ball 21/4" S Small Ball 2¼" T Large Ball 3" Large Ball 3" Large Ball 3" U **NEW!** Quantum **NEW!** Purple Fan **NEW!** Purple Flame Ra Small Flame 6" x 2½" S Small Ball 2¼" T Small Ball 21/4" R Small Fan 4" x 5½" S Large Flame 7" x 3" Large Ball 3" U Large Fan 5" x 6½" Large Ball 3" S Scarlet Flame NEW! Sky **NEW!** Tempest **Scarlet Fan** Small Fan 4" x 5½" S Small Flame 6" x 21/2" S Small Ball 21/4" S Small Ball 21/4" S Large Flame 7" x 3" Large Ball 3" Large Fan 5" x 6½" I Large Ball 3" T

ONA ArtGlass FINIALS Order by name. Price by letter group A - Z **NEW!** Venus **Violet Swirl Violet Swirl Tiger** Egg shown Small Ball 2¼" R Large Ball 3" S Small Ball 21/4" R Large Ball 3" S Small Cylinder 2" X 1½" R Small Cylinder 2" X 1½" R Large Cylinder 3" x 2" S Large Cylinder 3" x 2" S Small Egg 2" X 1½" R Large Egg 4¼" x 3" S Small Egg 2" X 1½" R Small Ball 2¼" S Small Ball 21/4" X Large Ball 3" T Large Ball 3" Z Large Egg 4¼" x 3" S **NEW!** Yellow Flame **NEW!** Vulcan **NEW!** Yellow Fan **YELLOW SWIRL** Small Ball 2¼" R Large Ball 3" S Small Cylinder 2" X 1½" R Large Cylinder 3" x 2" S Small Fan 4" x 5½" S Large Fan 5" x 6½" I Small Ball 21/4" S Small Flame 6" x 2½" S Small Egg 2" X 1½" R Large Ball 3" Large Flame 7" x 3" Large Egg 4¼" x 3" S



ONA COUTURE ArtGlass FINIALS


NEW! ONA COUTURE ArtGlass finials and holdbacks. Hand blown and crafted in the U.S.A., each piece is an individual piece of art and will have its own unique characteristics. Subtle variations in shape color and size are to be expected. Made to order, non-returnable.

Order by name. Price by letter group A - Z



ONA COUTURE ArtGlass COLORS

24K Gold- Leaf gilding available for an upcharge.



ONA ArtGlass HOLDBACKS

ONA ArtGlass Holdbacks are available in all finial styles. Specify finial style and color, type of mount and finish. ONA COUTURE ArtGlass finial and mount priced separately.

Order by name. Price by letter group A - Z+ Mount

Wrap Around Mount A - Z+ Mount

Livia (Color shown: 24K White Gold-Leaf outside / Brushed Nickel)



Wrap around mount dimensions: 5" x 5" not including Finial. Custom dimensions available.

Post Mount A - Z+ Mount

Mondor (Color shown: Cobalt Latticino / Brushed Nickel)



Post mount adjusts 3'' - 5''. Custom projection available.

ONA COUTURE ArtGlass FINIALS

Order by name. Price by letter group A - Z

Babe

(Color shown: Aubergine Spots / rod finish: Gilt)



For 1" Rod (~7¼" long) std color add H for leaf For 1-5/8" Rod (~8½" long) std color add H for leaf

Babe

(Color shown: Amber / rod finish: Gilt)



For 1" Rod (~7¼" long) std color add f for leaf For 1-5/8" Rod (~8½" long) std color add f for leaf



ONA COUTURE ArtGlass FINIALS

Order by name. Price by letter group A - Z

Goya

(Color shown: Metallic Tortoise / rod finish: Black)



For 1" Rod (~5¼" long) I std color add I for leaf For 1-5/8" Rod (~8" long) U std color add I for leaf

Lascar

(Color shown: 24K White Gold-Leaf inside / rod finish: Matte Brass plated)



For 1" Rod (~5¾" long) std color add H for leaf For 1-5/8" Rod (~8½" long) std color add H for leaf

Livia

(Color shown: Exotic / rod finish: Polished Copper plated)



For 1" Rod (~5¾" long) std color add H for leaf For 1-5/8" Rod (~8½" long) std color add H for leaf

Mondor

(Color shown: Cobalt Latticino / rod finish: Gilt)



For 1" Rod (~5¼" long) std color add for leaf For 1-5/8" Rod (~6¼" long) std color add for leaf

Pasha

(Color shown: Beige / rod finish: Matte Brass plated)



For 1" Rod (~4¼" long) std color add for leaf For 1-5/8" Rod (~6½" long) std color add for leaf

Sphere

(Color shown: Opal / rod finish: Gilt)



For 1" Rod (~2 ¼" diameter) std color add f for leaf For 1-5/8" Rod (~3" diameter) std color add f for leaf Goya

(Color shown: Flame Red / rod finish: Henna)



For 1" Rod (~5¼" long) std color add for leaf For 1-5/8" Rod (~8" long) std color add for leaf

Livia

(Color shown: 24K White Gold-Leaf outside / rod finish: Polished Nickel plated)



For 1" Rod (~5¾" long) std color add H for leaf For 1-5/8" Rod (~8½" long) std color add H for leaf

Mondor

(Color shown: 24K White Gold-Leaf inside / rod finish: Gilt)



For 1" Rod (~5¼" long) std color add for leaf For 1-5/8" Rod (~6¼" long) std color add for leaf

Pasha

(Color shown: Cobalt / rod finish: Brite Silver)



For 1" Rod (~4¼" long) std color add for leaf For 1-5/8" Rod (~6½" long) std color add for leaf

Scirocco

(Color shown: Clear / rod finish: Polished Nickel plated)



For 1" Rod (~4" long) std color add for leaf For 1-5/8" Rod (~6" long) std color add f for leaf

Sphere

(Color shown: Clear / Polished Nickel plated)



For 1" Rod (~2 ¼" diameter) ustd color add for leaf For 1-5/8" Rod (~3" diameter) ustd color add for leaf



ONA ECO-FINIALS NEW! ONA ECO-FINIALS are made with environmentally friendly biodegradable filament utilizing 3D print technology. Highly detailed, ONA ECO-FINIALS remain 100% strong and durable for their installed lifetime yet are fully compostable. Custom sizes and designs available per quote. Great for historic recreations. Available in Standard finishes only. MADE IN USA. Sizes are for 1-5/8" rods. Finials for 1" rods will be sized proportionally. Order by name. Price by letter group A – Z Adams (4" x 2") Affina (3¼" x 2 ¼") K Annapolis (5¼" x 3¼") Finish: Brushed Nickel Finish: Gilt Finish: Winter eco eco Baroque (3½" x 3") K Barossa (5¼" x 3½") Botanica (5" x 2½") Finish: Gilt Finish: Gilt Finish: Sepia eco Buffalo (2½" x 3") K Bristlecone (5" x 3") Carlton (6" x 3¾") Finish: Pewter Finish: Sepia Finish: Burnished Bronze Cecily (4½" x 3") J Darlington (4" x 3") Charleston (5" x 3") Finish: Gilt Finish: Gilt Finish: Platinum eco eco **Dunwood** (5¾"x 3") Elephant (5" x 2") Fenmore (5¼" x 2½") Finish: Winter Finish: Pewter Finish: Brushed Nickel eco Jacqueline (4¼" x 3¼") Geneva (5" x 2½") Horse (3¼" x 3") K Finish: Antique Brass Finish: Sepia Finish: Antique Brass



ONA ECO-FINIALS

NEW! ONA ECO-FINIALS are made with environmentally friendly biodegradable filament utilizing 3D print technology. Highly detailed, ONA ECO-FINIALS remain 100% strong and durable for their installed lifetime yet are fully compostable. Custom sizes and designs available per quote. Great for historic recreations. Available in Standard finishes only. MADE IN USA.



Sizes are for 1-5/8" rods. Finials for 1" rods will be sized proportionally. Order by name. Price by letter group A – Z



















eco





















BRACKETS

All brackets are sold individually. Brackets will be made to coordinate with the rod size and style ordered. Most brackets are drop in style and feature a set screw that securely locks the rod in place after installation. Projection is measured from the wall to the center of the rod. Touch up paint is included to match screw heads if alternate mounting hardware is required. Professional installation into study or wood backing is recommended. Brackets are available in the styles below.

Standard Style Brackets



Standard brackets are our most popular style. Strong and simple.

Deco Style Brackets



Deco brackets feature a decorative base and provide a solid installation.

Square Style Brackets



Square brackets provide a clean look and a solid installation.

Round Style Brackets



Round brackets provide a contemporary look.

Block Style Brackets



Contemporary brackets that provide a solid installation. Also recommended for use with *GROMMAVERSE™* rods.

Heavy Duty Style Brackets



Available for 1-5/8" rods only.

Heavy Duty brackets for 1-5/8" rods only. Recommended for <u>heavy panels</u>, and Onaverse™ rods.

Café Style Brackets



Delicate small brackets for small café curtains and door panels.

Wood Pole Brackets



For 1-3/8", 2", 2¼" & 3" diameter wood poles.

Bracket Accents & Accessories

Rolled Ends



Rolled ends can be added to any of our brackets for an additional charge.

Both ends are rolled on Standard brackets. Only the bowl will be rolled on Center, Deco and Round style brackets. Price per end plus bracket.

Hammered Ends



Hammered ends can be added to any of our brackets for an additional charge.

Both ends are hammered on Standard brackets. Only the bowl will be hammered on Center, Deco and Round style brackets. Price per end plus bracket.

Welded Rosette



Marguerite shown

Rosette can be welded to the face of bracket for an additional charge.

Specify Rosette style.

Leafed



Leafed accent can be welded to the face of any bracket except Café bracket for an additional charge.

Screw on Rosette



Maiden showi

A decorative screw on rosette can be ordered to replace set screw on face of Café & Tapestry style brackets. Price rosette in addition to bracket.

Professional Set Screw Driver



A must have if you plan to install multiple rods. Ratcheting action saves installation time. Includes 3 bits.

STANDARD STYLE BRACKETS

Standard Brackets have clean lines, unobtrusive styling. They are our most popular style. We have endless custom capabilities; call us if you need a bracket you don't see in our catalog.

Order by Name Price by letter group A – Z





Our most popular style.

Projection: 3½" Base: 1" x 4"

Standard brackets are our most popular style. Strong and simple. A great choice for most applications.

Custom D



Projection: 6"
Base: 1" x 4"
Specify projection if other than 6".
Specify Base if other than 4".

Braced 1



A welded brace is recommended for projections over 6". Specify projection. Base: 1" x 4"

Double =



Projection: 3" & 6" Base: 1" x 4"

Adjustable D



Projection adjusts from 3" - 4%" (3%" - 4%" for 1-5/8" rods)
Base: $1" \times 4"$ Recommended for use with bay and

Custom Adjustable =



Specify projection (2½" min., 3½" for 1-5/8" rods) Range of adjustment is 1½". Base: 1" x 4"

Staggered 1



Projection: 3" & 6"
Base: 1" x 4"
For rods up to 1", under rod
bracket is 2½" below the over rod
bracket.
For 1-5/8" rods, under rod

bracket is 3-3/8" below the over

rod bracket.

Center Double G

Use as a center support only.



Projection: 3" & 6"
Base: 3½" x 1" (except for 1-5/8")
For 1-5/8" rod —Base: 3½" x 1½"
When using heavy panels or
spanning very wide openings, we
suggest using a Double bracket
instead of a center bracket.

Center D

curved rods.

Use as a center support only.



Projection: 3½"
Base: 3½" x 1" (except for 1-5/8")
For 1-5/8" rod –Base: 3½" x 1½"
When using heavy panels or spanning very wide openings, we suggest using a Standard bracket instead of a center bracket.

Center Custom

Use as a center support only.



Projection: 6"
Base: 3½" x 1" (except for 1-5/8")
For 1-5/8" rod –Base: 3½" x 1½"
Specify projection if other than 6".
When using heavy panels or
spanning very wide openings, we
suggest using a Custom bracket
instead of a center bracket.

Center Adjustable

Use as a center support only.



Projection adjusts from 3" - 4%" (3%" - 4%" for 1-5/8" rods). Base: $3\%" \times 1"$ (except for 1-5/8") For 1-5/8" rod -Base: $3\%" \times 1\%!$ When using heavy panels or spanning very wide openings, we suggest using an Adjustable bracket instead of a center bracket.

Center Custom Adjustable ©

Use as a center support only.



Specify projection. (2½" min., 3½" for 1-5/8" rods) Range of adjustment is 1¼". Base: 3½" x 1" (except for 1-5/8") For 1-5/8" rod –Base: 3½" x 1½" When using heavy panels or spanning very wide openings, we suggest using a Custom Adjustable bracket instead of a center bracket.



STANDARD

STYLE BRACKETS

Continued

Standard Brackets have clean lines, unobtrusive styling. They are our most popular style. We have endless custom capabilities; call us if you need a bracket you don't see in our catalog.

Order by Name Price by letter group A – Z

*Tapestry



%" clearance to back of rod.
Base: 1" x 4"
Optional screw on rosette
available to replace set screw.
Note: Some finials & rings may
require more clearance. Please call if

*See hooks that may also be used for tapestry applications.

Swivel G

Base swivels to allow installation in different positions.



Projection adjusts from 3"-4". Base: $1" \times 3½"$ (except for 1-5/8") For 1-5/8" rod -Base: $1½" \times 3½"$ Recommended as a center support for ½" & ½" solid French Rods. Recommended for use with arch top rods.

Custom Swivel H

Base swivels to allow installation in different positions.



Specify anticipated projection. (1½" min., 2" for 1-5/8" rods) Recommended as a center support for ½" & ¾" solid French Rods. Recommended for use with arch top rods.

Pass Through G

Base swivels to allow installation in different positions.



Projection adjusts from 3" – 4". Base: 1" x 3½" (except for 1-5/8") For 1-5/8" rod –Base: 1½" x 3½" Not for ceiling installation. Not for use with French rods unless spliced.

Ceiling =

Ceiling brackets will be made to the minimum drop measured from the ceiling to the top of the rod. O.A.L. (overall length) is also indicated.



Base: 3½" x 1"
½" rods drop = 1½", O.A.L.= 2"
½" round drop = 1-3/8", O.A.L. = 2-3/8"
½" twist, drop = 1-5/8", O.A.L. = 2-7/8"
1" rods, drop = 1-5/8", O.A.L. = 2-7/8"
1-5/8" rods, drop = 2-1/8", O.A.L. = 4"

Custom Ceiling

Up to 6" drop



Ceiling Stem M

3/8" round stem for lengthy drops over 6".



Specify drop measured from the ceiling to the top of the rod
Note: If specified drop is less than the minimum, the rod will not drop into the bracket and must be inserted through the side.

Custom Pass Through 1

Base swivels to allow installation in different positions.



Specify anticipated projection (1½" min., 2" for 1-5/8" rods)

Not for ceiling installation. Not for use with French rods unless spliced.

Square Socket B



Base: 1½" x 3" Specify left or right. When ordering, specify exact inside mount dimensions. We will make deductions.

Low profile Socket 3

Provides a minimal look.



For inside mounting. Specify left or right. When ordering, specify exact inside mount dimensions. We will make deductions.

Corner



Allows installation directly into a corner. Projection adjusts from 3"–5". Hinged Base: 3" x 3". Splices into 1" rods. Fits over ½" & ¾" rods. Not recommended for use with 1-5/8" rods. Specify wall angles and back wall measurements. We will make deductions

Not recommended for use with heavy treatments.

Bypass J

For 1" & 1-5/8" rods only.

Must use "C" rings.

Projection adjusts from 3" – 4".

Base: 1" x 3½" (except for 1-5/8")

For 1-5/8" rod –Base: 1½" x 3½"



Custom Bypass K

Specify anticipated projection (1½" min., 2" for 1-5/8" rods)

Double Bypass P



For 1" & 1-5/8" rods only. Available for special applications. For use with 1" & 1-5/8" rods only. Must use "C" rings.

Ceiling Bypass M

For 1" & 1-5/8" rods only. 2" Projection.

1" rod, drop to top of rod: 1-5/8" 1-5/8" rod, drop to top of rod: 2-1/8"



Custom Ceiling Bypass O

Custom drop or projection (2" minimum)

DECOSTYLE BRACKETS

Deco Brackets feature a decorative base and provide for a solid installation.

Order by Name
Price by letter group A –

Deco D



Projection: 3½" Base: 1½" x 3½"

Deco Custom



Specify projection up to 6". Base: 1½" x 3½"

Deco Braced H



A welded brace is recommended for projections over 6".

Specify Projection.

Base: 1½" x 3½"

Deco Adjustable



Projection adjusts from 3" - 4%" (3%2" - 4%" for 1-5/8" rods). Base: 1%2" x 3%2" Recommended for use with bay and curved rods.

Deco Custom Adjustable ©



Specify projection (2½" min., 3½" for 1-5/8" rods) Range of adjustment is 1½".
Base: 1½" x 3½".

Deco Center D

Use as a center support only.



Base: 3½" x 1½"
When using heavy panels or spanning very wide openings, we suggest using a Deco bracket instead of a Center

Deco Custom Center

Use as a center support only.



Projection: 6". Specify if other. Base: 3½" x 1½"
When using heavy panels or spanning very wide openings, we suggest using a Deco Custom bracket instead of a Center bracket.

Deco Center Adjustable

Use as a center support only.



Projection adjusts from 3" - 44" (3%" - 4%" for 1-5/8" rods). Base: $3\%" \times 1\%"$ When using heavy panels or spanning very wide openings, we suggest using a Deco Adjustable bracket instead of a Center bracket.

Deco Center Custom Adjustable ©

Use as a center support only.



Specify projection. (2½" min., 3½" for 1-5/8" rods)
Range of adjustment is 1¼".
When using heavy panels or spanning very wide openings, we suggest using a Deco Custom Adjustable bracket instead of a Center bracket.

Deco Socket B

Projection: 31/2"



Base: 1%" x 3%". Specify left or right. When ordering, specify exact inside mount dimensions. We will make deductions.

Low profile Socket B

Provides a minimal look.



For inside mounting.
Specify left or right.
When ordering, specify exact
inside mount dimensions. We
will make deductions.

*Deco Tapestry B



1/2" clearance to back of rod.

Base: 1½" x 3½".

Optional screw on rosette
available to replace set screw.

Note: Some finials & rings may
require more clearance. Please
call if unsure.

*See hooks that may also be used for tapestry applications.



DECO

STYLE BRACKETS

continued

Deco Brackets feature a decorative base and provide for a solid installation.

Order by Name Price by letter group A –Z

Deco Double G



Projection: 3" & 6" Base: 1½" x 3½"

Deco Double Center ©

Use as a center support only.



Projection: 3" & 6" Base: 3½" x 1½"

When using heavy panels or spanning very wide openings, we suggest using a Deco Double bracket instead of a Center bracket.

Deco Swivel ©

Base swivels to allow installation in different positions.



Projection adjusts from 3" - 4". Base: 11/2" x 31/2" Recommended as a center support for ½" & ¾" solid French Rods. Recommended for use with arch top rods.

Deco Custom Swivel 🗓



Specify anticipated projection. (1½" min., 2" for 1-5/8" rods) Base: 11/2" x 31/2" Recommended as a center support for ½" & ¾" solid French Rods. Recommended for use with arch top rods.

Deco Ceiling 3

Ceiling brackets will be made to the minimum drop measured from the ceiling to the top of the rod. O.A.L. (overall length) is also indicated.



Base: 3½" x 1½" ½" rods drop = 1¼", O.A.L.= 2" $\frac{3}{4}$ " round rods drop = 1-3/8", O.A.L. = 2-3/8" 3/4" twist rods, drop = 1-5/8", O.A.L. = 2-7/8" 1" rods, drop = 1-5/8", O.A.L. = 2-7/8" 1-5/8" rods, drop = 2-1/8", O.A.L = 4"

Deco Custom Ceiling

Up to 6" drop



3/8" round stem for lengthy drops over 6".



Specify drop measured from the ceiling to the top of the rod Note: If specified drop is less than the minimum, the rod will not drop into the bracket and must be inserted through the side.

Deco Pass Through G

Base swivels to allow installation in different positions.



Projection adjusts from 3" - 4". Base: 11/2" x 31/2"

Not for ceiling installation. Not for use with French rods unless spliced.

Deco Custom Pass Through I

Base swivels to allow installation in different positions.



Specify anticipated projection. (1½" min., 2" for 1-5/8" rods) Base: 11/2" x 31/2"

Not for ceiling installation. Not for use with French rods unless spliced.

Deco Bypass J

For 1" & 1-5/8" rods only. Projection adjusts from 3" - 4".



Deco Custom Bypass 🔀

Specify anticipated projection (1½" min., 2" for 1-5/8" rods)

Available for special applications. Recommended for large curved rods or excessive spans. For use with 1" & 1-5/8" rods only. Must use "C" rings. Call us to discuss your treatment.

Deco Double Bypass 🖸



Bypass Assembly shown with Rod and Ring.



Double Bypass assembly shown with rods & rings.



Deco Ceiling Bypass M

For 1" & 1-5/8" rods only. 2" Projection.

1" rod, drop to top of rod: 1-5/8" 1-5/8" rod, drop to top of rod: 2-1/8"



Deco Custom Ceiling Bypass Custom drop or projection

(2" minimum)

Square STYLE BRACKETS

Square Brackets provide a clean look and a solid installation.

Order by Name
Price by letter group A – Z

Square D



Projection: 3½". Base: 1½" x 3".

Square Custom



Specify projection up to 6". Base: $1\frac{1}{2}$ " x 3".

Square Braced



A welded brace is recommended for projections over 6". Specify Projection. Base: 1½" x 3".

Square Adjustable



Projection adjusts from 3" - 4%" (3%2" - 4%" for 1-5/8" rods). Base: $1\%2" \times 3"$. Recommended for use with bay and curved rods.

Square Custom Adjustable ©



Specify projection (2½" min., 3½" for 1-5/8" rods) Range of adjustment is 1½". Base: 1½" x 3".

Square Center D

Use as a center support only.



Projection: 3½"
Base: 3" x 1½"
When using heavy panels or spanning very wide openings, we suggest using a Square bracket instead of a Center bracket.

Square Custom Center

Use as a center support only.



Projection: 6". Specify if other. Base: 3" x 1½" When using heavy panels or spanning very wide openings, we suggest using a Square Custom bracket instead of a Center bracket.

Square Center Adjustable

Use as a center support only.



Projection adjusts from 3" - 4%" (3%" - 4%" for 1-5/8" rods). Base: $3" \times 1\%"$ When using heavy panels or spanning very wide openings, we suggest using a Square Adjustable bracket instead of a Center bracket.

Square Center Custom Adjustable ©

Use as a center support only.



Specify projection. (2½" min., 3½" for 1-5/8" rods) Range of adjustment is 1¼". When using heavy panels or spanning very wide openings, we suggest using a Square Custom Adjustable bracket instead of a Center bracket.

Square Socket



Base: 1½" x 3"
Specify left or right.
When ordering, specify exact inside mount dimensions. We will make deductions.

Low profile Socket

Provides a minimal look.



For inside mounting.
Specify left or right.
When ordering, specify exact
inside mount dimensions. We
will make deductions.

*Square Tapestry 🖪



%" clearance to back of rod. Base: 1%" x 3". Optional screw on rosette available to replace set screw.

Note: Some finials & rings may require more clearance. Please call if unsure.

*See hooks that may also be used for tapestry applications.



Square STYLE BRACKETS

continued

Square Brackets provide a clean look and a solid installation. The Base: 1-1/2" x 3".

Order by Name Price by letter group A – Z

Square Double G



Projection: 3" & 6" Base: 1½" x 3"

Square Double Center G

Use as a center support only.



Projection: 3" & 6" Base: 3" x 1½"

When using heavy panels or spanning very wide openings, we suggest using a Square Double bracket instead of a Center bracket

Square Swivel G



Projection adjusts from 3"-4". Base: $1\frac{1}{2}" \times 3"$ Recommended as a center support for $\frac{1}{2}" \otimes \frac{1}{2}"$ solid French Rods. Recommended for use with arch top rods.

Square Custom Swivel



Specify anticipated projection. (1½" min., 2" for 1-5/8" rods)
Base: 1½" x 3"
Recommended as a center support for ½" & ¾" solid French Rods. Recommended for use with arch top rods.

Square Ceiling

Ceiling brackets will be made to the minimum drop measured from the ceiling to the top of the rod. O.A.L. (overall length) is also indicated.



Base: 3" x 1½".

½" rods drop = 1½", O.A.L.= 2"

½" round rods drop = 1-3/8",
O.A.L. = 2-3/8"

½" twist rods, drop = 1-5/8",
O.A.L. = 2-7/8"

1" rods, drop = 1-5/8", O.A.L. = 2-7/8"
1-5/8" rods, drop = 2-1/8", O.A.L. = 4"

Square Custom Ceiling

Up to 6" drop



Square Ceiling Stem M
3/8" round stem for lengthy drops



Specify drop measured from the ceiling to the top of the rod
Note: If specified drop is less than the minimum, the rod will not drop into the bracket and must be inserted through the side.

Square Pass Through G

Base swivels to allow installation in different positions.



Projection adjusts from 3" – 4". Base: 1½" x 3"

Not for ceiling installation. Not for use with French rods unless spliced.

Square Custom Pass Through

Base swivels to allow installation in different positions.



Specify anticipated projection. (1½" min., 2" for 1-5/8" rods)
Base: 1½" x 3½"

Not for ceiling installation. Not for use with French rods unless spliced.

Square Bypass J

For 1" & 1-5/8" rods only.

Projection adjusts from 3" – 4".



Square Bypass Custom K

Specify anticipated projection (1½" min., 2" for 1-5/8" rods)

Available for special applications. Recommended for large curved rods or excessive spans. For use with 1" & 1-5/8" rods only. Must use "C" rings. Call us to discuss your treatment.

Square Double Bypass 🔁



Bypass Assembly shown with Rod and Ring.



Double Bypass assembly shown with rods & rings.



Square Bypass Ceiling M

For 1" & 1-5/8" rods only.
2" Projection.

1" rod, drop to top of rod: 1-5/8" 1-5/8" rod, drop to top of rod: 2-1/8"



Square Custom Ceiling Bypass •

Custom drop or projection (2" minimum)

ROUND STYLE BRACKETS

Round Brackets offer versatile style for lightweight to medium weight treatments. Base: 2" diameter, good for limited installation spaces.

Order by Name Price by letter group A - Z

Round Custom

Adjustable G





Projection: 31/21 Base: 2" round.

Round Custom



Specify projection up to 6". Base: 2" round.

Low profile Socket

Provides a minimal look.



For inside mounting. Specify left or right. When ordering, specify exact inside mount dimensions. We will make deductions.

Round Adjustable



Projection adjusts from 3" -4¼" (3½" - 4¾" for 1-5/8" rods). Base: 2" round Recommended for use with bay

rods, curved rods or returns.

Specify projection. (2½" min., 3½" for 1-5/8" rods) Base: 2" round. Range of adjustment is 11/4".

Round Double G



Projection is 3" & 6". Base: 2" round

Round Swivel G



Projection adjusts from 3" - 4". Base: 2" round Recommended as a center support for French Rods with round bases. Recommended for use with arch top rods.

Round Custom Swivel I



Specify anticipated projection. (1½" min., 2" for 1-5/8" rods) Base: 2" round Recommended as a center support for French Rods with round bases. Recommended for use with arch top rods.

Round Pass Through G



Projection adjusts from 3" - 4". Base: 2" round

Not for ceiling installation. Not for use with French rods unless spliced.

Round Custom Pass Through 1



Specify anticipated projection. (1½" min., 2" for 1-5/8" rods) Base: 2" round

Not for ceiling installation. Not for use with French rods unless spliced.

Round Ceiling



Ceiling brackets will be made to the minimum drop measured from the ceiling to the top of the rod. O.A.L. (overall length) is also indicated. Base: 2" round.

½" rods drop = 1¼", O.A.L.= 2" $\frac{3}{4}$ " round rods drop = 1-3/8",

O.A.L. = 2-3/8" 3/4" twist rods, drop = 1-5/8", O.A.L. = 2-7/8'

1" rods, drop = 1-5/8", O.A.L. = 2-7/8" 1-5/8" rods, drop = 2-1/8", O.A.L. = 4"

Custom Round Ceiling

Up to 6" drop



Round Ceiling Stem M 3/8" round stem for lengthy drops over 6".



Specify drop measured from the ceiling to the top of the rod Note: If specified drop is less than the minimum, the rod will not drop into the bracket and must be inserted through the side.

Round Bypass J

For 1" & 1-5/8" rods only. Must use

Projection adjusts from 3" - 4".



Round Custom Bypass K

Specify anticipated projection (1½" min., 2" for 1-5/8" rods)

Round Ceiling Bypass M

For 1" & 1-5/8" rods only. 2" Projection.

1" rod, drop to top of rod: 1-5/8" 1-5/8" rod, drop to top of rod: 2-1/8"



Round Custom Ceiling Bypass O Custom drop or projection (2" minimum)

BLOCK

STYLE BRACKETS

Block Brackets provide a minimal and modern look. A thin and sturdy design is ideal for use with heavier treatments. Block brackets are recommended for use with heavy panels or *ONAVERSE™* and *GROMMAVERSE™* traverse rods.

Order by Name Price by letter group A – Z

Block Bracket



Projection: 3½"
Base for ½" rods: 1"x 2½"
Base for ¾" rods: 1½"x 2¾"
Base for 1" & ¾" twist rods: 1½"x 3"
Base for 1-5/8" Rods: 2¾"x 4½"

Block Custom J

Not available for square rods.



Projection: 6"; 6½" for-5/8" rods. Specify if other.
Base for ½" rods: 1"x 2½"
Base for ¾" rods: 1½"x 2¾"
Base for 1" & ¾" twist rods: 1½"x 3"
Base for 1-5/8" rods: 2½"x 4½"

Use as a center support only.



Base for ½" rods: 2½" x 1" Base for ¾" rods: 2¾" x 1¼" Base for 1" & ¾" twist rods: 3" x 1½"

Base for 1-5/8" Rods: 4½" x 2¼"

Projection: 31/2"

Block Custom Center

Use as a center support only.



Projection: 6"; 6½" for-5/8" rods. Specify if other.

Base for ½" rods: 2½" x 1"
Base for ¾" rods: 2¾" x 1¼"
Base for 1" & ¾" twist rods:

3" x 1½"

Base for 1-5/8" rods: 4½" x 2½"

Block Double K



Projection: 3" - 6" except 1-5/8" rods. Projection: 3½" - 6½" for 1-5/8" rods. Base for ½" rods: 1"x 2½"Base for ¾" rods: 1½"x 2¾"Base for 1" & ¾" twist rods: 1½"x 3"Base for 1-5/8" rods: 2½"x 4½"

Block Double Center K

Use as a center support only.



Projection: 3" - 6" except 1-5/8" rods. Projection: $3\frac{1}{2}" - 6\frac{1}{2}"$ for 1-5/8" rods.

Base for $\frac{1}{2}$ " rods: $\frac{2}{2}$ " x 1" Base for $\frac{3}{4}$ " rods: $\frac{2}{4}$ " x $\frac{1}{4}$ "

Base for 1" & ¾" twist rods:

3" x 1½"

Base for 1-5/8" rods: 4½" x 2¼"

Square Socket 3



Base: 1½" x 3"
Specify left or right.
When ordering, specify exact inside mount dimensions. We will make deductions.

Low profile (LP) Socket

Provides a minimal look.



For inside mounting.
Specify left or right.
When ordering, specify exact
inside mount dimensions. We will
make deductions.

Block Ceiling



Ceiling bracket will be made to the minimum drop measured from the ceiling to the top of the rod. O.A.L. (overall length) is also indicated below.

½" rods drop = 1", O.A.L.= 2"
½" round drop = 1 ½", O.A.L. = 2 ½"
½" twist, drop = 1½ ", O.A.L. = 2¾"
1" rods, drop = 1½ ", O.A.L. = 2¾"
1-5/8" rods, drop = 1-5/8", O.A.L. = 3¾"

Block Custom Ceiling J

Specify drop measured from the ceiling to the top of the rod. Note: If specified drop is less than the minimum, the rod may not drop into the bracket and must be inserted through the side.



Block Bracket - Base Dimensions

Base for ½" round rods: 2½"W x 1"H
Base for ¾" round rods: 2¾"W x 1¼"H
Base for 1" round & ¾" twist rods: 3"W x 1½"H
Base for 1-5/8" round rods 4½" x 2½"H

We have endless custom capabilities; call us if you need a bracket you don't see in our catalog.



Heavy Duty

All Styles For 1-5/8" Rods Heavy Duty Brackets for Onaverse™ Rods, 1-5/8" Diameter Rods & Heavy Panels

Order by Name Price by letter group A - Z

Heavy Duty G



For 1-5/8" rods only. Projection: 3½" Base: 11/4" x 4"

11/4" wide x 1/4" thick steel for heavy

treatments.

Heavy Duty Custom



For 1-5/8" rods only. Projection: 61/2" Base: 1¼" x 4"

Specify projection if other than 61/2". Specify Base height if other than 4".

Heavy Duty Adjustable [



For 1-5/8" rods only. Projection: 3½" – 4 ¾"

Base: 1¼" x 4"

Heavy Duty Custom Adjustable **J**



For 1-5/8" rods only. Base: 1¼" x 4"

Specify projection (3½" min). Range of adjustment is 11/4".

Heavy Duty Center



Use as a center support only.



For 1-5/8" rods only. Projection: 31/2"

When using heavy panels or spanning very wide openings, we suggest using a Heavy Duty bracket instead of a Center hracket.

Base: 3½" x 1½"

Heavy Duty Custom Center J

Use as a center support only.



For 1-5/8" rods only.

Projection: 6½". Specify if other.

Base: 3½" x 1½"

When using heavy panels or spanning very wide openings, we suggest using a Heavy Duty Custom bracket instead of a Center bracket.

Heavy Duty Center Adjustable **J**

Use as a center support only.



For 1-5/8" rods only. Projection: 3½" - 4 ¾"

Base: 3½" x 1½"

When using heavy panels or spanning very wide openings, we suggest using a Heavy Duty Adjustable bracket instead of a Center bracket.

Heavy Duty Custom Center Adjustable K

Use as a center support only.



For 1-5/8" rods only. Base: 3½" x 1½"

Specify projection (3½" min). Range of adjustment is 11/4". When using heavy panels or spanning very wide openings, we suggest using a Heavy Duty Custom Adjustable bracket instead of a Center bracket.

Heavy Duty Double K



For 1-5/8" rods only. Projection: 3" & 61/2" Base: 11/4" x 4"

Heavy Duty Center Double

Use as a center support only.



For 1-5/8" rods only. Projection: 3" & 61/2" Base: 3½" x 1½"

When using heavy panels or spanning very wide openings, we suggest using a Heavy Duty Double bracket instead of a Center bracket.

Heavy Duty Staggered **I**



For 1-5/8" rods only. Projection: 3" & 61/2" Base: 11/4" x 4" Under rod bracket is 3-3/8" below the over rod bracket.

Square Socket 🖪



Base: 1½" x 3"



Low Profile Socket



For inside mounting. Specify left or right. When ordering, specify exact inside mount dimensions. We will make deductions.



Heavy Duty

All Styles
For 1-5/8" Rods

Heavy Duty Brackets for Onaverse™ Rods, 1-5/8" Diameter Rods & Heavy Panels

Order by Name Price by letter group A – Z

Square Heavy Duty •



For 1-5/8" rods only. Projection: 3½" Base: 1½" x 3"

Square Heavy Duty Custom •



For 1-5/8" rods only. Projection: 6½". Specify if other. Base: 1½" x 3"

Square Heavy Duty Adjustable J



For 1-5/8" rods only. Projection: 3½" – 4 ¾" Base: 1½" x 3".

Square Heavy Duty Custom Adjustable



For 1-5/8" rods only. Specify projection (3%" min). Range of adjustment is 1%". Projection: 3%" -4%" Base: 1%" \times 3"

Square Heavy Duty Center

Use as a center support only.



For 1-5/8" rods only.
Projection: 3½"
Base: 3" x 1½"
When using heavy panels or
spanning very wide openings, we
suggest using a Square Heavy Duty
bracket instead of a Center bracket.

Square Heavy Duty Custom Center •

Use as a center support only.



Projection: 6½". Specify if other. Base: 3" x 1½" When using heavy panels or spanning very wide openings, we suggest using a Square Heavy Duty Custom bracket instead of a Center

For 1-5/8" rods only.

Square Heavy Duty Center Adjustable J

Use as a center support only.



For 1-5/8" rods only.
Projection: 3½" – 4 ¾".
Base: 3" x 1½".
When using heavy panels or spanning very wide openings, we suggest using a Square Heavy Duty Adjustable bracket instead of a Center bracket.

Square Heavy Duty Center Custom Adj. K

Use as a center support only.

For 1-5/8" rods only.



Specify projection (3½" min). Range of adjustment is 1½". Base: 3" x 1½" When using heavy panels or spanning very wide openings, we suggest using a Square Heavy Duty Custom Adjustable bracket instead of a Center bracket.

Square Heavy Duty Double



For 1-5/8" rods only. Projection: 3" & 6½" Base: 1½" x 3"

Square Heavy Duty Center Double

Use as a center support only. For 1-5/8" rods only. Projection: 3" & 6½" Base: 3" x 1½"



When using heavy panels or spanning very wide openings, we suggest using a Square Heavy Duty Double bracket instead of a Center bracket.

Heavy Duty Bypass J

For 1" & 1-5/8" rods only.

Projection adjusts from 3" – 4".



Square Bypass Custom K

Specify anticipated projection (1½" min., 2" for 1-5/8" rods)

Bypass Assembly shown with Rod and Ring.



Double Bypass assembly shown



Available for special applications. Recommended for large curved rods or excessive spans. For use with 1" & 1-5/8" rods only. Must use "C" rings. Call us to discuss your treatment.







Heavy Duty

All Styles
For 1-5/8" Rods
Continued

Heavy Duty Brackets for Onaverse™ Rods, 1-5/8" Diameter Rods & Heavy Panels

Order by Name Price by letter group A – Z

Deco Heavy Duty



For 1-5/8" rods only. Projection: 3½" Base: 1½" x 3½"

Deco Heavy Duty Custom J



For 1-5/8" rods only. Projection: 6½". Specify if other. Base: 1½" x 3½"

Deco Heavy Duty Adjustable J



For 1-5/8" rods only. Projection: 3½" – 4 ¾" Base: 1½" x 3½"

Deco Heavy Duty Custom Adj. K



For 1-5/8" rods only.

Specify projection (3½" min).

Range of adjustment is 1¼".

Deco Heavy Duty Center

Use as a center support only.



For 1-5/8" rods only.
Projection: 3½"
Base: 3½" x 1½"
When using heavy panels or spanning very wide openings, we suggest using a Deco Heavy Duty bracket instead of a Center bracket.

Deco Heavy Duty Custom Center J

Use as a center support only.



Projection: 6½". Specify if other.
Base: 3½" x 1½"
When using heavy panels or spanning very wide openings, we suggest using a Deco Heavy Duty Custom bracket instead of a Center bracket.

For 1-5/8" rods only.

Deco Heavy Duty Center Adjustable

Use as a center support only.



For 1-5/8" rods only.
Projection: 3½" – 4 ¾"
Base: 3½" x 1½"
When using heavy panels or spanning very wide openings, we suggest using a Deco Heavy Duty Adjustable bracket instead of a Center bracket.

Deco Heavy Duty Center Custom Adj.

Use as a center support only.



For 1-5/8" rods only.
Specify projection (3½" min).
Range of adjustment is 1½".
When using heavy panels or spanning very wide openings, we suggest using a Deco Heavy Duty Custom Adjustable bracket instead of a Center bracket.

Deco Heavy Duty Double



For 1-5/8" rods only. Projection: 3" & 6½" Base: 1½" x 3½"

Deco Heavy Duty Center Double

Use as a center support only.



For 1-5/8" rods only. Projection: 3" & 6½". Base: 3½" x 1½". When using heavy panels or spanning very wide openings, we suggest using a Deco Heavy Duty Double bracket instead of a Center bracket.

Deco Socket B



Base: 1½" x 3½"
Specify left or right.
When ordering, specify exact
inside mount dimensions. We
will make deductions.

Low profile (LP) Socket

Provides a minimal look.



For inside mounting. Specify left or right. When ordering, specify exact inside mount dimensions. We will make deductions.



Café Brackets

Café Brackets for ½" rods Smaller, more delicate brackets for café panels, small tapestries, and doors.

Order by Name
Price by letter group A – Z

Café A

For ½" rods only.



Projection is 1½"
Base: ½" x 2"
Optional screw on rosette available to replace set screw.
For lightweight treatments only.

Café Custom C

For ½" rods only.



Specify projection
Base: ½" x 2"
Optional screw on rosette available to replace set screw.
For lightweight treatments only.

Café Center C

For ½" rods only.



Projection is 1½"
Base: 2" x ½"
Optional screw on rosette
available to replace set screw.
Use as a center support only.
For lightweight treatments only.

Café Custom Center

For ½" rods only.



Specify projection
Base: 2" x ½"
Optional screw on rosette
available to replace set screw.
Use as a center support only.
For lightweight treatments only.

*Café Tapestry 3

For 1/2" rods only.



1/4" clearance to back of rod. Base: ½" x 2".

*See hooks that may also be used for tapestry applications.

Optional screw on rosette available to replace set screw.

Note: Some finials & rings may require more clearance. Please call if unsure.

Block Café



Projection is 1-1/4" (the minimum) Base: 1" x 2½"

Block Café Ceiling



Drop is measured from the ceiling to the top of the rod. O.A.L. (overall length) is also indicated below. %" rods drop = 1", O.A.L.= 2"

Sash D

For ½" round rods only.



Shown with Pinned Baby Pineapple Finial / Finish: Sepia



Great for use on doors. Comes with a 1" screw. Baseplate is 1-1/8" diameter. Projection is 1" to clear 1"rings or rod pocket treatments.

Sash Custom

For ½" round rods only.



Specify projection between ½" and 2-1/2".

Minimum projection 1".

Not recommended for projections over 2-1/2".

Screw on Rosette



Maiden shown

A decorative screw on rosette can be ordered to replace set screw on face of Café & Tapestry style brackets. Price rosette in addition to bracket. Specify rosette style.

Low profile Socket B

Provides a minimal look.



For inside mounting.
Baseplate is 1-1/8" diameter.
Specify left or right.
When ordering, specify exact inside mount dimensions. We will make deductions.

Slip Socket

For $\frac{1}{2}$ " round rods only. For inside mounting. *Provides a sleek look.*



Assembly shown. Finish: Polished Nickel



When ordering, specify exact inside mount dimensions. We will make deductions.



WOOD POLE

BRACKETS

Available for: 1-3/8", 2", 2¼" & 3" diameter wood poles, specify when ordering.

Order by Name
Price by letter group A – Z

Wood Pole J



Specify Projection. Base: 1" x 4"

Wood Pole Adjustable K



Specify anticipated projection. Bracket will be made +/- to adjust.

Range of adjustment is 1¼". Base: 1" x 4"

Wood Pole Center

Use as a center support only.



Top of bracket is flush with top of base.

Specify Projection.

Base: 3½" x 1½"

Wood Pole Center Adjustable K

Use as a center support only.



Specify anticipated projection.

Bracket will be made +/- to
adjust.

Range of adjustment is 1¼". Base: 3½" x 1½"

DdSE. 3/2 X 1/2

Wood Pole Double



Specify Projections. Base: 1" x 4"

Wood Pole Double Center K

Use as a center support only.



Specify projections. Base: 3" x 1½"

Deco Wood Pole J



Specify Projection. Base: 1½" x 3½"

Deco Wood Pole Braced



Recommended for heavier treatments and projections over 6".

Specify Projection. Base: 1½" x 3 ½"

Deco Wood Pole Center

Use as a center support only.



Specify Projection. Base: 3½" x 1½"

Low profile Wood Pole Socket



For inside mounting. Specify left or right.

Deco Wood Pole Adjustable K



Specify projection to rod center. Bracket will be made +/- to adjust. Range of adjustment is approximately 1¼". Base: 1½" x 3½"

Deco Wood Pole Adjustable Center K

Use as a center support only.



Specify projection to rod center. Bracket will be made +/- to adjust. Range of adjustment is approximately 1½".

Base: 3½" x 1½"

Deco Wood Pole Double



Specify projections. Base: 1½" x 3½"

WOOD POLE

BRACKETS

Continued

Available for: 1-3/8", 2", 2½" & 3" diameter wood poles, specify when ordering.

Order by Name Price by letter group A – Z

Deco Double Wood Pole Center

Use as a center support only.



Specify Projections. Base: 3½" x 1½"

Square Wood Pole



Specify Projection. Base: 1½" x 3"

Square Wood Pole Braced K



Recommended for heavier treatments and projections over 6". Specify Projection.

Base: 1½" x 3"

Square Wood Pole Adjustable 🔀



Specify projection to rod center. Bracket will be made +/- to adjust. Range of adjustment is approximately 1½".

Base: 1½" x 3"

Square Wood Pole Center

Use as a center support only.



Specify Projection. Base: 3" x 1½"

Square Wood Pole Adj. Center K

Use as a center support only.



Specify projection to rod center. Bracket will be made +/- to adjust. Range of adjustment is approximately 1¼".
Base: 3" x 1½"

Square Wood Pole Double



Specify projections. Base: 1½" x 3"

Square Double Wood Pole Center

Use as a center support only.



Specify Projection. Base: 3" x 1½"

Round Wood Pole J



Specify Projection. Base: 2" round

Round Wood Pole Adjustable K



Specify projection to rod center. Bracket will be made +/- to adjust. Range of adjustment is approximately 1¼". Base: 2" round.

Round Wood Pole Double



Specify Projections. Base: 2" round.

Round Wood Pole Ceiling M



Deco and Square base available upon request. Specify the required drop as measured from the ceiling to the top of the rod. Note: Minimum drop must be 3/8" over rod diameter otherwise the rod will not drop into the bracket and must be inserted through the side.

HOLDBACKS & SWAG HOLDERS

Rosettes are not included and are priced separately. Order by name. Price by letter group A – Z

Post Mount B+Rosette

Rosette and mount priced separately. Specify Rosette style. Base: 2" round. Provides a sturdy installation. Projection adjusts from 3" – 5". Custom projection available.

Rosette: Sun / Finish: Henna



Mini Mount B+Rosette

Rosette and mount priced separately. Specify Rosette style. Base: 1-1/8" round. For petite applications. Not recommended for Rosettes over 3" diameter. Projection: 2". Custom projection available.

Rosette: Jillian / Finish: Brushed Nickel



Wrap Around Mount B+Rosette

Rosette and mount priced separately. Specify Rosette style. Arm is 5" W x 5" L.

Custom dimensions available.

Rosette: Fila / Finish: Brushed Nickel



Wrap Around Mount B+Finial

Finial and mount priced separately. Specify Finial style. Arm is 5" W x 5" L. Custom dimensions available.

Finial: Seville / Finish: Brushed Nickel



Mini Ball Wrap Around

Arm is 5" W x 5" L. Includes Mini Ball finial, 1" diameter. Custom dimensions available.

Finish: Gilded Silver



Mini Cylinder Wrap Around

Arm is 5" W x 5" L. Includes Mini Cylinder finial, 3/4" W x 1" L Custom dimensions available.

Finish: Gilded Silver



Mini Cube Wrap Around

Arm is 5" W x 5" L. Includes Mini Cube finial. 34" W x 34" L Custom dimensions available.

Finish: Gilded Silver



Hammered End Wrap Around D

Arm is 5" W x 5" L. End is hammered. Custom dimensions available.

Finish: Pewter



Swing Loop

Loop is 7" wide. Length is 14". End is hammered.

Finish: Brushed Nickel



Spike Holdback G

Spike has 3½" projection. Base: 2" round.

Finish: Aged Iron



Spike Screw Holdback •

Spike has 3½" projection. Specify screw length if other than 11/2". If you plan to install directly into drywall, the Spike Holdback with 2" round Base: recommended

Finish: Burnished Bronze



Large Rings A

OD 4", 4½", 5", 5½", 6". Rings are ½" thick (subtract 1" from OD to determine ID). Can be used on rods for swags. Specify ring size. All sizes are same price group per ring.

Finish: Aged Iron



Flat Ring Swag Holder

Ring is 4" OD x 3" ID Base: 2" round. Projection adjusts from 3"-5".

Finish: Brushed Nickel



Ring Swag Holder

Can be ceiling mounted. Ring is 4" OD x 3" ID Base: 2" round. Length of stem is 11/2". Finish: Burnished Bronze



Flat Square Swag Holder J

OD Measures 5" x 31/2". Base: 2" round. Projection adjusts from 3"-5".

Finish: Pewter



Square Swag Holder

Can be ceiling mounted. OD measures 5" x 3½".

Base: 2" round. Length of stem is 11/2". Finish: Antique Brass



Ring Swag Holder with Rosette

Rosette & swag holder priced separately. Specify Rosette style. Rosette: Celestial Finish: Versailles



Heart Swag Holder

Ceiling Mount. 5" drop x 4" wide. Includes wood and toggle screws. Finish: Havannah



Double Swag Holder C

Twin hooks at 45 degrees give lots of options for swags. 4¾" tall x 4½". Base: 2" wide.

Hook ID is 1¾"

Finish: Brushed Nickel



Welded Screw or Tab

Specify screw length if other than 11/2". Tab is 1/2" wide x 11/2" long. Specify Rosette / Finial style.

If you plan to install directly into drywall, a post mount is recommended.





HOOKS & PEGS

Order by name. Price by letter group A - Z



Large Hook

Hammered end. Use with corded tassels. Use with large rings for Swags.

Hook is 3" x 3", Base: 31/4". Finish: Pewter



Decor Hook 3

Wall or ceiling mount. (Can also be used to bracket 1" round rods for tapestries.) Hook is 2½" long x 2" wide. Base: 1-1/8" diameter.



Orial Hook

Wall or ceiling mount. (Can also be used to bracket 1" round rods for tapestries.) Hook is 2½" long x 2" wide. Base: 2½" diameter.

Finish: Heirloom



Petite Hook

Use with corded tassels. (Can also be used to bracket ½" round rods for tapestries.) Hook is 1/2" x 11/4" Base: 1-1/8".

Finish: Antique Brass



Forged Hook C

Use with corded tassels. (Can also be used to bracket 34" round rods for tapestries.) Hook is 2" x 4", Base: 2". Finish: Sepia



Vogue Hook 🖪

Hook is 1½" x 5", Base: 2". Finish: Natural Iron



Twist Hook C

Hook is 1½" x 5", Base: 2".

Finish: Henna



Wall Hook A

Use with corded tassels. (Can also be used to bracket 3/4" round rods for tapestries.) Hook is 2" x 4½" x ¼" thick.

Finish: Pewter



Screw Hook 3

Use with corded tassels. (Can also be used to bracket 3/4" round rods for tapestries.) Hook is 2" x 3½" x ¼" thick. Finish: Aged Iron



NEW! Spiral Hook

Use with corded tassels. (Can also be used to bracket 3/4" round rods for tapestries.) Hook is 2" x 41/4" x 1/4" thick.



Round Peg 🖪

1¼" diameter. 2" wood screw attached.

Finish: Espresso



Square Peg

1¼" diameter. 2" wood screw attached.

Finish: Antique



Songbird Peg

Screw along top of wood rods, cornice boards etc... 3-5/8" wide x 2" tall. 1" wood screw attached. Finish: Gilt



Diamond Peg A

1" x 1" (petite size). 2" wood screw attached.

Finish: Havannah



Nail Peg 🗛

1-1/8" diameter (petite size). 1½" wood screw attached.

Finish: Henna



Ball Peg A

¾" diameter (petite size). 1½" wood screw attached.

Finish: Pewter



Rosettes do not include mounts. Mounting options are priced separately. Order by name. Price by letter group A - Z

Mounts for Holdbacks and Centerpieces

Post Mount B+Rosette

Rosette and mount priced separately. Specify Rosette style. Base: 2" round. Provides a sturdy installation.

Projection adjusts from 3" – 5". Custom projection available.

Rosette: Sun / Finish: Henna

Mini Mount B+Rosette

Rosette and mount priced separately. Specify Rosette style. Base: 1-1/8" round. For petite applications. Not recommended for Rosettes over

3" diameter. Projection: 2". Custom projection available.

Rosette: Jillian / Finish: Brushed Nickel

Wrap Around Mount B+Rosette

Rosette and mount priced separately. Specify Rosette style. Arm is 5" W x 5" L. Custom dimensions available.

Finial: Fila / Finish: Brushed Nickel







Annette (4¼" x 4¼") **D** Finish: Henna



Bayard (4" x 61/4") Finish: Nutmeg



Biana (4½" x 4½") **C** Finish: Hammered Steel



Bingham (4" x 4") Finish: Antique



NEW! Blair (2¼"x 3¼") **C** Finish: Sepia



Bloom (3" x 3") Finish: Brushed Nickel



Bria (5" x 3") Finish: Mineral



Brighton (2¾" x 3¼") C Finish: Antique Brass



Bristol (5½" x 5½") Finish: Brushed Nickel



Celeste (4" x 4") Finish: Bronze



Celestial (2½" x 6") Finish: Sable



Champlain (4½" x 4½") C Finish: Gilt





Rosettes <u>do not</u> include mounts. Mounting options are priced separately.

Order by name. Price by letter group A - Z





Crest (3¼" x 5¼") C Finish: Heirloom



Coiled Rope (4½" x 4½")

Finish: Havannah

Delray (7" x 7") **E** Finish: *Antique Brass*



Coyne (1½" x 1½") B

Details (4½" x 4½") Details (4½" x 4½")



Crescent (4" x 3½")

Disc (3") Disc (4") Finish: Brass



Dome (2") A Dome (3") B

Dome (4") C

Finish: Brushed Nickel



Elegant (4¾" x 4¾") Finish: Hammered Steel



Elle (5" x 4") D



Enchante Large (4½" x 4½") Finish: Versailles



Enchante Small (3" x 3") Enchante Small (3" x 3")



Fila (3½" x 3½") E



Fleur (3¼" x 4") B Finish: Champagne



Fleur-de-lis (3" x 4") Finish: Gold Blush



Flora (3¾" x 3¾") D Finish: Nutmeg



Fluted (3½" x 3½") Finish: Pewter



Forget-me not (1¾" x 1¾") A Finish: *Moss*



Geranium (4" x 4") E Finish: *Havannah*







Rosettes do not include mounts. Mounting options are priced separately. Order by name. Price by letter group A - Z

Greco (4½" x 2¼") Finish: Heirloom



Impression (3" x 3")

Finish: Natural Iron



Hera (3¼" x 3¼")

Finish: Versailles

Jillian (2" x 2") A Finish: Natural Iron



Hollow Leaf (7½" x 3")

Jolie (4" x 4") **C** Finish: Hammered Steel



Honcho (2" x 31/4")

Kendal (4¾" x 4¾") C Finish: Pearl



Lotta (3¼" x 3¼") 3 Finish: Leather



Maiden (1" x 1") A (petite size) Finish: Gilt



Mantle Leaf (4½" x 6") Finish: Havannah



Maple Small (2" x 2") Maple Large (4" x 4")



Marguerite (2" x 2") Finish: Henna



Mayan (2" x 2") Finish: Champagne



Maze (3" x 3") C Finish: Aged Iron



Medallion (2½" x 2½") A Finish: Pewter



Mia (3" x 3")



Minjonet (21/4" x 21/4") Finish: French Blue



Finish: Gilt



Monet (1½" x 1½") A Finish: Hammered Steel



Finish: Pearl



Mirabel (2" x 2") A



Rosettes <u>do not</u> include mounts. Mounting options are priced separately.

Order by name. Price by letter group A - Z





Nikita (1¼" x 1¼") A (Petite Size) Finish: Hammered Silver



North Star (4" x 7") **©** Finish: *Ash*



Odetta (3½" x 3½") E Finish: Brushed Nickel



Palladian (4½" x 10¾") = Finish: Pewter



Petals (3½" x 3½") B Finish: Black



Petone Small (4¼" x 4¼") Petone Large (6" x 6") Finish: Leather



Petunia (2½" x 2½") A Finish: Antique Brass



Pleasance (4" x 7") D Finish: Sable



Quarto (3½" x 3½") D Finish: Beijing



Richmond (8¾" x 8¾") (Big Size!) Finish: Champagne



Ripple (2½" x 2½") A
Finish: Chalet



Rochester Large (3¾"x 3¾") D Rochester Small (2¼" x 2¾") C Finish: Sepia



Rose (2¼" x 2¼") A Finish: Pearl



Royce (7" x 7") G Finish: Sepia



Rustica (3¾" x 3¾") = Finish: Black



Scalloped (4" x 4") Finish: Henna



Shasta (3½" x 3½") E Finish: Aged Iron



Shooting Star (4" x 4") A
Finish: Black




Snowflake (6½" x 6½") D Finish: Gold Blush



Rosettes <u>do not</u> include mounts. Mounting options are priced separately.

Order by name. Price by letter group A - Z





Square Small (2½" x 2½") Square Large (3½" x 3½") CFinish: Hammered Steel



Starburst (3" x 3") E Finish: French Blue



Sun (3" x 3") A Finish: Black



Sun Flower (4" x 4") B Finish: Antique



Superstar Small (3" x 3") A Superstar Large (4" x 4") B Finish: Black



Traditional (4" x 6") B Finish: Antique



Verbena (3¼" x 3¼") E Finish: *Moss*



Villa Small (3" x 3")
Villa Large (3½" x 3½")
Finish: Hammered Silver



Vision (3" x 3") C Finish: Aged Iron



Wallingford (6½" x7½") Finish: Henna



Warrington (3¾" x 5½") C Finish: Antique Brass



Wave (4½" x 4½") **D** Finish: *Black*



Westchester (4¼" x 4¼") Finish: Heirloom



Western Star (5" x 5") © Finish: Burnished Bronze



Windsor (5%" x 5%") D
Finish: Ash



NOVELTY ROSETTES

Rosettes <u>do not</u> include mounts. Mounting options are priced separately.

Order by name. Price by letter group A - Z

Anchor (3½" x 5") C Finish: French Blue



Butterfly (5" x 4") C Finish: Pewter



Dragon Fly (5½" x 4") C Finish: Versailles



Horse Shoe (5" x 5") C



Pony Shoe (3¼" x 3¾") C Finish: *Havannah*



Apple (2½" x 3½") A

Orientation as shown

Finish: Beijing



Chardonnay (2¼" x 4½") E Finish: Burgundy



Duck (6¼" x 5¼") Finish: Antique



Moose (5¾" x 5¾") Finish: Moss



Rooster (4½" x 5") C Orientation as shown Finish: Espresso



Aztec (4½" x 4½") C Finish: Natural Iron



Crab (5½" x 5½") **D** Finish: *Black*



Elk (5¾" x 5¾") **F** Finish: *Sepia*



Palm Tree (4¼" x 5½")
Orientation as shown
Finish: Antique Brass



Sea Horse (2½" x 6") Corientation as shown
Finish: Pewter



Bear (5½" x 4½") Finish: *Burnished Bronze*



Deer (5¾" x 5¾") Finish: Nutmeg



Frog (4" x 4") C Finish: Gold Dust



Pear (2" x 3¼") A

Orientation as shown

Finish: Gold



Turtle (3¼" x 5") D Finish: *Moss*



CENTERPIECES

Centerpieces <u>do not</u> include mounts. Mounting options are priced separately. Post Mounts are recommended for most applications.

Order by name. Price by letter group A - Z

Acorn Motif Center (12" x 4½")

Finish: Sepia



Grape Motif Center (13¾" x 5¼")

Finish: Henna



Acorn Motif Left

(4" x 7") **G**

Finish: Sepia



Acorn Motif Right

(4" x 7") **G**

Finish: Sepia



Grape Motif Left

(5¼" x 7½") **G**

Finish: Henna



Grape Motif Right

(5¼" x 7½") **G**

Finish: Henna



Rose Motif Center (13" x 51/4")

Finish: Beijing



Classic Motif Center (13½" x 7")

Finish: Versailles



Rose Motif Left

(4" x 8") **G**

Finish: Beijing



Rose Motif Right

(4" x 8") **G**

Finish: Beijing



Classic Motif Left

(4" x 8") **G**

Finish: Versailles



Classic Motif Right

(4" x 8") **G**

Finish: Versailles





SAMPLES

FINISH SAMPLES


Finish Sample sets are available for purchase. We will send up to three individual finish samples at no charge upon request. Additional individual finish samples may be subject to charge.







Premium Finish Set





CUSTOM FINISHING

We can custom match or create almost any custom finish to your specifications. A custom matching and finishing charge will apply. This service will include a strike off for your approval.

ROD CUTTINGS

We will send one random length rod cutting up to 6" at no charge upon request. Additional rod cuttings may be subject to charge.

SHOWROOM SAMPLES

Order any of our hardware for display in your showroom at a discount. All showroom sample orders require prior approval to receive additional discounting. Please call to discuss your needs.

SAMPLE BOARDS

Increase your sales with our custom sample display boards. Five board display (shown below) measures 26" wide by 30" tall and features our more popular styles and finishes. Wall mount rack is included. Custom displays made to your specifications are available upon request and subject to additional charges.



(Actual items displayed may vary from picture)

WARRANTY - Ona Drapery Hardware manufactured goods are warranted free from defects in material and workmanship for five years from date of shipment. Motor kit is warranted free from defects in material and workmanship for three years from date of shipment. This warranty does not apply to wear resulting from normal usage, damage from mishandling, abuse, or exposure due to climatic conditions over which it has no control. This warranty does not cover removal or reinstallation costs.

RETURNS - All custom iron drapery hardware including rods made to your specifications are non-returnable. Ona Acrylic and ArtGlass components are custom made per order and are non – returnable. Premium and Super Premium finishes are non-returnable. Standard components, including rings, finials and brackets may be returned and are subject to a 25% restocking fee. No returns will be accepted after 45 days from shipment. All returns require prior approval.

INSTALLATION – Professional installation into studs or wood backing is recommended. Mounting hardware is included but may not be appropriate for every installation. Touch up paint is included to match the screw heads if alternate mounting hardware is required. The selection, use, and procurement of proper mounting hardware lies solely with the installer. Ona Drapery Hardware Company will not be held liable for damages or injury resulting from improperly installed or inadequately supported hardware.



ONA DRAPERY HARDWARE COMPANY INC.

5320 Arapahoe Ave., Boulder, Co. 80303

1-800-231-4025 / FAX 1-888-231-4026

www.onadrapery.com

FIRST-CLASS MAII U.S. POSTAGE DENVER, CO PERMIT NO.2378

MADE IN THE USA





Copyright © 2019 Ona Drapery Hardware Company, Inc. All rights reserved. Printed in the United States of America.