



Available through  
Ona Drapery Hardware Company  
5320 Arapahoe Ave  
Boulder, CO 80303  
800-231-4025 phone  
888-231-4026 fax  
info@onadrapery.com  
www.onadrapery.com

**FOREST DRAPERY HARDWARE**

RETAIL PRICE GUIDE VOLUME 23




## TRACK Systems



FOREST CS® TRACK



FOREST CM TRACK



FOREST CCS® TRACK



FOREST KS® TRACK



FOREST DS® TRACK



FOREST DSXL® TRACK  
FOREST DSXL® LED TRACK



# TRACKS SYSTEMS

CS | CM | CCS | RTS | KS | DS | DSXL | DSXL LED | PS



Scan for more information  
on FOREST Track Systems



25  
White




59  
Black



65  
Brown



90  
Grey



25  
White

## CS® CONTRACT SYSTEM CM CEILING MOUNT TRACK

- Heavy duty aluminum extrusion, powder coated, and lubricated with a patented process.
- Maximum weight is 6 lbs/ft.
- CS track can be bent and curved. An exact size template is required.
- Hand or baton draw, one or two way.
- Stackback: Ripplefold - 6" per width, pinchpleat - 7" per width, cubicle - 5" per width.

### ASSEMBLED SYSTEM

Includes track, masters, pinchpleat or ripplefold carriers, brackets, and 36" white fiberglass baton

### BATON OPTIONS

Fiberglass batons in 36", 48", 60", 72", 84" and 96" lengths and these colors. See all batons at the end of document.



25  
White



59  
Black











81  
Bronze









90  
Grey

# TRACKS SYSTEMS

CS | CM | CCS | RTS | KS | DS | DSXL | DSXL LED | PS

CS	CM	COMPONENT
•		CS Contract System Track <b>51012-25</b> white 12' <b>51014-25</b> white 14' <b>51016-25</b> white 16' <b>51020-25</b> white 20'  <b>51016-59</b> black 16' <b>51020-59</b> black 20' <b>51016-65</b> brown 16' <b>51016-90</b> grey 16' 
	•	CM Ceiling Mount Track <b>51212-25</b> white 12' <b>51214-25</b> white 14' <b>51216-25</b> white 16' Holes every 16" 
•		<b>3906-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Track Connector 
•	•	<b>52304-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% End Cap - Short reduces light gap 
•	•	<b>52301-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% End Cap w/ Economy Slide Add 2004-25 w/ Ripplefold 
•	•	<b>52302-25</b> Right Return <b>52303-25</b> Left Return End Cap w/ Return Plate, Snap for pinch pleat or Ripplefold 
•		<b>9100-00</b> Channel Protector 
•		<b>3001-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Regular Duty Ceiling Bracket 









CS	CM	COMPONENT
•		<b>3901-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Ceiling Splice/Bracket 
•		<b>3003-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Heavy Duty Ceiling Bracket w/ Smart Klick 
•		<b>30031-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Ceiling Bracket Cover use with 3003-XX 
•		<b>53202-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% 3" Smart Klick Wall Bracket w/ wide base, adjusts 3-4.5" 
•		<b>53206-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% 6" Smart Klick Double Wall Bracket w/ wide base adjusts 2.5"-4" & 6"-7.5" 
•		<b>3280-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% 3" Wall Bracket, heavy duty projection 2 1/2" 
•		<b>3281-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% 6" Double Wall Bracket, heavy duty projection 1 1/2", 5 1/2" 
•		<b>32801-25</b> <b>59</b> black, <b>90</b> grey +10% Wall Bracket Cover use with 3280 & 3281 










# TRACKS SYSTEMS

CS | CM | CCS | RTS | KS | DS | DSXL | DSXL LED | PS

TRACKS CS CM








CS	CM	COMPONENT
•	•	 <p>Wheeled Connected Snap Carrier in plastic sleeve  <b>2107-25, 59</b> black            60% fullness, 2 5/8" OC  <b>2106-25, 59</b> black  <b>65</b> brown, <b>90</b> grey            80% fullness, 2 3/8" OC  <b>2105-25, 59</b> black            100% fullness, 2 1/8" OC  <b>2108-25, 59</b> black            120% fullness, 1 7/8" OC</p>  <p><b>2007-25</b>  <b>59</b> black + 10%            Pendant Only, for 2100 Carriers</p>
•	•	 <p>Wheeled Connected Snap Carrier on plastic strip <b>2207-25</b>            60% fullness, 2 5/8" OC  <b>2206-25, 59, 65, 90</b>            80% fullness, 2 3/8" OC  <b>2205-25</b>            100% fullness, 2 1/8" OC  <b>2208-25</b>            120% fullness, 1 7/8" OC</p>
•	•	 <p><b>2008-25</b>  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey + 10%            Pendant Only, for 2200 Carriers</p>
•	•	 <p><b>2004-25</b>  <b>24</b> gold, <b>59</b> black,  <b>65</b> brown, <b>90</b> grey + 10%            Snap Carrier for accordiafold</p>
•	•	 <p><b>52002-25</b>  <b>24</b> gold, <b>59</b> black,  <b>65</b> brown, <b>90</b> grey + 10%            Slim Line Ball Bearing Carrier</p>
•	•	 <p><b>52008-25</b>  <b>59</b> black, <b>65</b> brown + 10%            Slim Line Klick Carrier            draperies hang to conceal track</p>
•	•	 <p><b>52108-25</b>            Stop Carrier            prevents slide back</p>








CS	CM	COMPONENT
•	•	 <p><b>52003-25</b>  <b>59</b> black, <b>65</b> brown + 10%            Economy Slide</p>
•	•	 <p><b>52100-25, 24</b> gold,  <b>59</b> black, <b>65</b> brown,  <b>90</b> grey            Ball Bearing Carrier            w/ Stainless Hook            slim line - use w/ grommets</p>
•	•	 <p><b>52005-25</b>            Button Slide Carrier</p>
•	•	 <p><b>52105-25</b>            Button Slide Carrier            w/ Hook</p>
•	•	 <p><b>52502-25</b> Overlap R  <b>52504-25</b> Underlap L  <b>59</b> black + 10%            Standard Multi-Functional Master            Use stiffener w/ exposed baton            or hooks w/ hidden baton</p>
•	•	 <p><b>52502-25A</b> Overlap R  <b>52504-25A</b> Underlap L  <b>59A</b> black + 10%            Standard Multi-Functional            Master w/ snaps and baton            adaptor</p>
•	•	 <p><b>52502-25B</b> Overlap R  <b>52504-25B</b> Underlap L            Standard Multi-Functional            w/ baton adaptor for stiffener.            Stainless steel for outdoor use.</p>

# TRACKS SYSTEMS

CS | CM | CCS | RTS | KS | DS | DSXL | DSXL LED | PS

**FOREST**  
DRAPERY HARDWARE

CS	CM	COMPONENT
•	•	 <p><b>52508-25</b> Overlap R  <b>52509-25</b> Underlap L  <b>59</b> black, <b>65</b> brown + 10%                      Swivel Foot Multi-Functional Master for bends and curves</p>
•	•	 <p><b>52508-25A</b> Overlap R  <b>52509-25A</b> Underlap L  <b>59</b> black, <b>65</b> brown + 10%                      Swivel Foot Multi-Functional Master w/ snaps</p>
•	•	 <p><b>52501-25</b> Overlap R  <b>52503-25</b> Underlap L                      Stiffener Master</p>
•	•	 <p><b>52401-25</b> Overlap R  <b>52403-25</b> Underlap L                      Stiffener Master w/ snaps and adaptor</p>
•	•	 <p><b>52410-25</b> Butt R  <b>52409-25</b> Butt L  <b>59</b> black + 10%                      Standard Butt Master w/ snaps and for baton use</p>
•	•	 <p><b>52411-25A</b> Butt R  <b>52412-25A</b> Butt L  <b>24A</b> gold, <b>59A</b> black, <b>65A</b> brown, <b>90A</b> grey + 10%                      Wheeled Butt Master w/snap adaptor                      Designed for hidden baton</p>
•	•	 <p><b>52514-25</b> Overhead R  <b>52515-25</b> Underhead L                      Over the Top Baton Master                      Designed for exposed baton</p>

CS	CM	COMPONENT
•	•	 <p><b>52601-25A</b> Overlap R  <b>52603-25A</b> Underlap L                      Extended Spacing Master w/ snaps and adaptor</p>
•	•	 <p><b>2552-25</b>                      6" Extension Arm for master                      Use w/ two one-way draws</p>
•	•	 <p><b>2551-25</b>                      Small Extension Arm</p>
•	•	 <p><b>2305-25</b>  <b>59</b> black, <b>65</b> brown, <b>90</b> grey + 10%                      Twist On End Stop</p>
•	•	 <p><b>2308-25</b>                      Return Plate reversible, 2 1/2" return</p>
•	•	 <p><b>52307-90</b>                      End Lock</p>
•	•	 <p><b>54110-25</b>                      36" Fiberglass Baton w/ snap                      See all batons at the end of document.</p>

# TRACKS SYSTEMS

CS | CM | **CCS** | RTS | KS | DS | DSXL | DSXL LED | PS



Scan for more information on the  
FOREST CCS Contract Cord System



25  
White



65  
Brown





90  
Grey




## CCS® CONTRACT CORD SYSTEM

- Aluminum extrusion, powder coated and lubricated with a patented process.
- Maximum weight is 50 lbs per system.
- Bendable – CCS Track can be bent and curved. An exact size template is required.
- Cord draw, one or two way. Bead chain also available.
- Stackback: Ripplefold - 6" per width, pinchpleat - 7" per width, accordiafold - 5" per width.
- All Forest corded products include a child safety tension device and warning label.

### ASSEMBLED SYSTEM

Includes track, masters, pinchpleat or ripplefold carriers, brackets, cord, tension pulley, child safety device.

CCS	COMPONENT
•	 <p>CCS Contract Cord Track 20 tracks/bundle <b>51116-25</b> white 16' <b>51116-65</b> brown 16' <b>51116-90</b> grey 16'</p>
•	 <p><b>3906-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Track Connector</p>
•	 <p><b>52801-25</b> <b>65</b> brown, <b>90</b> grey +10% End Pulley, 2 1/4" Reversible Use on right or left</p>





CCS	COMPONENT
•	 <p><b>52801-25A</b> Right <b>52801-25B</b> Left End Pulley w/ Snap 2 1/4 Reversible, for Ripplefold</p>
•	 <p><b>52803-25</b> <b>65</b> brown, <b>90</b> grey +10% Small End Pulley 1 1/2" Reversible, use with Butt Masters and one-way draw</p>
•	 <p><b>3001-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Regular Duty Ceiling Bracket</p>













# TRACKS SYSTEMS

CS | CM | **CCS** | RTS | KS | DS | DSXL | DSXL LED | PS

**FOREST**  
DRAPERY HARDWARE

CCS	COMPONENT
●	 <b>3003-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Heavy Duty Ceiling Bracket w/ Smart Klick
●	 <b>30031-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Ceiling Bracket Cover use with 3003-XX
●	 <b>53202-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% 3" Smart Klick Wall Bracket w/ wide base, adjusts 3-4.5"
●	 <b>53206-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% 6" Smart Klick Double Wall Bracket w/ wide base adjusts 2.5"-4" & 6"-7.5"
●	 <b>3280-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% 3" Wall Bracket, heavy duty projection 2 1/2"
●	 <b>3281-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% 6" Double Wall Bracket, heavy duty projection 1 1/2", 5 1/2"
●	 <b>32801-25</b> <b>59</b> black, <b>90</b> grey +10% Wall Bracket Cover use with 3280 & 3281
●	 Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape <b>2114-25</b> , <b>59</b> black 60% fullness, 2 5/8" OC <b>2111-25</b> , <b>59</b> black, <b>65</b> brown, <b>90</b> grey 80% fullness, 2 3/8" OC <b>2112-25</b> , <b>59</b> black 100% fullness, 2 1/8" OC <b>2115-25</b> , <b>59</b> black 120% fullness, 1 7/8" OC

CCS	COMPONENT
●	 <b>52008-25</b> <b>59</b> black, <b>65</b> brown + 10% Slim Line Klick Carrier draperies hang to conceal track
●	 <b>52004-25</b> Low Profile Ball Bearing
●	 <b>52508-25</b> Overlap R <b>52509-25</b> Underlap L <b>59</b> black, <b>65</b> brown + 10% Swivel Foot Multi-Functional Master for bends and curves
●	 <b>52508-25A</b> Overlap R <b>52509-25A</b> Underlap L <b>59</b> black, <b>65</b> brown + 10% Swivel Foot Multi-Functional Master w/ snaps
●	 <b>52410-25</b> Butt R <b>52409-25</b> Butt L <b>59</b> black + 10% Standard Butt Master w/ snaps for baton use
●	 <b>52804-25</b> CCS Return Insert with snap or hook
●	 <b>52510-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Cord Connector
●	 <b>2305-25</b> <b>65</b> brown, <b>90</b> grey +10% Twist On End Stop use with curved tracks
●	 <b>9004-25</b> 3.2mm Cord 333.34 yds./roll
●	 <b>49501-00</b> Tension Device For child safety

# TRACKS SYSTEMS

CS | CM | CCS | **RTS** | KS | DS | DSXL | DSXL LED | PS

TRACKS RECESSED



Scan for more information on the  
FOREST RTS Recessed Track System



25  
White



**MOTOR**  
CONTROL  
AVAILABLE

## RTS RECESSED TRACK SYSTEM

- Heavy duty aluminum extrusion, white, powder coated and lubricated with a patented process.
- Maximum weight is 8 lbs/ft.
- Cannot be spliced
- Hand or baton draw, one or two way.
- Stackback: Ripplefold - 6" per width, pinchpleat - 7" per width, cubicle - 5" per width.

### ASSEMBLED SYSTEM

Includes track, masters, pinchpleat or ripplefold carriers, recess profile, fixing strip, wedge, and 36" white fiberglass baton.

### BATON OPTIONS

Fiberglass batons in 36", 48", 60", 72", 84" and 96" lengths and these colors. See all batons at the end of document.



25  
White



59  
Black



81  
Bronze















90  
Grey

# TRACKS SYSTEMS

CS | CM | CCS | **RTS** | KS | DS | DSXL | DSXL LED | PS

**FOREST**  
DRAPERY HARDWARE

RTS	COMPONENT
●	 <p><b>51623-25</b> RTS Track white 19' x 10 tracks/bundle bundle = 190' Cannot be spliced</p>
●	 <p><b>51723-25</b> Recess Profile, 23' Order same length as track</p>
●	 <p><b>51724-25</b> Recess Profile Fixing Strip, 23' Order 6" shorter than track</p>
●	 <p><b>53914-25</b> Recess Profile Wedge Order 1 per track</p>
●	 <p><b>3801-25</b> RTS End Cap</p>
●	 <p>Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape  <b>2114-25, 59</b> black          60% fullness, 2 5/8" OC  <b>2111-25, 65</b> brown,  <b>90</b> grey          80% fullness, 2 3/8" OC  <b>2112-25, 59</b> black          100% fullness, 2 1/8" OC  <b>2115-25, 59</b> black          120% fullness, 1 7/8" OC</p>

RTS	COMPONENT
●	 <p><b>52008-25</b> Slim Line Klick Carrier Allows drapery to hang and conceal track</p>
●	 <p><b>52009-25</b> Ball Bearing Carrier for motorization</p>
●	 <p><b>52508-25</b> Overlap R  <b>52509-25</b> Underlap L          Swivel Foot          Multi-Functional Master</p>
●	 <p><b>52508-25A</b> Overlap R  <b>52509-25A</b> Underlap L          Swivel Foot          Multi-Functional Master w/ snaps</p>
●	 <p><b>52410-25</b> Butt R  <b>52409-25</b> Butt L          Standard Butt Master w/ 3 snaps for baton use</p>
●	 <p><b>54110-25</b> 36" Fiberglass Baton w/ snap See all batons at the end of document.</p>

TRACKS RECESSED




# TRACKS SYSTEMS

CS | CM | CCS | RTS | **KS** | **DS** | DSXL | DSXL LED | PS



Scan for more information on the  
FOREST Track Systems



## KS® KLICK SYSTEM DS® DESIGN SYSTEM


- Aluminum extrusion, powder coated and lubricated with a patented process.
- Maximum weight is 3 lbs/ft.
- Bendable – KS & DS tracks can be bent and curved. An exact size template is required.
- Hand or baton draw, one or two way.
- Stackback: ripplefold - 6" per width, pinchpleat - 7" per width, cubicle - 5" per width, accordiafold - 5" per width.

### ASSEMBLED SYSTEM

Includes track, masters, pinchpleat or ripplefold carriers, brackets, and 36" white fiberglass baton

### BATON OPTIONS

Fiberglass batons in 36", 48", 60", 72", 84" and 96" lengths and these colors. See all batons at the end of document.



KS	DS	COMPONENT
•		KS Klick System Track <b>1013-25</b> white 13' 1" <b>1016-25</b> white 16' 4" <b>1019-25</b> white 19' 8"  <b>1016-59</b> black 16' 4" <b>1016-65</b> brown 16' 4" <b>1016-90</b> grey 16' 4"  
	•	DS Design System Track <b>1116-25</b> white 16' 4" <b>89</b> graphite +10%  
•	•	<b>3905-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Track Connector, key <b>3904-00</b>  
•		<b>2309-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey KS End Cap Multifunctional  

KS	DS	COMPONENT
•		<b>2309-255</b> <b>59S</b> black, <b>90S</b> grey KS End Cap Short reduces light gap  
	•	<b>2310-25</b> <b>89</b> graphite DS End Cap w/ screw  
•	•	<b>9100-00</b> Channel Protector  
•	•	<b>3001-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey Regular Duty Ceiling Bracket  
•	•	<b>3901-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey Ceiling Splice/ Bracket  

# TRACKS SYSTEMS

CS | CM | CCS | RTS | **KS** | **DS** | DSXL | DSXL LED | PS

**FOREST**  
DRAPERY HARDWARE

KS	DS	COMPONENT
•	•	<b>3003-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Heavy Duty Ceiling Bracket w/ Smart Klick
•	•	<b>30031-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Ceiling Bracket Cover use with 3003-XX
•	•	<b>53202-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% 3" Smart Klick Wall Bracket w/ wide base, adjusts 3-4.5"
•	•	<b>53206-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% 6" Smart Klick Double Wall Bracket w/ wide base adjusts 2.5"-4" & 6"-7.5"
•	•	<b>3280-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% 3" Wall Bracket, heavy duty projection 2 1/2"
•	•	<b>3281-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% 6" Double Wall Bracket, heavy duty projection 1 1/2", 5 1/2"
•	•	<b>32801-25</b> <b>59</b> black, <b>90</b> grey +10% Wall Bracket Cover use with 3280 & 3281
•	•	<b>2001-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Klick Carrier, for pinch pleat
•	•	<b>2002-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Shirrtape Carrier
•	•	<b>2004-25</b> <b>59</b> black +10% Snap Carrier, for accordiafold
•	•	Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape <b>2114-25, 59</b> black 60% fullness, 2 5/8" OC <b>2111-25, 65</b> brown, <b>90</b> grey 80% fullness, 2 3/8" OC <b>2112-25, 59</b> black 100% fullness, 2 1/8" OC <b>2115-25, 59</b> black 120% fullness, 1 7/8" OC

KS	DS	COMPONENT
•	•	<b>52003-25</b> <b>65</b> brown +10% Economy Slide
•	•	<b>52004-25</b> Low Profile Ball Bearing Carrier
•	•	<b>2201-25</b> <b>59</b> black +10% Klick Carrier w/ Stainless Hook Use with grommets
•	•	<b>52005-25</b> Button Slide Carrier
•	•	<b>52105-25</b> Button Slide Carrier w/ Hook
•	•	<b>2525-25</b> Overlap R <b>2526-25</b> Underlap L <b>65</b> brown +10% Pinchpleat Master <b>2527-25</b> Overlap L <b>2528-25</b> Underlap R
•	•	<b>NEW!</b> <b>B8809-23-00</b> Overlap R <b>B8809-24-00</b> Underlap L <b>59</b> black +10% Plastic Snap Master
•	•	<b>52410-25</b> Butt R <b>52409-25</b> Butt L <b>59</b> black +10% Standard Butt Master w/ snaps and for baton use
•	•	<b>2305-25</b> <b>59</b> black, <b>65</b> brown, <b>90</b> grey +10% Twist On End Stop
•	•	<b>52307-90</b> End Lock
•	•	<b>2308-25</b> Return Plate reversible, 2 1/2" return
•	•	<b>54110-25</b> 36" Fiberglass Baton w/ snap See all batons at the end of document.

# TRACKS SYSTEMS

CS | CM | CCS | RTS | KS | DS | **DSXL** | **DSXL LED** | PS

TRACKS DSXL / DSXL LED



Scan for more information on the  
FOREST DSXL Design System XL

## DSXL® DESIGN SYSTEM DSXL® LED DESIGN SYSTEM + LED LIGHTING

- Elegantly shaped aluminum extrusion, white, powder coated and lubricated with a patented process. LED lighting lights up the backside of drapery or the track itself.
- LED strips have low energy consumption, are eco-friendly, dimmable. Lifespan is 30,000 hours.
- Maximum weight is 3 lbs/ft.
- Hand or baton draw, one or two way. DSXL LED can also be motorized.
- Stackback: Ripplefold - 6" per width, pinchpleat - 7" per width, cubicle - 5" per width, accordiafold - 5" per width.

### ASSEMBLED SYSTEM

Includes track, masters, pinchpleat or ripplefold carriers, wall or ceiling brackets, lighting components (if specified), and 36" white fiberglass baton.

### BATON OPTIONS

Fiberglass batons in 36", 48", 60", 72", 84" and 96" lengths and these colors.  
See all batons at the end of document.



25  
White



59  
Black



81  
Bronze



90  
Grey



25  
White



**MOTOR  
CONTROL  
AVAILABLE**














# TRACKS SYSTEMS

CS | CM | CCS | RTS | KS | DS | **DSXL** | **DSXL LED** | PS

**FOREST**  
DRAPERY HARDWARE

DSXL	DSXL LED	COMPONENT
●		 <p><b>2119-25</b> DSXL Track 19' 8" x 20 tracks per bundle bundle = 393.7' cannot be spliced</p>
	●	 <p><b>3119-25</b> DSXL LED Track 19' 8" x 20 tracks per bundle bundle = 393.7' cannot be spliced</p>
●		 <p><b>2400-25</b> DSXL End Cap</p>
●		 <p><b>3400-25</b> DSXL LED End Cap</p>
●		 <p><b>3402-25</b> DSXL LED Flat End Cap</p>
●	●	 <p><b>43003-25</b> DSXL Swivel Ceiling Bracket</p>
●	●	 <p><b>2301-25</b> DSXL Wall Bracket w/ Swivel</p>
●	●	 <p>Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape <b>2114-25, 59</b> black 60% fullness, 2 5/8" OC <b>2111-25, 65</b> brown, <b>90</b> grey 80% fullness, 2 3/8" OC <b>2112-25, 59</b> black 100% fullness, 2 1/8" OC <b>2115-25, 59</b> black 120% fullness, 1 7/8" OC</p>
●	●	 <p><b>2001-25</b> Klick Carrier for PP</p>
●	●	 <p><b>2201-25</b> Klick Carrier w/ Hook 1 3/4" from top of track to bottom of J hook. 1 1/8"</p>

DSXL	DSXL LED	COMPONENT
●	●	 <p><b>NEW!</b> <b>B8809-23-00</b> Overlap R <b>B8809-24-00</b> Underlap L Plastic Snap Master</p>
●	●	 <p><b>9040-25</b> FES Butt Master</p>
	●	 <p><b>3000-00</b> LED Strip, 3000k/24v 30,000 hr lifespan Dimmable</p>
	●	 <p><b>3010-00</b> LED Strip, middle</p>
	●	 <p><b>3030-00</b> Mounting Device for LED Strip</p>
	●	 <p>Power Supply, 24 volt <b>52928-25</b> with 7' 6" cord <b>52934-25</b> with 16' cord</p>
	●	 <p><b>3103-25</b> LED Dimmer Allows control of light strip with Diamond remote.</p>
	●	 <p>Cable for LED Strip 3045 Power Supply, 24 volt Dimmer accessory <b>3100-00</b> with 6' 6" cord <b>3105-25</b> with 13" cord</p>
	●	 <p><b>3106-25</b> Extension Cable for LED Strip 3045, 6' 6" Dimmer accessory</p>
	●	 <p><b>3104-25</b> Connector Plug for LED Strip 3045 Dimmer accessory</p>
	●	 <p><b>52931-25D</b> white <b>59D</b> black +10% Diamond Sense Remote RF, 15 channel w/ holder, Range 98'</p>

TRACKS DSXL / DSXL LED

# TRACKS SYSTEMS

CS | CM | CCS | RTS | KS | DS | DSXL | DSXL LED | **PS**

## TRACKS PANEL SYSTEM



Scan for more information on the  
FOREST PS Panel System

## PS® PANEL SYSTEM

- Aluminum extrusion, powder coated.
- Maximum weight is 10 lbs/panel.
- Hand or baton draw, one or two way.
- 2, 3, 4, or 5 channel systems available.

### ASSEMBLED SYSTEM

Includes panel track, velcro profile with hook tape, wheeled carriers, brackets, and 36" white fiberglass baton.

### BATON OPTIONS

Fiberglass batons in 36", 48", 60", 72", 84" and 96" lengths and these colors. See all batons at the end of document.



25  
White




59  
Black



81  
Bronze



90  
Grey


























25  
White

# TRACKS SYSTEMS

CS | CM | CCS | RTS | KS | DS | DSXL | DSXL LED | **PS**

**FOREST**  
DRAPERY HARDWARE

PS	COMPONENT		PS	COMPONENT	
●		PS Panel System Track  <b>31219-25</b> 2 channel  <b>31319-25</b> 3 channel  <b>31419-25</b> 4 channel  <b>31519-25</b> 5 channel  19' x 5 tracks/bundle bundle = 95'	●		<b>33203-25</b> Stopper, A-Angle for all but lead panel
			●		<b>33204-25</b> L End Stop for stationary panel
			●		<b>33209-25</b> Reverse L Stop for lead panel
			●		<b>32308-25</b> Stationary Set Screw locks side panel in place
●		<b>32310-25</b> 2-Channel End Cap Requires end cap cover	●		<b>33003-25</b> Swivel Ceiling Bracket for 2, 3 & 4 Channel
●		<b>32312-25</b> 2-Channel Cover for End Cap & Pulley	●		Click On Ceiling Bracket/Splice <b>33002-25</b> 2, 3 & 4 Channel
●		<b>32311-25</b> 3, 4, 5-Channel End Cap Requires end cap cover	●		<b>33004-25</b> 5 Channel
●		<b>32309-25</b> 3, 4 & 5-Channel Cover for End Cap & Pulley	●		Wall Bracket <b>33005-25</b> 2, 3 & 4 Channel
●		<b>31116-25</b> Velcro Profile w/ Hook Tape, 13.1'	●		<b>33006-25</b> 5 Channel
●		<b>32007-25</b> Wheeled Carrier connects profile to track	●		<b>39007-25</b> Velcro Tape 27 yds. per roll
●		<b>32510-25</b> Baton Adaptor use on leading panel	●		<b>54110-25</b> 36" Fiberglass Baton w/ snap See all batons at the end of document.
●		<b>33202-25</b> Catcher, T-Angle for all panels except stationary panel			





## ROLLER Shades & Romans

### APOLLO BASIC ROLLER SHADES

Cassette and Direct



### MERCURY DECORATIVE ROLLER SHADES

Fascia Double, Semi Open, and Direct



**SPRING  
CONTROL  
AVAILABLE**



**MOTOR  
CONTROL  
AVAILABLE**



Forest Roller Shades and Romans are high quality for residential or commercial use. Choose a fabric from our stock program and your roller shades ship in 10-14 business days.

## ATLANTIS ROLLER SHADES

Heavy Duty Motorized



## RBS & RBS XL

Roman Blind Systems



**MOTOR**  
CONTROL  
AVAILABLE

## BCS® BLIND CONTRACT SYSTEM

Motorized Roman Blind System



# ROLLER SHADES & ROMANS

APOLLO BASIC | MERCURY DECORATIVE | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | RBS | RBS XL | BCS



Scan for more information  
on FOREST Apollo Basic  
Roller Shades

## APOLLO CASSETTE & DIRECT MOUNT

- Wall or ceiling mount for residential or contract use
- Maximum weight is 8 lbs. 13 oz.
- 1 1/2" / 38mm tube and a bi-directional clutch

### CASSETTE MOUNT SYSTEM

Includes Essentials fabric (see all fabric at the end of document), 38mm tube, roller mechanisms, brackets, bracket covers, valance, bottom rail with end caps, and child safety device.



25  
White

### DIRECT MOUNT SYSTEM





















Includes Essentials fabric (see all fabric at the end of document), 38mm tube, roller mechanisms, brackets, bracket covers, bottom rail with end caps, and child safety device.



25  
White

# ROLLER SHADES & ROMANS

APOLLO BASIC | MERCURY DECORATIVE | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | RBS | RBS XL | BCS

CASSETTE	DIRECT	COMPONENT	CASSETTE	DIRECT	COMPONENT
•	•	 <b>71119-90</b> 1 1/2" / 38mm 19' Tube, aluminum	•	•	 Endless Chain 25 white plastic or 90 nickel <b>49020-25, 90, 29"</b> <b>49021-25, 90, 39"</b> <b>49022-25, 90, 49"</b> <b>49023-25, 90, 59"</b> <b>49024-25, 90, 69"</b> <b>49025-25, 90, 79"</b> <b>49026-25, 90, 89"</b> <b>49027-25, 90, 99"</b>
•	•	 <b>72311-25</b> Hold Down Strip with adhesive for tube 2,000 ft/roll	•	•	 <b>79005-00</b> Clear Ball Stopper
•	•	 <b>72309HD-25</b> Heavy Duty Clutch w/ end plug	•	•	 <b>49501-00</b> Tension Device For child safety
•	•	 <b>72306-25</b> Multi-Purpose Bracket steel, 2 pcs	•	•	 <b>810219-25</b> Bottom Rail
•	•	 <b>72304-25</b> Bracket Cover	•	•	 <b>810001-25</b> Weight Insert for bottom rail
•	•	 <b>72307-90</b> Wall Bracket steel	•	•	 <b>810019-25</b> Adhesive Tape for bottom rail
•	•	 <b>72308-90</b> Ceiling Bracket steel	•	•	 <b>830004-25</b> End Cap for bottom rail
•	•	 <b>71312-25</b> Cassette Headrail, 13'	•	•	 <b>810000-00</b> Brush for bottom rail
•	•	<b>79001-25</b> Screw, 2 needed per headrail	•	•	 2 Piece Outside Mount Side Channel <b>71619-25</b> Bottom <b>71719-25</b> Top
•	•	 <b>72314-25</b> Cassette Bracket Covers  <b>79001-25</b> Screw, 6 needed per set of 2 bracket covers	•	•	 <b>810119-25</b> One Piece Inside Mount Side Channel, 19'
•	•	 <b>71412-25</b> Cassette Valance, 13' aluminum, white	•	•	 <b>79002-25</b> Brush for side channel



# ROLLER SHADES & ROMANS

APOLLO BASIC | **MERCURY DECORATIVE** | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | RBS | RBS XL | BCS



Scan for more information on  
FOREST Mercury Double Fascia  
Roller Shades



25  
White



70  
Bronze



90  
Silver



**SPRING  
CONTROL  
AVAILABLE**



**MOTOR  
CONTROL  
AVAILABLE**

## MERCURY DOUBLE FASCIA

- Ideal for double treatment
- Complete blackout possible with side channels
- Heavy duty with quick and easy installation
- 38mm, 42mm and 50mm tube options and a bi-directional clutch

### CHAIN DRAW SYSTEM

Includes Essentials fabric (see all fabric at the end of document), 38mm tube, roller mechanisms, brackets, bracket covers, counterweights or bottom rails with end caps, and child safety device.

### SPRING CONTROL SYSTEM














Includes Essentials fabric (see all fabric at the end of document), 38mm tube, roller mechanisms, brackets, bracket covers, and counterweights or bottom rails with end caps.
















### MOTORIZED SYSTEM

Includes Essentials fabric (see all fabric at the end of document), two 38mm tubes, motor, micro usb cable to charge battery, brackets, bracket covers, counterweight or bottom rail with end caps and remote.

# ROLLER SHADES & ROMANS

APOLLO BASIC | **MERCURY DECORATIVE** | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | RBS | RBS XL | BCS

FASCIA	COMPONENT
●	 Aluminum Tube, 19' <b>77003-90</b> 38mm <b>77002-90</b> 42mm <b>77001-90</b> 50mm
●	 <b>76013-XX</b> Clutch Mechanism Plastic, 38mm
●	 <b>76003-25</b> Tube Adaptor 42mm, 50mm
●	 Easy Mount End Plug <b>76005-XX</b> 38mm <b>76004-XX</b> 42mm, 50mm
●	 <b>77010-XX</b> Fascia Front, 19'
●	 <b>76050-XX</b> Fascia Box Bracket
●	 <b>76051-90</b> Box Bracket Attachment Adaptor
●	 <b>76052-XX</b> Box Bracket End Caps
●	 Endless Chain 25 white plastic or 90 nickel <b>49020-25, 90, 29"</b> <b>49021-25, 90, 39"</b> <b>49022-25, 90, 49"</b> <b>49023-25, 90, 59"</b> <b>49024-25, 90, 69"</b> <b>49025-25, 90, 79"</b> <b>49026-25, 90, 89"</b> <b>49027-25, 90, 99"</b>
●	 <b>79005-00</b> Clear Ball Stopper
●	 <b>49501-00</b> Tension Device For child safety
●	 <b>76053-25</b> Chain Guide Adaptor, Long
●	 <b>76054-25</b> Chain Guide Adaptor Medium

FASCIA	COMPONENT
●	 <b>76002-XX</b> Fill up Ring
●	 <b>76001-XX</b> Bearing Pin
●	 <b>810219-25</b> Bottom Rail
●	 <b>810001-25</b> Weight Insert for bottom rail
●	 <b>810019-25</b> Adhesive Tape for bottom rail
●	 <b>830004-25</b> End Cap for bottom rail
●	 <b>810000-00</b> Brush for bottom rail
●	 2 Piece Outside Mount Side Channel <b>71619-25</b> Bottom <b>71719-25</b> Top
●	 <b>810119-25</b> One Piece Inside Mount Side Channel, 19'
●	 <b>79002-25</b> Brush for side channel
●	 <b>78000-25</b> Motor & lithium battery
●	 Drive for Mercury Motor <b>78001-25</b> 38mm <b>78020-25</b> 40mm, 50mm
●	 Crown Adaptor for Mercury Motor <b>78002-25</b> 38mm <b>78010-25</b> 40mm, 50mm
●	 <b>78003-25</b> Micro USB Cable for motor for Mercury Motor, 9.8 ft.
●	 <b>78004-59</b> Remote for Mercury Motor, 5 channel, black

# ROLLER SHADES & ROMANS

APOLLO BASIC | **MERCURY DECORATIVE** | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | RBS | RBS XL | BCS



Scan for more information on  
FOREST Mercury Semi Open  
Roller Shades



## MERCURY SEMI OPEN MOUNT

- Luxury installation cassette
- As a double, closes perfectly when blind is pulled down
- Almost no light gap on the top due to installation clip
- 38mm, 42mm and 50mm tube options and a bi-directional clutch

### CHAIN DRAW SYSTEM

Includes Essetials fabric (see all fabric at the end of document), 38mm tube, roller mechanisms, brackets, bracket covers, and counterweight or bottom rail with end caps.

### SPRING CONTROL SYSTEM

Includes Essetials fabric (see all fabric at the end of document), 38mm tube, roller mechanisms, brackets, bracket covers, and counterweight or bottom rail with end caps.

### MOTORIZED SYSTEM

Includes Essentials fabric (see all fabric at the end of document), 38mm tube, motor, micro usb cable to charge battery, brackets, bracket covers, bottom rail with end caps and remote.



25  
White



59  
Black



70  
Bronze



90  
Silver
















**SPRING  
CONTROL  
AVAILABLE**
















**MOTOR  
CONTROL  
AVAILABLE**

# ROLLER SHADES & ROMANS

 APOLLO BASIC | **MERCURY DECORATIVE** | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | RBS | RBS XL | BCS

SEMI OPEN	COMPONENT
●	 Aluminum Tube, 19' <b>77003-90</b> 38mm <b>77002-90</b> 42mm <b>77001-90</b> 50mm
●	 <b>76013-XX</b> Clutch Mechanism Plastic, 38mm
●	 <b>76003-25</b> Tube Adaptor 42mm, 50mm
●	 Easy Mount End Plug <b>76005-XX</b> 38mm <b>76004-XX</b> 42mm, 50mm
●	 <b>76019-XX</b> Semi Open Bracket for Cassette
●	 <b>77008-XX</b> Semi Open Cassette, 19'
●	 <b>77007-XX</b> Semi Open Cassette End Cap Set
●	 <b>76018-90</b> Cassette Set
●	 Endless Chain 25 white plastic or 90 nickel <b>49020-25, 90, 29"</b> <b>49021-25, 90, 39"</b> <b>49022-25, 90, 49"</b> <b>49023-25, 90, 59"</b> <b>49024-25, 90, 69"</b> <b>49025-25, 90, 79"</b> <b>49026-25, 90, 89"</b> <b>49027-25, 90, 99"</b>
●	 <b>79005-00</b> Clear Ball Stopper
●	 <b>49501-00</b> Tension Device For child safety
●	 <b>76002-XX</b> Fill up Ring
●	 <b>76001-XX</b> Bearing Pin

SEMI OPEN	COMPONENT
●	 <b>810219-25</b> Bottom Rail
●	 <b>810001-25</b> Weight Insert for bottom rail
●	 <b>810019-25</b> Adhesive Tape for bottom rail
●	 <b>830004-25</b> End Cap for bottom rail
●	 <b>810000-00</b> Brush for bottom rail
●	 2 Piece Outside Mount Side Channel <b>71619-25</b> Bottom <b>71719-25</b> Top
●	 <b>810119-25</b> One Piece Inside Mount Side Channel, 19'
●	 <b>79002-25</b> Brush for side channel
●	 <b>78000-25</b> Motor & lithium battery
●	 Drive for Mercury Motor <b>78001-25</b> 38mm <b>78020-25</b> 40mm, 50mm
●	 Crown Adaptor for Mercury Motor <b>78002-25</b> 38mm <b>78010-25</b> 40mm, 50mm
●	 <b>78003-25</b> Micro USB Cable for Mercury Motor, 9.8 ft.
●	 <b>78004-59</b> Remote for Mercury Motor, 5 channel, black



# ROLLER SHADES & ROMANS

APOLLO BASIC | **MERCURY DECORATIVE** | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | RBS | RBS XL | BCS





Scan for more information on  
FOREST Mercury Direct Mount  
Roller Shades



## MERCURY DIRECT MOUNT

- End caps in designer colors
- Contemporary, clean look
- Easy Installation
- 38mm, 42mm and 50mm tube options and a bi-directional clutch



### CHAIN DRAW SYSTEM

Includes Essentials fabric (see all fabric at the end of document), 38mm tube, roller mechanisms, brackets, bracket covers, counterweights or bottom rails with end caps, and child safety device.

### SPRING CONTROL SYSTEM

Includes Essentials fabric (see all fabric at the end of document), 38mm tube, roller mechanisms, brackets, bracket covers, and counterweights or bottom rails with end caps.



**SPRING**  
CONTROL  
AVAILABLE















**MOTOR**  
CONTROL  
AVAILABLE














### MOTORIZED SYSTEM

Includes Essentials fabric (see all fabric at the end of document), two 38mm tubes, motor, micro usb cable to charge battery, brackets, bracket covers, counterweight or bottom rail with end caps and remote.

# ROLLER SHADES & ROMANS

APOLLO BASIC | **MERCURY DECORATIVE** | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | RBS | RBS XL | BCS

DIRECT	COMPONENT
• 	Aluminum Tube, 19' 77003-90 38mm 77002-90 42mm 77001-90 50mm
• 	76013-25, 59, 70, 90, 99 Clutch Mechanism Plastic, 38mm
• 	76003-25 Tube Adaptor 42mm, 50mm
• 	Easy Mount End Plug 76005-25, 59, 70, 90, 99 38mm 76004-25, 59, 70, 90, 99 42mm, 50mm
• 	76010-25, 59, 70, 90, 99 Metal Bracket
• 	76006-25, 59, 70, 90, 99 End Cap, Plastic
• 	76007-16, 22, 25 End Cap Metal
• 	Endless Chain 25 white plastic or 90 nickel 49020-25, 90, 29" 49021-25, 90, 39" 49022-25, 90, 49" 49023-25, 90, 59" 49024-25, 90, 69" 49025-25, 90, 79" 49026-25, 90, 89" 49027-25, 90, 99"
• 	79005-00 Clear Ball Stopper
• 	49501-00 Tension Device For child safety
• 	76002-XX Fill up Ring
• 	76001-XX Bearing Pin

DIRECT	COMPONENT
• 	810219-25 Bottom Rail
• 	810001-25 Weight Insert for bottom rail
• 	810019-25 Adhesive Tape for bottom rail
• 	830004-25 End Cap for bottom rail
• 	810000-00 Brush for bottom rail
• 	2 Piece Outside Mount Side Channel 71619-25 Bottom 71719-25 Top
• 	810119-25 One Piece Inside Mount Side Channel, 19'
• 	79002-25 Brush for side channel
• 	78000-25 Motor & lithium battery
• 	Drive for Mercury Motor 78001-25 38mm 78020-25 40mm, 50mm
• 	Crown Adaptor for Mercury Motor 78002-25 38mm 78010-25 40mm, 50mm
• 	78003-25 Micro USB Cable for Mercury Motor, 9.8 ft.
• 	78004-59 Remote for Mercury Motor, 5 channel, black

# ROLLER SHADES & ROMANS

APOLLO BASIC | MERCURY DECORATIVE | **ATLANTIS HEAVY DUTY** | ROLLER SHADE FABRIC OPTIONS | RBS | RBS XL | BCS



Scan for more information on  
FOREST Atlantis HD Motorized  
Roller Shades



25  
White

## ATLANTIS HEAVY DUTY MOTORIZED ROLLER SHADES

- Atlantis is a heavy duty system with a maximum weight of 45 lbs. Includes a 10-year warranty.
- Easy Installation with universal adjustable brackets
- 50mm and 60mm tube options and a bi-directional clutch

### CASSETTE MOUNT ASSEMBLED PRICING























Includes Essentials fabric (see all fabric at the end of document), tube, roller mechanism, brackets, bracket covers, cassette cover, motor, Diamond remote or wall switch, & bottom rail w/ end caps.

### DIRECT MOUNT ASSEMBLED PRICING

Includes Essentials fabric (see all fabric at the end of document), tube, roller mechanism, brackets, bracket covers, motor, Diamond remote or wall switch, & bottom rail with end caps.

# ROLLER SHADES & ROMANS

 APOLLO BASIC | MERCURY DECORATIVE | **ATLANTIS HEAVY DUTY** | ROLLER SHADE FABRIC OPTIONS | RBS | RBS XL | BCS

ATLANTIS	COMPONENT	ATLANTIS	COMPONENT
●	 Aluminum Tube, 19' <b>815019-00</b> 50mm for shades up to 72" <b>816019-00</b> 60mm for shades up to 144"	●	 2 Piece Outside Mount Side Channel <b>71619-25</b> Bottom <b>71719-25</b> Top
●	 <b>82CL01-25</b> Left <b>82CR01-25</b> Right Standard Ceiling/Wall Idler Brackets	●	 <b>79002-25</b> Brush for side channel
●	 <b>820003-25</b> Middle Adjustable Ceiling Cassette Idler Bracket	●	 <b>62901-25</b> Forest Tubular Motor built-in RF receiver, 35mm, 110v, 6 Nm
●	 <b>82CL00-25</b> Left <b>82CR00-25</b> Right Standard Ceiling/Wall Motor Bracket	●	 <b>835000-00</b> 50mm Motor Adaptor
●	 <b>820004-25</b> Middle Adjustable Ceiling Connecting Bracket	●	 <b>835001-00</b> 50mm Idler
●	 <b>820005-25</b> Middle Adjustable Ceiling Cassette Connecting Bracket	●	 <b>835002-00</b> 50mm Connector Idler
●	 <b>810319-25</b> Cassette Cover, 19'	●	 <b>835003-00</b> 50mm Adjustable Idler
●	 <b>830001-25</b> Bracket End Cap	●	 <b>836000-00</b> 60mm Motor Adaptor
●	 <b>830002-25</b> Middle Bracket Cover	●	 <b>836001-00</b> 60mm Idler
●	 <b>810219-25</b> Bottom Rail	●	 <b>52931-25D</b> white <b>59D</b> black +10% Diamond Remote RF, 15 channel w/ holder Range 98'
●	 <b>810001-25</b> Weight Insert for bottom rail	●	 <b>52933-25</b> white <b>59</b> black +10% Diamond Wall Switch 2 channel
●	 <b>810019-25</b> Adhesive Tape for bottom rail and tube attachment	●	 <b>52947-25</b> Wireless Connector One-way transmitter to control drapery by third party app or home automation.
●	 <b>830004-25</b> End Cap for bottom rail	●	 <b>52953-25</b> Smart Plug
●	 <b>810000-00</b> Brush for bottom rail		
●	 <b>810119-25</b> One Piece Inside Mount Side Channel, 19'		



# ROLLER SHADES & ROMANS

APOLLO BASIC | MERCURY DECORATIVE | ATLANTIS HEAVY DUTY | **ROLLER SHADE FABRIC OPTIONS** | RBS | RBS XL | BCS

## FABRIC OPTIONS FOR ROLLER SHADES

**IN STOCK FABRICS** are divided across three collections – Essentials, Designer and Exclusive to meet your specific needs for value and style. Contact customer service for a swatch card, [customerservice@forestdh.com](mailto:customerservice@forestdh.com).

All fabrics are suitable for any of our roller shade systems.

Fabric images are a close representation, but for best results please email [customerservice@forestdh.com](mailto:customerservice@forestdh.com) to order a swatch card.



### ESSENTIALS COLLECTION

The Forest Essentials Fabric Collection offers quality at a value. Choose a 3% screen, a sheer or a blackout fabric to coordinate with your room design.

#### SCREENS



Bone White  
**74002-99**  
118" / 3% /



Vanilla Creme  
**74004-97**  
118" / 3% /



Copenhagen  
**74020-81**  
98" / 3% /



Charcoal  
**74003-55**  
118" / 3% /

#### SHEERS



White Linen  
**74007-25**  
110" / 20% /




Broad Lines  
**74008-25**  
94" / 20% /



Fine Lines  
**74009-25**  
94" / 20% /

#### BLACKOUT



Frost  
**74005-01**  
118" / 0% /



Ecru  
**74001-98**  
108" / 0% /




Pewter  
**74006-08**  
118" / 0% /

This symbol denotes a fire retardant fabric.

# ROLLER SHADES & ROMANS

APOLLO BASIC | MERCURY DECORATIVE | ATLANTIS HEAVY DUTY | **ROLLER SHADE FABRIC OPTIONS** | RBS | RBS XL | BCS



## DESIGNER COLLECTION

The Forest Designer Fabric Collection offers the latest styles and colors of roller shade fabric. There is a premium up-charge for fabrics in the Designer Collection.


### SCREENS



**Richland**  
**75001-01**  
 118" / 6% /




**Pearland**  
**75001-02**  
 118" / 6% /



**Hamburg**  
**75001-03**  
 118" / 3% /

### SHEERS



**Singapore**  
**75001-04**  
 94" / 11% /




**Manila**  
**75001-05**  
 94" / <3%



**Mumbai**  
**75001-06**  
 118" / 3% /

### WOVENS



**Sao Paulo**  
**75001-07**  
 118" / 28% /




**Salvador**  
**75001-08**  
 118" / 3% /



**Asheville**  
**75001-09**  
 118" / 25%

### NATURALS



**Macau**  
**75001-10**  
 70"



**Tokyo**  
**75001-11**  
 78"



**Taipei**  
**75001-12**  
 94"


### BLACKOUT



**Woodbury**  
**75001-13**  
 118" / 0% /



**Seaside**  
**75001-14**  
 110" / 0% /



**Capetown**  
**75001-15**  
 110" / 0%



## EXCLUSIVES COLLECTION

The Forest Exclusive Fabric Collection offers distinctive fabrics. There is a premium up-charge for fabrics in the Exclusives Collection.

### SCREEN



**Moscow**  
**76001-10**  
 118" / 7%

### WOVEN



**Montauk**  
**76001-20**  
 110" / 15%

### BLACKOUT



**Whitehall**  
**76001-30**  
 94.5" / 0% /

This symbol denotes a fire retardant fabric.


# ROLLER SHADES & ROMANS

APOLLO BASIC | MERCURY DECORATIVE | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | **RBS** | RBS XL | BCS

ROMANS RBS CHAIN DRAW



Scan for more information on the  
FOREST RBS Roman Blind System



25  
White



**MOTOR  
CONTROL  
AVAILABLE**

## RBS ROMAN BLIND SYSTEM












- The most durable and functional roman blind system on the market. RBS includes integrated Velcro tape so the fabric can be easily attached and removed.
- Aluminum, white, powder coated extrusion. Best suited for light to medium weight fabrics in contract or residential applications.
- Maximum weights:
  - 1:4 gear up to 18 lbs.
  - 1:2 gear up to 14 lbs.
  - 1:1 gear up to 10 lbs.
- Includes child safety device and warning label.










## ASSEMBLED SYSTEM

Includes headrail, cord roll supports, wall or ceiling brackets, counterweight (if requested), Velcro profile, chain, child safety tension device & warning label. When ordering, please specify chain drop length, wall or ceiling mount, control side, and number of cord roll supports needed.

# ROLLER SHADES & ROMANS

 APOLLO BASIC | MERCURY DECORATIVE | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | **RBS** | RBS XL | BCS

RBS	COMPONENT
●	 <b>41019-25</b> RBS Headrail 19' x 10 rails/bundle bundle = 190'
●	 <b>49010-25</b> RBS Cord Roll Support w/ quick lock, 12' drop
●	 Control Unit w/ End Cap & Retaining Ring heavy duty, self-braking <b>42311-25</b> 1:4 gear to 18 lbs. <b>42312-25</b> 1:2 gear to 14 lbs. <b>42310-25</b> 1:1 gear to 10 lbs.
●	 <b>41119-90</b> 19' Rod aluminum 3/16" x 3/16"
●	 <b>49005-25</b> Counterweight, 19' aluminum 1" x 1/8"
●	 <b>31116-25</b> Velcro Profile w/ Hook Tape, 13.1'
●	 <b>43202-25</b> Swivel Wall Bracket
●	 <b>43003-25</b> Swivel Ceiling Bracket
●	 <b>43033-25</b> Klick Wall Bracket
●	 <b>43034-25</b> Hidden Klick Multi Bracket
●	 <b>43004-25</b> Klick Ceiling Bracket

RBS	COMPONENT
●	 <b>49008-25</b> Shade Leveler
●	 <b>39007-25</b> Velcro Tape 27 yds. per roll
●	 <b>49006-25</b> Fiberglass Spines, 19' 3/16" diameter
●	 <b>49014-25</b> Plastic Snap Ring
●	 <b>49013-25</b> Plastic Ring Cord Guide
●	 Endless Chain 25 white plastic or 90 nickel <b>49020-25, 90, 29"</b> <b>49021-25, 90, 39"</b> <b>49022-25, 90, 49"</b> <b>49023-25, 90, 59"</b> <b>49024-25, 90, 69"</b> <b>49025-25, 90, 79"</b> <b>49026-25, 90, 89"</b> <b>49027-25, 90, 99"</b>
●	 <b>76047-90</b> Metal Ball Chain Stopper
●	 <b>79005-00</b> Clear Ball Chain Stopper
●	 <b>49501-00</b> Tension Device For child safety



# ROLLER SHADES & ROMANS

APOLLO BASIC | MERCURY DECORATIVE | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | **RBS** | RBS XL | BCS



Scan for more information on the FOREST RBS Motorized System







**CHAIN  
CONTROL  
AVAILABLE**






## RBS MOTORIZED ROMAN BLIND SYSTEM

- The most durable and functional roman blind system on the market. RBS includes integrated Velcro tape so the fabric can be easily attached and removed.
- Aluminum, white, powder coated extrusion. Best suited for light weight fabrics in contract or residential applications.
- Maximum weight is 10 lbs with a maximum width of 84".
- The Forest tubular motor includes a 10 year warranty. The lithium iOn battery includes a 1 year warranty.

### ASSEMBLED SYSTEM









Includes headrail, cord roll supports, brackets, counterweight (if requested), Velcro profile, motor and remote or wall switch. When ordering, please specify motor side, wall or ceiling mount, and number of cord roll supports needed.










RBS MOT	COMPONENT
●	 <b>62903-25</b> RBS Tubular Motor, 24 V Double Shaft Lifts up to 10 lbs.
●	 <b>52928-25</b> 7' 6" power cord <b>52934-25</b> 16' power cord Includes 24 v Power Supply
●	 <b>52931-25D</b> white <b>59D</b> black +10% Diamond Sense Remote RF, 15 channel w/ holder, Range 98'
●	 <b>52933-25</b> white <b>59</b> black +10% Diamond Sense Wall Switch 2 channel

RBS MOT	COMPONENT
●	 <b>62910-25</b> RBS Tubular Lithium Motor, 1-year warranty 24 V, includes plug
●	 <b>62911-25</b> Remote for Lithium Motor 15 channel w/ holder
●	 <b>62912-25</b> Lithium Battery & Adaptor
●	 <b>52947-25</b> Wireless Connector One-way transmitter to control drapery by third party app or by home automation. Use with Forest Shuttle & tubular motors.
●	 <b>52953-25</b> Smart Plug

# ROLLER SHADES & ROMANS

APOLLO BASIC | MERCURY DECORATIVE | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | **RBS** | RBS XL | BCS

RBS MOT	COMPONENT
●	 <b>41019-25</b> RBS Headrail white 19' x 10 rails/bundle bundle = 190'
●	 <b>49010-25</b> RBS Cord Roll Support w/ quick lock, 12' drop
●	 <b>62913-25</b> RBS End Caps left & right
●	 <b>41119-90</b> 19' Rod aluminum 3/16" x 3/16"
●	 <b>49005-25</b> Counterweight, 19' aluminum 1" x 1/8"
●	 <b>31116-25</b> Velcro Profile w/ Hook Tape, 13.1'
●	 <b>43202-25</b> Swivel Wall Bracket
●	 <b>43003-25</b> Swivel Ceiling Bracket
●	 <b>43033-25</b> Klick Wall Bracket

RBS MOT	COMPONENT
●	 <b>43034-25</b> Hidden Klick Multi Bracket
●	 <b>43004-25</b> Klick Ceiling Bracket
●	 <b>49090-25</b> Valance Bracket attaches to Velcro profile
●	 <b>49091-25</b> Valance Corners
●	 <b>49008-00</b> Shade Leveler
●	 <b>39007-25</b> Velcro Tape 27 yds. per roll
●	 <b>49006-25</b> Fiberglass Spines, 19' 3/16" diameter
●	 <b>49014-25</b> Plastic Snap Ring
●	 <b>49013-25</b> Plastic Ring Cord Guide

📦 **BREAK PACK PRICING** 📦 - Prices with this designation indicate a 20% up charge for broken pack quantities.


# ROLLER SHADES & ROMANS

APOLLO BASIC | MERCURY DECORATIVE | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | RBS | **RBS XL** | BCS

ROMANS RBS XL



Scan for more information on the  
FOREST RBS XL Roman Blind System



25  
White

## RBS XL ROMAN BLIND SYSTEM










- Aluminum, white, powder coated extrusion. Best suited for light to medium weight fabrics in contract or residential applications.
- Includes integrated Velcro tape so the fabric can be easily attached and removed.
- Maximum weight is a 1:4 gear which will pull up to 24 lbs.
- Includes child safety device and warning label.









### ASSEMBLED SYSTEM

Includes headrail, cord roll supports, wall or ceiling brackets, counterweight (if requested), Velcro profile, chain, child safety tension device & warning label. When ordering, please specify chain drop length, wall or ceiling mount, control side, and number of cord roll supports needed.

# ROLLER SHADES & ROMANS

APOLLO BASIC | MERCURY DECORATIVE | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | RBS | **RBS XL** | BCS

RBS XL	COMPONENT
●	 <b>44019-25</b> RBS XL Headrail 19' x 10 rails/bundle bundle = 190'
●	 <b>44003-25</b> RBS XL Cord Roll Support
●	 <b>44311-25</b> RBS XL Control Unit w/ End Cap & Screw 1:4 gear to 24 lbs.
●	 <b>41119-90</b> 19' Rod aluminum 3/16" x 3/16"
●	 <b>49005-25</b> Counterweight, 19' aluminum 1" x 1/8"
●	 <b>31116-25</b> Velcro Profile w/ Hook Tape, 13.1'
●	 <b>44004-90</b> RBS XL Ceiling Bracket nickel plated
●	 <b>44033-90</b> RBS XL Wall Bracket nickel plated
●	 <b>49008-25</b> Shade Leveler

RBS XL	COMPONENT
●	 <b>39007-25</b> Velcro Tape 27 yds. per roll
●	 <b>49006-25</b> Fiberglass Spines, 19' 3/16" diameter
●	 <b>49014-25</b> Plastic Snap Ring
●	 <b>49013-25</b> Plastic Ring Cord Guide
●	 Endless Chain 25 white plastic or 90 nickel <b>49020-25, 90, 29"</b> <b>49021-25, 90, 39"</b> <b>49022-25, 90, 49"</b> <b>49023-25, 90, 59"</b> <b>49024-25, 90, 69"</b> <b>49025-25, 90, 79"</b> <b>49026-25, 90, 89"</b> <b>49027-25, 90, 99"</b>
●	 <b>76047-90</b> Metal Ball Chain Stopper
●	 <b>79005-00</b> Clear Ball Chain Stopper
●	 <b>49501-00</b> Tension Device For child safety



# ROLLER SHADES & ROMANS

APOLLO BASIC | MERCURY DECORATIVE | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | RBS | RBS XLS | **BCS**

ROMANS BCS MOTORIZED



Scan for more information on the  
FOREST BCS Blind Contract System



## BCS BLIND CONTRACT SYSTEM










- A heavy duty motorized blind system best suited for medium to heavy weight draperies.
- Aluminum, white, powder coated extrusion.
- Maximum weight is 45 lbs per motor and 8.75 lbs per cord roll. Maximum width is 120".
- Ultra quiet <44dB and easy to install.
- The Forest BCS tubular motor includes a 10 year warranty.










### ASSEMBLED SYSTEM

Includes headrail, cord roll supports, brackets, counterweight (if requested), Velcro profile, motor and Diamond Sense remote or wall switch. When ordering, please specify motor side, wall or ceiling mount, and number of cord roll supports needed.

# ROLLER SHADES & ROMANS

APOLLO BASIC | MERCURY DECORATIVE | ATLANTIS HEAVY DUTY | ROLLER SHADE FABRIC OPTIONS | RBS | RBS XLS | **BCS**

BCS MOT	COMPONENT
•	 <b>61019-25</b> BCS Headrail white 19' aluminum extrusion
•	 <b>61119-25</b> BCS 8-Angle Tube, 19'
•	 <b>62309-25</b> BCS End Caps left & right
•	 <b>49006-25</b> Fiberglass Rod, 19'
•	 <b>49005-25</b> Counterweight, 19' aluminum 1" x 1/8"
•	 <b>62000-25</b> BCS Cord Roll House & Drum contains 18' cord
•	 <b>62200-25</b> BCS Tube Support place on open end of tube
•	 <b>63003-25</b> BCS Swivel Wall Bracket
•	 <b>33007-25</b> BCS Swivel Ceiling Bracket

BCS MOT	COMPONENT
•	 <b>62100-25</b> BCS Center Support 2" x 2.25"
•	 <b>49008-00</b> Shade Leveler
•	 <b>61125-25</b> BCS Velcro 7/8" x 4'
•	 <b>49400-25</b> Shroud 73 yds. per roll
•	 <b>62901-25</b> Forest Tubular Motor built-in RF receiver, 35mm (1 3/8"), 110v, 6 Nm
•	 <b>52931-25D</b> white <b>59D</b> black +10% Diamond Sense Remote RF, 15 channel w/ holder, Range 98'
•	 <b>52933-25</b> white <b>59</b> black +10% Diamond Sense Wall Switch 2 channel
•	 <b>52947-25</b> Wireless Connector One-way transmitter to control drapery by third party app or by home automation. Use with Forest Shuttle & tubular motors.
•	 <b>52953-25</b> Smart Plug



## BENDS & CURVES, BATONS, WORKROOM and EASYFLEX

### BENDS/CURVES

Tracks, H-Rail & Motorized Rails



### BATONS

Fiberglass, Acrylic, Metal & Wood





In this section find out more about bending and curving options at our facility or yours. Also consider our wide range of batons and other items for your workroom. Beyond traditional ripplefold tape, the Forest Easyflex System allows you to easily customize the fold depth of your ripplefold drapery.

## WORKROOM

Stiffeners, Snap Tape, Lubricant & more



## EASYFLEX

Custom fold depth system





# BENDING & CURVING

BENDS & CURVES | BATONS | WORKROOM | EASYFLEX



## CUSTOM BENDING & CURVING

- Forest will custom bend and curve our drapery hardware to your exact specifications. Or, bend and curve at your workroom with our equipment.
- All bend and curve orders require a template at actual size. Mail to Forest Drapery Hardware, 2500 Donn Drive, Cartersville GA 30120, Attn: Customer Service.
- Polished Chrome and wood foil finishes cannot be bent or curved. Satin Nickel and Bronze finishes may be slightly distorted at the site of the bend/curve.

### BEND/CURVE THESE TRACKS, DECORATIVE METAL H-RAIL, AND MOTORIZED SYSTEMS



CS TRACK  
p. 3-6



CCS TRACK  
p. 7-8



KS TRACK  
p. 11-12



DS TRACK  
p. 11-12



FMS TRACK  
p. 95-96



DRESDEN TRAVERSE & MOTORIZED TRAVERSE p. 63-64  
MOTORIZED p. 103-104  
Polished Chrome and wood foil finishes cannot be bent or curved




DEVENTER CRS & MRS  
CRS p. 67-68  
MRS p. 107-108

## KS/DS BENDING



Scan for a video showing how to set up the KS/DS Bender



KS & DS	COMPONENT
	KS/DS Housing Unit <b>5001-00</b>
	Bending Strips <b>5302-00</b> KS <b>5312-00</b> DS
	Bending Wheel Sets Includes wheel, wedges, and bending strips. <b>55401-00</b> KS <b>55402-00</b> DS

KS & DS	COMPONENT
	Small Guide Wedge <b>5307-00</b> KS (pictured) <b>5308-00</b> DS white <b>5309-00</b> DS grey Both DS wedges are required.
	Large Guide Wedge <b>55102-00</b> KS (pictured) <b>55103-00</b> DS white <b>55104-00</b> DS grey Both DS wedges are required.


# BENDING & CURVING











BENDS & CURVES | BATONS | WORKROOM | EASYFLEX

## CS/CCS/FMS/H-RAIL BENDING






Scan for a video showing how to set up the CS/CCS/RTS/FMS/H-RAIL Bender













CS, CCS, FMS, H-RAIL	COMPONENT	CS, CCS, FMS, H-RAIL	COMPONENT
• 	CS/CCS/FMS/H-RAIL Housing Unit with handle & pin <b>55002-00</b>	• 	Bending Wheels w/ wedges <b>55300-00</b> CS/CCS/FMS <b>55310-00</b> H-Rail
• 	CS Bending Strip <b>55302-00</b>	• 	Small Guide Wedge <b>55101-00</b> CS/CCS/FMS <b>55315-00</b> H-Rail
• 	CCS Bending Strip <b>55303-00</b>	• 	Large Guide Wedge <b>55100-00</b> CS/CCS/FMS <b>55316-00</b> H-Rail
• 	FMS Bending Strip <b>55306-00</b>	• 	Extension Arm for handle <b>55317-00</b>
• 	H-Rail Bending Strip <b>55314-00</b>	• 	Stand for CS Bender <b>55318-00</b>

## KS/DS/CS/CCS/FMS/H-RAIL CURVING

CURVING	COMPONENT	CURVING	COMPONENT
• 	Electronic Continuous Curver 110 Volt curver for accurate and high output curving. Wheels not included. <b>5004-00</b>	• 	Curving Strips, 23' <b>55308-00</b> KS <b>55304-00</b> DS/CCS <b>55307-00</b> CS/FMS <b>55313-00</b> H-Rail
• 	Curving Wheels, set of 3 <b>5304-00</b> KS <b>5306-00</b> DS <b>5305-00</b> CS/CCS/FMS <b>55311-00</b> H-Rail		

## BATONS FIBERGLASS, ACRYLIC, ADA & COMPONENTS

BATONS	COMPONENT
 snap  adaptor	<b>3/8" Fiberglass Baton</b> Must order screw separately  <b>36"</b> <b>54110-25</b> white w/ snap <b>54310-25</b> white w/ adaptor  <b>54110-59, 81, 90</b> w/ snap  <b>48"</b> <b>54111-25</b> white w/ snap <b>54311-25</b> white w/ adaptor  <b>54111-59, 81, 90</b> w/ snap  <b>60"</b> <b>54112-25</b> white w/ snap <b>54312-25</b> white w/ adaptor  <b>54112-59, 81, 90</b> w/ snap  <b>72"</b> <b>54113-25</b> white w/ snap <b>54313-25</b> white w/ adaptor  <b>54113-59, 81, 90</b> w/ snap  <b>84"</b> <b>54114-25</b> white w/ snap  <b>96"</b> <b>54115-25</b> white w/ snap
	<b>Colors available for 3/8" Fiberglass Batons</b>  25 White    59 Black    81 Bronze    90 Grey

BATONS	COMPONENT
 snap  adaptor	<b>1/2" Clear Acrylic Baton</b> Must order screw separately  <b>36"</b> <b>54510-00</b> w/ snap <b>54710-00</b> w/ adaptor  <b>48"</b> <b>54511-00</b> w/ snap <b>54711-00</b> w/ adaptor  <b>60"</b> <b>54512-00</b> w/ snap <b>54712-00</b> w/ adaptor  <b>72"</b> <b>54513-00</b> w/ snap <b>54713-00</b> w/ adaptor
	<b>ADA Clear Acrylic Baton</b>  <b>48"</b> <b>54911-00</b> w/ adaptor  <b>60"</b> <b>54912-00</b> w/ adaptor
	<b>9013-00</b> Baton Holder, clear acrylic
	<b>54001-16</b> Baton Snap
	<b>9015-00</b> Hex Head Shoulder Screw for baton w/ adaptor
	<b>54000-16</b> D-Ring

## BATONS DECORATIVE METAL & WOOD



**29MWAND-XX**  
40" Metal Baton  
see all finishes p. 55



**29AWAND-16**  
40" Round Metal Baton  
Stainless Steel



**29SWAND-16**  
40" Square Metal Baton  
Stainless Steel



**29IWAND-XX**  
40" Wrought Iron Baton  
see all finishes p. 59







**19WWAND-XX**  
40" Wood Baton  
see all finishes p. 83



**19CWAND-XX**  
40" Modern Baton  
see all finishes p. 83

## WORKROOM COMPONENTS

WORKROOM	COMPONENT
● 	<b>9009-00</b> Large Stiffener w/ grommet Adjustable for ceiling or wall
● 	<b>9011-00</b> Small Stiffener w/ grommet For sheers
● 	<b>9003-25</b> <b>00</b> Clear, <b>59</b> Black + 10% 1" Snap Tape for Ripplefold 4 1/4" OC spacing

WORKROOM	COMPONENT
● 	<b>1502-00</b> Spray lubricant
● 	<b>9100-00</b> Channel Protector fits CS, KS & DS Tracks
● 	<b>52500-00</b> Corded Assembly Tool
● 	<b>5000-00</b> Track Opener









## FES® FOREST EASYFLEX SYSTEM

- Fold depth is fully customizable with Easyflex tape and carriers.
- Use with any traversing system and your choice of ripplefold masters.
- Ceiling space required is equal to the spacing between the hook placement in the Easyflex tape.



Scan for more information on  
the FOREST FES Easyflex System

FES	COMPONENT
● 	Wheeled Connected Snap Carrier in plastic sleeve <b>2107-25</b> 60%, 2 5/8" OC <b>2106-25</b> 80%, 2 3/8" OC <b>2105-25</b> 100%, 2 1/8" OC <b>2108-25</b> 120%, 1 7/8" OC
● 	Two-Piece Connected Snap w/ Square Base in plastic sleeve <b>2114-25</b> 60%, 2 5/8" OC <b>2111-25</b> 80%, 2 3/8" OC <b>2112-25</b> 100%, 2 1/8" OC <b>2115-25</b> 120%, 1 7/8" OC
● 	<b>9037-25</b> Easyflex Hook use with <b>210X-25</b> and <b>211X-25</b> carriers

FES	COMPONENT
● 	<b>2116-25</b> Easywave Square Carrier, 80% use with <b>9039-25</b> Easyflex End Hook
● 	<b>9039-25</b> Easyflex End Hook
● 	<b>9036-00</b> Easyflex Tape 3" wide, 9/16" spacing






## DECORATIVE METAL Collections




### TAVIRA

1 1/8" Outdoor Metal Pole Sets  
1 1/8" Outdoor Metal Traversing System



### DRESDEN

1 1/8" Brass Pole Sets  
1 1/8" Baton Draw Traversing Sets  
1 1/8" Cord Draw Traversing Sets



### GLASGOW

1 3/8" Acrylic Pole Sets



### DEVENTER

1 1/8" Deco Pole Sets  
1 1/8" CRS® Traversing Sets





Our decorative metal collections offer the perfect combination of style and functionality. With a wide variety of designs from contemporary to traditional, and many stunning finishes, you are sure to find the right hardware for your room.



**LISBON**  
1 3/16" Brass Pole Sets



**AVEIRO**  
1 3/16" Steel Pole Sets



**PORTO**  
3/4" & 1 3/16" Wrought Iron Pole Sets



**FRANKFURT**  
1" Square Rail Traversing Sets



**PURE**  
1 1/4" x 1 3/4" Traversing Sets



**STUTTGART**  
Rectangle and Oval Rail Traversing Sets



# METAL

TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | LISBON | AVEIRO | PORTO | DRESDEN | DEVENTER CRS | FRANKFURT | PURE | STUTTGART




## TAVIRA OUTDOOR POLE SETS

1 1/8" Aluminum Powder Coated Pole Sets

Recommended weight is 4 lbs/ft. depending on application.



Scan for more information on  
FOREST TAVIRA POLE SETS



1 1/8" Tavira Outdoor Pole Set in 59 Black

### AVAILABLE FINISHES XX = finish color



25  
White



59  
Black



90  
Grey



2031SMP-XX

1 1/8" Tavira Pole, 14'  
Cannot be spliced



2131END-XX

Tavira End Cap



2231FRE-XX

Tavira French Return Bracket



2231CIR-XX

Tavira Closed Bracket



53412-XX

Inside Mount Bracket

## TAVIRA OUTDOOR TRAVERSING

1 1/8" Aluminum Powder Coated Traversing System  
Recommended weight is 4 lbs/ft. depending on application.

- 1 1/8" outdoor designer traversing system for one- or two-way pinch pleat or ripplefold drapery. Recommended for use with the Easyflex system.
- Wall or ceiling mount. Maximum length is 14' and this system cannot be spliced.
- Maximum weight is 4 lbs per foot depending on application.

### ASSEMBLED SYSTEM

Includes rail, end cap finial, carriers, end stop, masters, and wall or ceiling brackets. Indicate pinch pleat or ripplefold when ordering.



1 1/8" TAVIRA Outdoor Traversing System in 89 Graphite



Scan for more information on  
FOREST TAVIRA TRAVERSING

### AVAILABLE FINISHES XX = finish color



25  
White


















81  
Antique Bronze



89  
Graphite



95  
Taupe

TAVIRA	COMPONENT
● 	<b>2116-25</b> Easywave Square Carrier, 80% use with <b>9039-25</b> Easyflex End Hook
● 	<b>9039-25</b> Easyflex End Hook
● 	<b>9036-00</b> Easyflex Tape 3" wide, 9/16" spacing
● 	Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape <b>2114-25, 59</b> black 60% fullness, 2 5/8" OC <b>2111-25, 59</b> black, <b>65</b> brown 80% fullness, 2 3/8" OC
● 	<b>52004-25</b> Low Profile Ball Bearing
● 	<b>B8809-23-00</b> Overlap R <b>B8809-24-00</b> Underlap L <b>59</b> black + 10% Plastic Snap Master
● 	<b>52402-25</b> Overlap R <b>52404-25</b> Underlap L <b>59</b> black + 10% Standard Multi-Functional Master Stainless Steel arms
● 	<b>52402-25A</b> Overlap R <b>52404-25A</b> Underlap L <b>59A</b> black + 10% Standard Multi-Functional Master w/ stainless steel snaps and arms
● 	<b>V799-2-00</b> End Stop
● 	<b>51419-XX</b> 1 1/8" Aluminum Rail 14', cannot splice
● 	<b>53401-XX</b> Single Wall Bracket 3" P
● 	<b>53402-XX</b> Extended Single Wall Bracket 4 3/4" P
● 	<b>53412-XX</b> Inside Mount Bracket
● 	<b>53408-XX</b> <b>25</b> white, <b>59</b> black Flush Ceiling Bracket Cannot use finials
● 	<b>52430-XX</b> End Cap Finial



# METAL

TAVIRA | **GLASGOW** | DRESDEN | DEVENTER DECO | LISBON | AVEIRO | PORTO | DRESDEN | DEVENTER CRS | FRANKFURT | PURE | STUTTGART

METAL POLE SETS GLASGOW ACRYLIC



## GLASGOW COLLECTION

1 3/8" Acrylic Pole Sets

Recommended weight is 4 lbs/ft. depending on application.




Scan for more information on  
FOREST GLASGOW POLE SETS

AVAILABLE FINISHES XX = finish color



22  
Polished  
Chrome



23  
Polished  
Brass



89  
Graphite



**3335AHP-00**  
1 3/8" Hollow Acrylic Pole, 10'



**3035RWB-XX**  
Recess Wall Bracket



**3035CYL-XX**  
Cylinder Bracket



**3035CYE-XX**  
Extended Cylinder Bracket




**3035CCB-XX**  
Closed Bracket



**3035CWB-XX**  
Extended Closed Bracket




**3035RIN-XX**  
Metal Ring w/ Eyelet  
& Plastic Insert



**3035CON-XX**  
Joining Bracket

## GLASGOW COLLECTION (CONTINUED)



Clear Acrylic Glasgow Pole with Sphere Finial and Polished Brass Collar



Clear Acrylic Glasgow Pole, Pillbox Finial with Polished Chrome Collar, Rings & Bracket




Clear Acrylic Glasgow Pole, Cylinder Finial with Graphite Collar


### GLASGOW COLLECTION FINIALS



**3035BAL-XX**  
Sphere Finial



**3035CIL-XX**  
Cylinder Finial



**3035PIL-XX**  
Pillbox Finial

# METAL

TAVIRA | GLASGOW | **DRESDEN** | DEVENTER DECO | LISBON | AVEIRO | PORTO | DRESDEN | DEVENTER CRS | FRANKFURT | PURE | STUTTGART

## METAL POLE SETS DRESDEN

### DRESDEN COLLECTION

1 1/8" Brass Pole Sets with Finials or a French Return  
Recommended weight is 4 lbs/ft. depending on application.



Scan for more information on  
FOREST DRESDEN POLE SETS

#### AVAILABLE FINISHES XX = finish color



22  
Polished  
Chrome




24  
Satin  
Brass



29  
Satin  
Nickel




59  
Black




70  
Bronze  
Matte



**B801-28-XX**  
1 1/8" Brass Pole, 16' 4"



**B11950-28-XX**  
Single Wall or Ceiling Bracket



**B11952-28-XX**  
Double Wall Bracket



**B11598-28-L-XX**  
**B11598-28-R-XX**  
not avail. in 70 Bronze Matte  
French Return, 3 1/8" P




**B400-80-XX**  
Support Bracket for French Return



**B122028-XX**  
Inside Mount Bracket



**B125930-XX**  
Flat Ring w/ Eyelet  
Includes Plastic Insert



**B122928-XX**  
Swivel Elbow



**2030SPL-23**  
Splice

## DRESDEN COLLECTION (CONTINUED)



29 Satin Nickel Dresden Pole with French Return




22 Polished Chrome Dresden Pole with Ardea Finial and Socket




24 Satin Brass Dresden Pole with Napoli Finial


## DRESDEN COLLECTION FINIALS




**B124028-XX**  
End Cap Finial




**B690-XX**  
Pescara Finial




**B3362-XX**  
Alassio Finial




**B124128-XX**  
Alea Finial




**B650-XX**  
Verona Finial




**B610-XX**  
Napoli Finial



**B660-22, 24, 29, 70**  
Roma Finial



**B3521-28-XX**  
Ischia Finial



**B3389-100**  
Ardea Finial  
**B3389/1-XX**  
Socket for Ardea Finial



# METAL

TAVIRA | GLASGOW | DRESDEN | **DEVENTER DECO** | LISBON | AVEIRO | PORTO | DRESDEN | DEVENTER CRS | FRANKFURT | PURE | STUTTGART



## DEVENTER DECO COLLECTION

1 1/8" Aluminum Pole Sets with plastic inlay on pole and inside rings  
Recommended weight is 4 lbs/ft. depending on application.




Scan for more information on  
FOREST DEVENTER DECO POLE SETS

### AVAILABLE FINISHES XX = finish color



29  
Satin  
Nickel




81  
Antique  
Bronze



89  
Graphite



95  
Taupe



**51819-XX**  
1 1/8" Aluminum Pole, 19"



**53401-XX**  
Single Bracket  
3" P



**53402-XX**  
Extended Single Bracket  
4 3/4" P



**53406-XX**  
Double Bracket  
6 1/4" P  
Do not use with Ripplefold




**53407-XX**  
Extended Double Bracket  
7 3/4" P  
Use with Ripplefold



**53412-XX**  
Inside Mount Bracket



**2330FRI-XX**  
Flat Ring



**53413-90**  
Deventer Rail Connector  
aluminum, 3"

## DEVENTER DECO COLLECTION (CONTINUED)

Ultra quiet and smooth operation with a plastic inlay on the top of the pole and inside the rings.



29 Satin Nickel Deventer Deco Pole with Notched Finial




89 Graphite Deventer Deco Pole with Notched Finial



95 Taupe Deventer Deco Pole with Notched Finial

### DEVENTER COLLECTION FINIALS



**52430-XX**  
Deventer End Cap Finial



**52431-XX**  
Deventer Ball Finial



**52432-XX**  
Deventer Notched Finial



# METAL

TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | **LISBON** | AVEIRO | PORTO | DRESDEN | DEVENTER CRS | FRANKFURT | PURE | STUTTGART



## LISBON COLLECTION

1 3/16" Brass Pole Sets with Finials or a French Return  
Recommended weight is 4 lbs/ft. depending on application.



Scan for more information on  
FOREST LISBON POLE SETS

### AVAILABLE FINISHES XX = finish color



22  
Polished Chrome



23  
Polished Brass




24  
Satin Brass



27  
Rose Gold




29  
Satin Nickel




32  
Antique Bronze



36  
Oil Rubbed  
Bronze



66  
French Bronze



89  
Graphite



**2230SMP-XX**  
1 3/16" Brass Pole, 16'



**2230FRE-XX**  
French Return  
Wall Bracket, 3 1/2"P




**2230TOL-XX**  
Toledo Open  
Wall Bracket



**2230CIR-XX**  
Irati Closed  
Ceiling Bracket



**2230IRA-XX**  
Irati Closed  
Wall Bracket



**2230EVI-XX**  
Viana Extended Closed  
Wall Bracket



**2230DIR-XX**  
Double Irati  
Wall Bracket  
Not for use w/ grommets



**2230OIM-XX**  
Open Inside Mount  
Wall Bracket



**2230SHR-XX**  
Plastic Lined  
Smooth Hollow Ring  
w/ Clip-on Eyelet



**2230FRI-XX**  
Flat Ring

## LISBON COLLECTION (CONTINUED)

22 Polished Chrome Lisbon Pole with French Return



24 Satin Brass Lisbon Pole with French Return



27 Rose Gold Lisbon Pole with Velate Finial




66 French Bronze Lisbon Pole with Toscana Finial




29 Satin Nickel Lisbon Pole with Velate Finial




## LISBON COLLECTION FINIALS, BATON, SPLICE & HOLDBACK




**2130END-XX**  
End Cap Finial




**2130ACR-XX**  
Acrylic Ball Finial




**2130BLO-XX**  
Block Finial




**2130TIE-XX**  
Tier Finial




**2130VEL-XX**  
Velate Finial




**2130CIL-XX**  
Cilindro Finial



**2130INC-XX**  
Inca Finial



**2130SLA-XX**  
Slant Finial




**2130TOS-XX**  
Toscana Finial



**29MWAND-XX**  
Metal Control Baton 40"  
See all batons p. 43



**2030SPL-23**  
Pole Splice



**2130SWI-XX**  
Swivel Corner Connector



**26SWING-XX**  
Swing Holdback



# METAL

TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | LISBON | **AVEIRO** | PORTO | DRESDEN | DEVENTER CRS | FRANKFURT | PURE | STUTTGART

METAL POLE SETS AVEIRO STAINLESS STEEL



## AVEIRO COLLECTION

1 3/16" Stainless Steel Pole Sets with Finials or a French Return  
Recommended weight is 4 lbs/ft. depending on application.



Scan for more information on  
FOREST AVEIRO POLE SETS

### AVAILABLE FINISHES XX = finish color




16  
Stainless Steel  
19'



25  
Shiny White  
19'



59  
Matte Black  
16'



87  
Bronze Brilliant  
16'



88  
Shiny Black  
19'




**2030SMP-XX**  
1 3/16" Brass Pole



**2230FRE-XX**  
French Return  
Wall Bracket, 3 1/2" P



**2230CYL-XX**  
Cylinder Wall Bracket




**2230DCB-XX**  
Cylinder Double Wall Bracket  
Not for use w/ grommets




**2230CYC-XX**  
Cylinder Ceiling Bracket




**2230CIR-XX**  
Irati Closed Ceiling Bracket



**2230IRA-XX**  
Irati Closed Wall Bracket



**2230EVI-XX**  
Viana Extended Closed  
Wall Bracket



**2230DIR-XX**  
Double Irati Wall Bracket  
Not for use w/ grommets



**2230OIM-XX**  
Open Inside Mount  
Bracket



**2230FRI-XX**  
Flat Ring  
w/ Plastic Insert

## AVEIRO COLLECTION (CONTINUED)

87 Bronze Brilliant Aveiro Pole with French Return



16 Stainless Steel Aveiro Pole with 87 Bronze Brilliant Components




16 Stainless Steel Aveiro Pole with Acrylic Ball Finial




59 Black Matte Aveiro Pole, End Cap and Rings




### AVEIRO COLLECTION FINIALS, BATON, SPLICE & HOLDBACK




**2130END-XX**  
End Cap Finial




**2130CLM-16** Round Brn  
**2130CLB-16** Round Blk  
only in -16 Stainless Steel




**2130CUM-16** Square Brn  
**2130CUB-16** Square Blk  
only in -16 Stainless Steel




**2130ROL-XX**  
Steel Rollenbild Finial



**2130ROL-00** Stainless  
**2130ROL-XXC**  
Clear Rollenbild Finial



**2130ACR-XX**  
Acrylic Ball Finial




**2130VEL-XX**  
Velate Finial



**2130POP-XX**  
Pop Finial



**2130CIL-XX**  
Cilindro Finial



**2130INC-XX**  
Inca Finial



**29AWAND-16**  
Round Baton 40"  
See all batons p. 43



**29SWAND-16**  
Square Baton 40"  
See all batons p. 43



**2030SPL-23**  
Pole Splice



**2130SWI-XX**  
Swivel Corner Connector



## PORTO 3/4" COLLECTION

3/4" Wrought Iron Pole Sets

Recommended weight is 4 lbs/ft. depending on application.



Scan for more information on  
FOREST PORTO POLE SETS

### AVAILABLE FINISHES XX = finish color



33  
Black Silver



35  
Grey Copper



37  
Sand Gold




38  
Rust



40  
Graphite Rust




59  
Black




**2020SIR-XX**  
3/4" Wrought Iron Pole, 13'




**2220CEI-XX**  
3/4" Ceiling Bracket




**2220YOR-XX**  
3/4" York Single Open Bracket



**2220DYO-XX**  
3/4" York Double Open Bracket



**2220CYR-XX**  
3/4" York Wall/Ceiling Closed Bracket



**2220DCY-XX**  
3/4" York Double Wall Closed Bracket



**2220ILA-XX**  
3/4" Inside Mount Bracket



**2320IRI-XX**  
3/4" Smooth Ring w/ Plastic Insert



## PORTO 3/4" COLLECTION (CONTINUED)

37 Sand Gold Porto Pole with Caracola Finial




35 Grey Copper Porto Pole with Bola Finial




38 Rust Porto Pole with Berry Finial



40 Graphite Rust Porto Pole with Troia Finial




### 3/4" PORTO COLLECTION FINIALS, BATON & SPLICE



**2120IEN-XX**  
3/4" End Cap Finial



**2120BOL-XX**  
3/4" Bola Finial




**2120EVE-XX**  
3/4" Everest Finial



**2120BER-XX**  
3/4" Berry Finial



**2120CAR-XX**  
3/4" Caracola Finial



**2120TRO-XX**  
3/4" Troia Finial



**2120MAR-XX**  
3/4" Marte Finial



**29IWAND-XX**  
Iron Baton 40"  
See all batons p. 43



**2020SPL-23**  
Pole Splice



**2120SWI-XX**  
3/4" Swivel Corner Connector



# METAL

TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | LISBON | AVEIRO | **PORTO** | DRESDEN | DEVENTER CRS | FRANKFURT | PURE | STUTTGART



## PORTO 1 3/16" COLLECTION

1 3/16" Wrought Iron Pole Sets  
Recommended weight is 4 lbs/ft. depending on application.



Scan for more information on  
FOREST PORTO POLE SETS

### AVAILABLE FINISHES XX = finish color



33  
Black Silver



35  
Grey Copper



37  
Sand Gold




38  
Rust



40  
Graphite Rust




59  
Black




**2030SIR-XX**  
1 3/16" Wrought Iron Pole, 13'




**2230CEI-XX**  
1 3/16" Ceiling Bracket




**2230YOR-XX**  
1 3/16" York Single Open Bracket



**2230DYO-XX**  
1 3/16" York Double Open Bracket



**2230CYR-XX**  
1 3/16" York Single Closed Bracket




**2230DCY-XX**  
1 3/16" York Double Closed Bracket



**2230ILA-XX**  
1 3/16" Inside Mount Bracket



**2230FRT-XX**  
1 3/16" French Return Bracket  
3 3/8" P



**2230IRI-XX**  
1 3/16" Smooth Ring  
w/ Plastic Insert




**2230FRI-XX**  
1 3/16" Flat Ring  
w/ Plastic Insert

## PORTO 1 3/16" COLLECTION (CONTINUED)

33 Black Silver Porto Pole with French Return Bracket



37 Sand Gold Porto Pole with Troia Finial and York Closed Bracket




35 Grey Copper Porto Pole with York Open Bracket and Caracola Finial




59 Black Porto Pole with Ball Finial and York Closed Bracket




### 1 3/16" PORTO COLLECTION FINIALS & BATON




**2130IEN-XX**  
1 3/16" End Cap Finial



**2130BAL-XX**  
1 3/16" Ball Finial




**2130BOL-XX**  
1 3/16" Bola Finial




**2130EVE-XX**  
1 3/16" Everest Finial



**2130BER-XX**  
1 3/16" Berry Finial



**2130CAR-XX**  
1 3/16" Caracola Finial



**2130TRO-XX**  
1 3/16" Troia Finial



**2130MAR-XX**  
1 3/16" Marte Finial



**29IWAND-XX**  
Iron Control Baton  
Length: 40"  
See all batons p. 43



**2030SPL-23**  
Pole Splice



**2130SWI-XX**  
1 3/16" Swivel Corner  
Connector

# METAL

TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | LISBON | AVEIRO | PORTO | **DRESDEN** | DEVENTER CRS | FRANKFURT | PURE | STUTTGART



Scan for more information on  
FOREST DRESDEN TRAVERSING



## DRESDEN TRAVERSING



**MOTOR  
CONTROL**  
P. 103-106

- 1 1/8" heavy duty hand or baton draw h-rail system for one- or two-way pinch pleat or ripplefold drapery.
- Wall or ceiling mount. See bracket count below.  
Up to 60" = 2 brackets      121-180" = 4 brackets  
61-120" = 3 brackets      181-240" = 5 brackets
- Maximum weight is 4 lbs per foot depending on application.
- Bendable – Dresden traversing can be curved and reversed curved using an 8" radius or continuous curve. An exact size template is required. See page 41-42 for more information.
- See corded version on pages 65-66 and motorized version pages 103-106.

### ASSEMBLED SYSTEM

Includes rail, end cap finial, carriers, end stop, masters, wall or ceiling brackets, and 36" white fiberglass baton (See all batons p. 43). Indicate pinch pleat or ripplefold when ordering.

### AVAILABLE FINISHES XX/XXX = finish color



22  
Polished  
Chrome



24  
Satin  
Brass



26  
Brushed  
Gold




48  
Matte  
White\*



29  
Satin  
Nickel



59  
Black




70  
Bronze  
Matte



222  
Beech  
poles only




223  
Oak  
poles only




224  
Walnut  
poles only


### DRESDEN TRAVERSING FINIALS




**B124028-XX**  
End Cap Finial




**B690-XX**  
Pescara Finial



**B3362-XX**  
Alassio Finial




**B124128-XX**  
Alea Finial




**B650-22, 24, 29, 59, 70**  
Verona Finial




**B610-XX**  
Napoli Finial



**B660-22, 24, 29, 70**  
Roma Finial



**B3521-28-XX**  
Ischia Finial  
not available in 26 Brushed Gold

























**B3389-100**  
Ardea Finial  
**B3389/1-XX**  
Socket for Ardea Finial

\* Some components in 48 Matte White may have longer lead times, please call sales for more information.

# METAL

TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | LISBON | AVEIRO | PORTO | **DRESDEN** | DEVENTER CRS | FRANKFURT | PURE | STUTTGART

**FOREST**  
DRAPERY HARDWARE

DRESDEN	COMPONENT	DRESDEN	COMPONENT
	<b>B808-28-XX</b> 1 1/8" Aluminum H-Rail 19' 7"		Wheeled Connected Snap Carriers on plastic strip <b>2207-25</b> 60% fullness, 2 5/8" OC <b>2206-25</b> 24 gold, 59 black, 65 brown, 90 silver 80% fullness, 2 3/8" OC <b>2205-25</b> 100% fullness, 2 1/8" OC <b>2208-25</b> 120% fullness, 1 7/8" OC
	<b>B899-4-00</b> 1 1/8" & 1 9/16" Rail Connector		
	<b>B11670-XX</b> Single Wall Bracket		<b>52002-25</b> 24 gold, 59 black, 65 brown, 90 silver + 10% Slim Line Ball Bearing Carrier
	<b>B11670-120-XX</b> Extended Single Wall Bracket		<b>B8809-23-00</b> Overlap R <b>B8809-24-00</b> Underlap L 59 black + 10% Plastic Snap Master
	<b>B11672-190-XX</b> Double Wall Bracket		<b>52502-25</b> Overlap R <b>52504-25</b> Underlap L 59 black + 10% Standard Multi-Functional Master Use stiffener w/ exposed baton or hooks w/ hidden baton
	<b>B11670-V-XX</b> Adjustable Wall Bracket		<b>52502-25A</b> Overlap R <b>52504-25A</b> Underlap L 59A black + 10% Standard Multi-Functional Master w/ snaps
	<b>B11873-50-XX</b> Ceiling Bracket		<b>52411-25A</b> Butt R <b>52412-25A</b> Butt L 24A gold, 59A black, 65A brown, 90A silver Wheeled Butt Master w/snap adaptor Designed for hidden baton
	<b>B11873-15-XX</b> Ceiling Bracket 5/8" Extension		<b>B122928-XX</b> Swivel Elbow
	<b>53408-XX</b> 22 chrome, 25 white, 24 gold, 29 satin nickel, 59 black Flush Ceiling Bracket Cannot use finials		<b>V799-2-00</b> End Stop
	<b>B11598-28-L-22, 24, 29, 59</b> <b>B11598-28-R-22, 24, 29, 59</b> French Return, 3 1/8" P	Fiberglass batons in 36", 48", 60", 72", 84" and 96" lengths and these colors. See all batons page 43. <div> White  Black  Bronze  Grey</div>	

METAL TRAVERSING DRESDEN



# METAL

TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | LISBON | AVEIRO | PORTO | **DRESDEN** | DEVENTER CRS | FRANKFURT | PURE | STUTTGART

METAL TRAVERSING DRESDEN 1 1/8" CORDED



Scan for more information on  
FOREST DRESDEN 1 1/8" CORDED



1 1/8" Dresden Corded Traversing System in 29 Satin Nickel

## AVAILABLE FINISHES XX = finish color



22  
Polished  
Chrome



26  
Brushed  
Gold



48  
Matte  
White\*



29  
Satin  
Nickel




59  
Black

\* Some components in 48 Matte White may have longer lead times,  
please call sales for more information.

## DRESDEN CORDED FINIALS




**B124028-XX**  
End Cap Finial



**B690-XX**  
Pescara Finial



**B3362-XX**  
Alassio Finial



**B650-22, 29, 59**  
Verona Finial



**B610-XX**  
Napoli Finial



**B660-22, 29**  
Roma Finial



**B3521-28-XX**  
Ischia Finial  
not available in 26 Brushed Gold



**B3389-100**  
Ardea Finial  
**B3389/1-XX**  
Socket for Ardea Finial

## DRESDEN 1 1/8" CORDED



**MOTOR  
CONTROL**  
P. 103-106

- Light duty cord draw system for one- or two-way pinch pleat or ripplefold drapery.
- Wall or ceiling mount. See bracket count below.  
Up to 60" = 2 brackets      121-180" = 4 brackets  
61-120" = 3 brackets      181-240" = 5 brackets
- Maximum weight is 50 lbs. Not designed to pull heavy weight draperies.
- See the hand drawn version on pages 63-64 and the motorized version on pages 103-106.


















## ASSEMBLED SYSTEM

Includes rail, cord pulley in finished housing, carriers, masters, wall or ceiling brackets and child safety device. Indicate pinch pleat or ripplefold when ordering.

# METAL

TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | LISBON | AVEIRO | PORTO | **DRESDEN** | DEVENTER CRS | FRANKFURT | PURE | STUTTGART

**FOREST**  
DRAPERY HARDWARE

DRESDEN CORD	COMPONENT	DRESDEN CORD	COMPONENT
●	 <b>B809-28-XX</b> 1 1/8" Aluminum Rail for Cord Draw 19' 7"	●	 Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape <b>2114-25, 59</b> black 60% fullness, 2 5/8" OC <b>2111-25, 59</b> black, <b>65</b> brown, <b>90</b> silver 80% fullness, 2 3/8" OC <b>2112-25, 59</b> black 100% fullness, 2 1/8" OC <b>2115-25, 59</b> black 120% fullness, 1 7/8" OC
●	 <b>B11687-XX</b> 1 1/8" Cord Pulley in finished housing Finial optional	●	 <b>52008-25</b> <b>59</b> black +10% Slim Line Klick Carrier Allows drapery to hang and conceal track
●	 <b>B11686-XX</b> 1 1/8" Return Pulley in finished housing Finial optional	●	 <b>52009-25</b> Ball Bearing Carrier
●	 <b>B899-4-00</b> Rail Connector	●	 <b>52508-25</b> Overlap R <b>52509-25</b> Underlap L <b>59</b> black, <b>90</b> silver +10% Swivel Foot Multi-Functional Master
●	 <b>B11670-XX</b> 1 1/8" Single Wall Bracket	●	 <b>52508-25A</b> Overlap R <b>52509-25A</b> Underlap L <b>59</b> black, <b>90</b> silver +10% Swivel Foot Multi-Functional Master w/ snaps
●	 <b>B11672-190-XX</b> 1 1/8" Double Wall Bracket	●	 <b>52510-25</b> <b>59</b> black, <b>90</b> silver +10% Cord Connector
●	 <b>B11873-50-XX</b> Ceiling Bracket	●	 <b>9004-25</b> 3.2mm Cord 333.34 yds./roll
●	 <b>B11873-15-XX</b> Ceiling Bracket 5/8" Extension	●	 <b>49501-00</b> Tension Device For child safety
●	 <b>53408-XX</b> <b>22</b> chrome, <b>25</b> white, <b>29</b> satin nickel, <b>59</b> black Flush Ceiling Bracket Cannot use finials		

METAL TRAVERSING DRESDEN 1 1/8" CORDED

# METAL

TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | LISBON | AVEIRO | PORTO | DRESDEN | **DEVENTER CRS** | FRANKFURT | PURE | STUTTGART

Scan for more information on  
FOREST DEVENTER CRS TRAVERSING



59 Black Deventer CRS Rail with Ball Finial in front & End Cap in back



81 Antique Bronze Deventer CRS Rail with End Cap Finial



29 Satin Nickel Deventer CRS Rail with Notched Finial

## DEVENTER CRS® TRAVERSING

- 1 1/8" heavy duty baton draw h-rail system for one- or two-way pinch pleat or ripplefold drapery.
- Wall or ceiling mount. See bracket count below.
 

Up to 60"	=	2 brackets
61-120"	=	3 brackets
121-180"	=	4 brackets
181-240"	=	5 brackets
- Maximum weight is 4 lbs per foot depending on application.
- Bendable – Deventer CRS traversing can be curved and reversed curved using an 8" radius or continuous curve. An exact size template is required. See page 41-42 for more information.
- See motorized version on pages 107-108.

## ASSEMBLED SYSTEM

Includes rail, end cap finial, carriers, end stop, masters, wall or ceiling brackets and 36" white fiberglass baton (See all batons p. 43). Indicate pinch pleat or ripplefold when ordering.

## AVAILABLE FINISHES XX = finish color



24  
Satin Brass




25  
White



29  
Satin Nickel



59  
Black



81  
Antique Bronze



89  
Graphite








95  
Taupe

# METAL

TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | LISBON | AVEIRO | PORTO | DRESDEN | **DEVENTER CRS** | FRANKFURT | PURE | STUTTGART

**FOREST**  
DRAPERY HARDWARE

DEVENTER	COMPONENT
	<b>51419-XX</b> 1 1/8" Aluminum CRS Rail 19'
	<b>53413-90</b> Rail Connector aluminum, 3"
	<b>53401-XX</b> Single Wall Bracket 3" P
	<b>53402-XX</b> Extended Single Wall Bracket 4 3/4" P
	<b>53406-XX</b> Double Wall Bracket 6 1/4" P Do not use w/ Ripplefold
	<b>53407-XX</b> Extended Double Wall Bracket 7 7/8" P Use w/ Ripplefold
	<b>53412-XX</b> Inside Mount Bracket
	<b>53408-XX</b> 22 chrome, 25 white, 24 gold, 29 satin nickel, 59 black Flush Ceiling Bracket Cannot use finials
	<b>53403-XX</b> Bracket Extension
	<b>52430-XX</b> End Cap Finial
	<b>52431-XX</b> Ball Finial
	<b>52432-XX</b> Not avail. in 25 white Notched Finial

DEVENTER	COMPONENT
	Wheeled Connected Snap Carriers on plastic strip <b>2207-25</b> 60% fullness, 2 5/8" OC <b>2206-25, 24, 59, 65, 90</b> 80% fullness, 2 3/8" OC <b>2205-25</b> 100% fullness, 2 1/8" OC <b>2208-25</b> 120% fullness, 1 7/8" OC
	<b>52002-25</b> 24 gold, 59 black, 65 brown, 90 silver + 10% Slim Line Ball Bearing Carrier
	<b>52110-25</b> CRS Carrier UV-proof, synthetic material
	<b>B8809-23-00</b> Overlap R <b>B8809-24-00</b> Underlap L 59 black + 10% Plastic Snap Master
	<b>52502-25</b> Overlap R <b>52504-25</b> Underlap L 59 black +10% Standard Multi-Functional Master Use stiffener w/ exposed baton or hooks w/ hidden baton
	<b>52502-25A</b> Overlap R <b>52504-25A</b> Underlap L 59A black +10% Standard Multi-Functional Master w/ snaps
	<b>52411-25A</b> Butt R <b>52412-25A</b> Butt L 24A gold, 59A black, 65A brown, 90A silver Wheeled Butt Master w/snap adaptor Designed for hidden baton
	<b>2551-25</b> Small Extension Arm
	<b>V799-2-00</b> End Stop

METAL TRAVERSING DEVENTER CRS



# METAL

TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | LISBON | AVEIRO | PORTO | DRESDEN | DEVENTER CRS | **FRANKFURT** | PURE | STUTTGART



Scan for more information on  
FOREST FRANKFURT SQUARE RAIL



22 Polished Chrome Square Rail, Fina End Cap and Bracket



29 Satin Nickel Square Rail, Fina End Cap and Invisible Bracket



59 Black Square Rail with 22 Polished Chrome Fina End Cap and Bracket

## FRANKFURT SQUARE RAIL

- 1" traversing square rail system for one- or two-way pinch pleat or ripplefold drapery.
- Wall or ceiling mount. See bracket count below.
 

Up to 60"	=	2 brackets
61-120"	=	3 brackets
121-180"	=	4 brackets
181-240"	=	5 brackets
- Maximum weight is 4 lbs per foot depending on application.

### ASSEMBLED PRICING

Includes rail, end cap finial, carriers, end stop, masters, wall or ceiling brackets and 36" white fiberglass baton (See all batons p. 43). Indicate pinch pleat or ripplefold when ordering.

### AVAILABLE FINISHES XX = finish color



22  
Polished  
Chrome



48  
Matte  
White\*




















29  
Satin  
Nickel



59  
Black

\* Some components in 48 Matte White may have longer lead times, please call sales for more information.

SQUARE	COMPONENT
	<b>B8082525-XX</b> 1" Square Rail 19' 7"
	<b>B899-4-00</b> 1 1/8" & 1 9/16" Rail Connector
	<b>B1242525-XX</b> Fina End Cap Finial
	<b>B11470-25-XX</b> Wall Bracket
	<b>B11472-25-XX</b> Double Wall Bracket
	<b>B11470-40-XX</b> Bracket Extension for B11470-25-XX and B11472-25-XX
	<b>B11473-50-XX</b> Ceiling Bracket/ Invisible Wall Bracket 2" Projection
	<b>B11473-80-XX</b> Ceiling Bracket/ Invisible Wall Bracket 2 7/8" Projection
	<b>B11473-15-XX</b> Ceiling Bracket 5/8" Extension
	<b>B11592-00</b> Flush Ceiling Bracket

SQUARE	COMPONENT
	Wheeled Connected Snap Carriers on plastic strip <b>2207-25</b> 60% fullness, 2 5/8" OC <b>2206-25, 59</b> black, <b>90</b> silver 80% fullness, 2 3/8" OC <b>2205-25</b> 100% fullness, 2 1/8" OC <b>2208-25</b> 120% fullness, 1 7/8" OC
	Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape <b>2114-25, 59</b> black 60% fullness, 2 5/8" OC <b>2111-25, 90</b> silver 80% fullness, 2 3/8" OC <b>2112-25, 59</b> black 100% fullness, 2 1/8" OC <b>2115-25, 59</b> black 120% fullness, 1 7/8" OC
	<b>52002-25</b> <b>59</b> black, <b>90</b> silver + 10% Slim Line Ball Bearing Carrier
	<b>52502-25</b> Overlap R <b>52504-25</b> Underlap L <b>59</b> black + 10% Standard Multi-Functional Master Use stiffener w/ exposed baton or hooks w/ hidden baton
	<b>52502-25A</b> Overlap R <b>52504-25A</b> Underlap L <b>59A</b> black + 10% Standard Multi-Functional Master w/ snaps
	<b>V799-2-00</b> End Stop
	Fiberglass batons in 36", 48", 60", 72", 84" and 96" lengths and these colors. See all batons page 43. White Black Bronze Grey

# METAL

TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | LISBON | AVEIRO | PORTO | DRESDEN | DEVENTER CRS | FRANKFURT | **PURE** | STUTTGART



Scan for more information on  
FOREST PURE RAIL



29 Satin Nickel Pure Rail with Satin Nickel End Cap Finial

## AVAILABLE FINISHES XX = finish color



22  
Polished  
Chrome



48  
Matte  
White



29  
Satin  
Nickel











59  
Black







## PURE RAIL

- Contemporary rail system for one- or two-way pinch pleat or ripplefold drapery.
- Wall or ceiling mount. See bracket count below.
  - Up to 60" = 2 brackets
  - 61-120" = 3 brackets
  - 121-180" = 4 brackets
  - 181-240" = 5 brackets
- Maximum weight is 4 lbs per foot depending on application.

## ASSEMBLED SYSTEM

Includes rail, end cap finial, carriers, end stop, masters, wall or ceiling brackets and 36" white fiberglass baton (See all batons p. 43). Indicate pinch pleat or ripplefold when ordering.

PURE	COMPONENT
	<b>B8223246-XX</b> Pure Profile 19' 7"
	<b>B1243246-XX</b> Pure End Cap Finial
	<b>B11260-90-XX</b> Wall Bracket P = 3 3/4"
	<b>B11260-130-XX</b> Extended Wall Bracket P = 4 3/4"
	<b>B11592-00</b> Flush Ceiling Bracket
	<b>B11473-50-XX</b> Ceiling Bracket 2" Projection
	<b>B11473-80-XX</b> Ceiling Bracket 2 7/8" Projection
	<b>B11473-15-XX</b> Ceiling Bracket 5/8" Extension

PURE	COMPONENT
	Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape <b>2114-25, 59</b> black 60% fullness, 2 5/8" OC <b>2111-25, 59</b> black, <b>90</b> silver 80% fullness, 2 3/8" OC <b>2112-25, 59</b> black 100% fullness, 2 1/8" OC <b>2115-25, 59</b> black 120% fullness, 1 7/8" OC
	<b>52004-25</b> Low Profile Ball Bearing
	<b>B8809-23-00</b> Overlap R <b>B8809-24-00</b> Underlap L <b>59</b> black + 10% Plastic Snap Master
	<b>9040-25</b> Overlap R/L FES Master
	<b>V799-2-00</b> End Stop
	Fiberglass batons in 36", 48", 60", 72", 84" and 96" lengths and these colors. See all batons page 43. White Black Bronze Grey



# METAL

TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | LISBON | AVEIRO | PORTO | DRESDEN | DEVENTER CRS | FRANKFURT | PURE | **STUTTGART**



Scan for more information on  
FOREST RECTANGLE RAIL



22 Polished Chrome Rectangle Rail with 29 Satin Nickel Bracket and Square Finial with Spacer



29 Satin Nickel Rectangle Rail with Satin Nickel End Cap Finial and Invisible Bracket

## AVAILABLE FINISHES XX = finish color



22  
Polished  
Chrome



48  
Matte  
White\*



29  
Satin  
Nickel



59  
Black

\* Some components in 48 Matte White may have longer lead times, please call sales for more information.


















## STUTTGART RECTANGLE RAIL

- Rectangle rail system for one- or two-way pinch pleat or ripplefold drapery.
- Wall or ceiling mount. See bracket count below.
 

Up to 60"	=	2 brackets
61-120"	=	3 brackets
121-180"	=	4 brackets
181-240"	=	5 brackets
- Maximum weight is 4 lbs per foot depending on application.

## ASSEMBLED SYSTEM

Includes rail, end cap finial, carriers, end stop, masters, wall or ceiling brackets and 36" white fiberglass baton (See all batons p. 43). Indicate pinch pleat or ripplefold when ordering.

RECTANGLE	COMPONENT	RECTANGLE	COMPONENT
	<b>B8084015-XX</b> Rectangle Rail 19' 7"		<b>B1224015-XX</b> Inside Mount Bracket
	<b>B899-4-00</b> Rail Connector 4 1/4"		<b>B11592-00</b> Flush Ceiling Bracket 1 9/16"
	<b>B11580-XX</b> Square Finial 1 5/8" x 1 5/8"		Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape <b>2114-25, 59</b> black 60% fullness, 2 5/8" OC <b>2111-25, 59</b> black, <b>90</b> silver 80% fullness, 2 3/8" OC <b>2112-25, 59</b> black 100% fullness, 2 1/8" OC <b>2115-25, 59</b> black 120% fullness, 1 7/8" OC
	<b>B11581-XX</b> Square Finial w/ Spacer 2 3/8" x 2 7/8"		<b>52002-25</b> <b>59</b> black, <b>90</b> silver + 10% Slim Line Ball Bearing Carrier
	<b>B1254015-XX</b> End Cap Finial 1 5/8" x 3/16"		<b>B8809-23-00</b> Overlap R <b>B8809-24-00</b> Underlap L <b>59</b> black + 10% Plastic Snap Master
	<b>B11570-80-XX</b> Single Wall Bracket 2 3/8" x 3 1/8" x 1 5/8"		<b>9040-25</b> Overlap R/L FES Master
	<b>B11570-2-190-XX</b> Double Wall Bracket 2 3/8" x 3 1/2" x 4" x 1 5/8"		<b>V799-2-00</b> End Stop
	<b>B11473-80-XX</b> Ceiling Bracket/ Invisible Wall Bracket 2 7/8" Projection 2" x 2" x 5/16"		Fiberglass batons in 36", 48", 60", 72", 84" and 96" lengths and these colors. See all batons page 43.  White   Black   Bronze   Grey
	<b>B11473-15-XX</b> Ceiling Bracket 5/8" Extension		



Scan for more information on  
FOREST STUTT GART OVAL RAIL



1 1/2" Oval Rail in 22 Polished Chrome with Sona End Cap

## AVAILABLE FINISHES

XX = finish color



22  
Polished  
Chrome



29  
Satin  
Nickel



59  
Black

## STUTT GART OVAL RAIL

- 1 1/2" traversing oval rail system for one- or two-way pinch pleat or ripplefold drapery.
- Wall or ceiling mount. See bracket count below.
  - Up to 60" = 2 brackets
  - 61-120" = 3 brackets
  - 121-180" = 4 brackets
  - 181-240" = 5 brackets
- Maximum weight is 4 lbs per foot depending on application.

## ASSEMBLED PRICING










Includes rail, end cap finial, carriers, end stop, masters, wall or ceiling brackets and 36" white fiberglass baton (See all batons p. 43). Indicate pinch pleat or ripplefold when ordering.










# METAL


TAVIRA | GLASGOW | DRESDEN | DEVENTER DECO | LISBON | AVEIRO | PORTO | DRESDEN | DEVENTER CRS | FRANKFURT | PURE | **STUTTGART**

**FOREST**  
DRAPERY HARDWARE

## METAL TRAVERSING STUTTGART OVAL RAIL

OVAL	COMPONENT
	<b>B8084020-XX</b> 1 1/2" Oval Rail 19' 7"
	<b>B1254022-XX</b> 1 1/2" Sona End Cap 1/4" Projection
	<b>B899-4-00</b> 1 1/8" & 1 9/16" Rail Connector
	<b>B11370-80-XX</b> Single Wall Bracket
	<b>B11873-50-XX</b> Ceiling Bracket/ Invisible Wall Bracket
	<b>B11873-80-XX</b> Extended Wall/ Ceiling Bracket
	<b>B11870-40-XX 1 1/2"</b> <b>B11870-80-XX 3"</b> Bracket Extensions for B11873-50-XX and B11873-80-XX
	<b>B11873-15-XX</b> Ceiling Bracket 5/8" Extension
	<b>B11592-00</b> Flush Ceiling Bracket

OVAL	COMPONENT
	Wheeled Connected Snap Carriers on plastic strip <b>2207-25</b> 60% fullness, 2 5/8" OC <b>2206-25, 59</b> black, <b>90</b> silver 80% fullness, 2 3/8" OC <b>2205-25</b> 100% fullness, 2 1/8" OC <b>2208-25</b> 120% fullness, 1 7/8" OC
	Wheeled Connected Snap Carrier in plastic sleeve <b>2107-25, 59</b> black 60% fullness, 2 5/8" OC <b>2106-25, 59</b> black, <b>90</b> silver 80% fullness, 2 3/8" OC <b>2105-25, 59</b> black 100% fullness, 2 1/8" OC <b>2108-25, 59</b> black 120% fullness, 1 7/8" OC
	<b>52002-25</b> <b>59</b> black, <b>90</b> silver + 10% Slim Line Ball Bearing Carrier
	<b>52502-25</b> Overlap R <b>52504-25</b> Underlap L <b>59</b> black + 10% Standard Multi-Functional Master Use stiffener w/ exposed baton or hooks w/ hidden baton
	<b>52502-25A</b> Overlap R <b>52504-25A</b> Underlap L <b>59A</b> black + 10% Standard Multi-Functional Master w/ snaps
	<b>52411-25A</b> Butt R <b>52412-25A</b> Butt L <b>59A</b> black, <b>90A</b> silver Wheeled Butt Master w/snap adaptor Designed for hidden baton
	<b>B8809-23-00</b> Overlap R <b>B8809-24-00</b> Underlap L <b>59</b> black + 10% Plastic Snap Master
	<b>V799-2-00</b> End Stop
	Fiberglass batons in 36", 48", 60", 72", 84" and 96" lengths and these colors. See all batons page 43.







## DECORATIVE WOOD Collections

VALENCIA 1 3/4"

Pole Sets



SEVILLE 1 3/8"

Pole Sets








Our wood drapery poles and accessories are made from only the finest solid woods such as ayous and ash. The richness of these woods and lovely finishes applied will add warmth and timeless beauty to any room.

## CORDOBA 2"

Pole Sets, Traversing & Motorized



**MOTOR  
CONTROL**  
P. 109-110

## GRANADA 2 3/4"

Pole Sets, Traversing & Motorized



**MOTOR  
CONTROL**  
P. 109-110

# WOOD

1 3/4" VALENCIA POLE SETS | 1 3/8" SEVILLE POLE SETS | 2" CORDOBA POLE SETS | 2 3/4" GRANADA POLE SETS | TRAVERSING WOOD




## VALENCIA COLLECTION

1 3/4" Valencia wood pole sets made from highly grained, strong ash wood. Recommended weight is 4 lbs./ft. depending on application.




Scan for more information on  
FOREST VALENCIA POLE SETS


### VALENCIA COLLECTION FINISHES XX = finish color




80  
Driftwood




81  
Weathered  
Oak



82  
Redwood



83  
Tiger Oak




84  
Espresso

### VALENCIA COLLECTION POLE, BRACKET & RING



**1045SWO-XX**  
1 3/4" Smooth Wood Pole  
Stock Length: 8'



**1245WBR-XX**  
Valencia Wall Bracket



**1345WRI-XX**  
Valencia Wood Ring



## VALENCIA COLLECTION (CONTINUED)

Ash wood from France gives this collection a beautifully grained appearance.



80 Driftwood Smooth Pole with Castell Finial



81 Weathered Oak Smooth Pole with Granada Finial



82 Redwood Smooth Pole with Ringed Ball Finial



83 Tiger Oak Smooth Pole with Smooth Ball Finial



84 Espresso Smooth Pole with End Cap Finial

## VALENCIA COLLECTION FINIALS



1145WEN-XX  
End Cap Finial




1145SMO-XX  
Smooth Ball Finial



1145RIN-XX  
Ringed Ball Finial



1145GRA-XX  
Granada Finial



1145CAS-XX  
Castell Finial



# WOOD

1 3/4" VALENCIA POLE SETS | **1 3/8" SEVILLE POLE SETS** | 2" CORDOBA POLE SETS | 2 3/4" GRANADA POLE SETS | TRAVERSING WOOD



## SEVILLE COLLECTION

1 3/8" Wood pole sets made from strong Ayous wood.  
Recommended weight is 4 lbs./ft. depending on application.



Scan for more information on  
FOREST SEVILLE POLE SETS


### SEVILLE COLLECTION FINISHES XX = finish color



00  
Unfinished



25  
White



58  
Stone



59  
Black



70  
Hazel



71  
Honey



72  
Walnut



73  
Natural

### SEVILLE COLLECTION POLE & BRACKETS



**1035SWO-XX**  
1 3/8" Smooth Wood Pole  
Stock Length: 13'




**1235CYL-XX**  
Cylinder Bracket



**1235CLA-XX**  
Classic Open Bracket



**1235CEI-XX**  
Ceiling Bracket



**1235IMB-XX**  
Inside Mount Bracket

## SEVILLE COLLECTION (CONTINUED)

59 Black Pole with End Cap Finial




70 Hazel Pole with Bola Finial




25 White Pole with Country Finial




## SEVILLE COLLECTION FINIALS, RINGS, HOLDBACKS & BATONS




**1135WEN-XX**  
End Cap Finial




**1135BOL-XX**  
Bola Finial



**1135ODI-XX**  
Odiseia Finial



**1135COR-XX**  
Corona Finial



**1135COU-XX**  
Country Finial



**1335WRI-XX**  
1 3/8" Wood Ring  
w/ Eyelet



**16WHOLD-XX**  
Wood Holdback



**1504-00**  
Wood Screw  
Connector



**19WWAND-XX**  
40" Wood Baton  
See all batons p. 41



**19CWAND-XX**  
40" Modern Wood Baton  
See all batons p. 41

## WOOD

1 3/4" VALENCIA POLE SETS | 1 3/8" SEVILLE POLE SETS | **2" CORDOBA POLE SETS** | 2 3/4" GRANADA POLE SETS | TRAVERSING WOOD

## CORDOBA COLLECTION

2" Wood pole sets made from strong Ayous wood.  
Recommended weight is 4 lbs./ft. depending on application.



**MOTOR  
CONTROL**  
P. 109-110



Scan for more information on  
FOREST CORDOBA POLE SETS

## CORDOBA COLLECTION FINISHES

XX = finish color Not all components are stocked in Antiqued finishes. Please call for availability.




00  
Unfinished



25  
White



90  
Grey  
smooth  
poles only  
**COMING  
SOON!**




45  
Leather  
Antiqued  
smooth  
poles only




58  
Stone  
smooth  
poles only




59  
Black



70  
Hazel



71  
Honey



72  
Walnut




73  
Natural

## CORDOBA COLLECTION POLES &amp; BRACKETS



**1051SWO-XX**  
2" Smooth  
Stock Length: 14'



**1051RWO-XX**  
2" Reeded  
Stock Length: 14'



**1251WBR-XX**  
Wood Bracket



**1251EUR-XX**  
Euro Wood Bracket



**1251WIM-XX**  
Open Inside Mount  
Bracket

## CORDOBA COLLECTION (CONTINUED)


71 Honey Smooth Pole with Zenith Finial



58 Stone Smooth Pole with Ringed Ball Finial



72 Walnut Reeded Pole with Odiseia Finial



## CORDOBA COLLECTION FINIALS, RING, HOLDBACKS & BATONS



**1151WEN-XX**  
End Cap Finial




**1151SMO-XX**  
Smooth Ball Finial  
Not available in antiqued finishes




**1151RIN-XX**  
Ringed Ball Finial




**1151FLU-XX**  
Fluted Ball Finial  
Not available in antiqued finishes



**1151ODI-XX**  
Odiseia Finial  
Not available in antiqued finishes




**1151CAL-XX**  
Calice Finial  
Not available in antiqued finishes



**1151ZEN-XX**  
Zenith Finial  
Not available in antiqued finishes



**1351WRI-XX**  
2" Wood Ring w/ Eyelet



**16WHOLD-XX**  
Wood Holdback



**1504-00**  
Wood Screw Connector



**19WWAND-XX**  
40" Wood Baton  
See all batons p. 41



**19CWAND-XX**  
40" Modern Wood Baton  
See all batons p. 41



# WOOD

1 3/4" VALENCIA POLE SETS | 1 3/8" SEVILLE POLE SETS | 2" CORDOBA POLE SETS | **2 3/4" GRANADA POLE SETS** | TRAVERSING WOOD



## GRANADA COLLECTION

2 3/4" Wood pole sets made from strong Ayous wood.  
Recommended weight is 4 lbs./ft. depending on application.



Scan for more information on  
FOREST GRANADA POLE SETS



**MOTOR  
CONTROL**  
P. 109-110

### GRANADA COLLECTION FINISH XX = finish color




00  
Unfinished


### GRANADA COLLECTION POLES & BRACKETS




**1072SWO-00**  
2 3/4" Smooth  
Stock Length: 13'



**1072RWO-00**  
2 3/4" Reeded  
Stock Length: 13'



**1272WBR-00**  
Wood Bracket



**1272EUR-00**  
Euro Wood Bracket



**1272WIM-00**  
Open Inside Mount Bracket

## GRANADA COLLECTION (CONTINUED)




The Granada Collection is stocked unfinished. Call sales for pricing on your custom finish request.

### GRANADA COLLECTION FINIALS, RING, HOLDBACKS & BATONS




**1172WEN-00**  
End Cap Finial



**1172RIN-00**  
Ringed Ball Finial



**1172FLU-00**  
Fluted Ball Finial




**1172ODI-00**  
Odiseia Finial



**1172TRA-00**  
Traditional Finial



**1172ZEN-00**  
Zenith Finial



**1372WRI-00**  
2 3/4" Wood Ring w/ Eyelet



**16WHOLD-00**  
Wood Holdback



**19WWAND-00**  
40" Wood Baton  
See all batons p. 41



**19CWAND-00**  
40" Modern Wood Baton  
See all batons p. 41

## WOOD

1 3/4" VALENCIA POLE SETS | 1 3/8" SEVILLE POLE SETS | 2" CORDOBA POLE SETS | 2 3/4" GRANADA POLE SETS | TRAVERSING WOOD



Scan for more information on  
FOREST WOOD TRAVERSING



72 Walnut wood fascia over brown CS Track.  
Carriers are also available in colors.



**MOTOR  
CONTROL**  
P. 109-110

## WOOD TRAVERSING

- 2" & 2 3/4" heavy duty hand, baton or cord draw traversing system for one- or two-way pinch pleat or ripplefold drapery.
- Maximum weight is 4 lbs per foot depending on application.

## ASSEMBLED SYSTEM

Includes wood pole fascia, assembled track, wall brackets (bracket cover optional and available for purchase separately), customer's choice of finials on pages 64 & 66, c-ring where specified, and 36" white fiberglass baton (see all batons p. 41). Indicate pinch pleat or ripplefold when ordering.

## AVAILABLE FINISHES

XX = finish color \*Not all components are stocked in antiqued finishes. Please call for availability.




00  
Unfinished



25  
White



90  
Grey  
smooth  
poles only  
**COMING  
SOON!**



45  
Leather  
Antiqued  
smooth  
poles only




58  
Stone  
smooth  
poles only




59  
Black



70  
Hazel



71  
Honey



72  
Walnut



73  
Natural

## TRAVERSING WOOD POLES



**1051RSW-XX**  
2" CORDOBA  
Routed Smooth  
Stock Length: 14'

**1072RSW-00**  
2 3/4" GRANADA  
Routed Smooth  
Stock Length: 13'  
Unfinished only




**1051RRW-XX**  
2" CORDOBA  
Routed Reeded  
Stock Length: 14'


**1072RRW-00**  
2 3/4" GRANADA  
Routed Reeded  
Stock Length: 13'  
Unfinished only

## TRAVERSING WOOD TRACKS

Use CS Track in white, black, brown or silver with color coordinating components, or use cord draw CCS Track in white, brown or silver with color coordinating components. Use with pinch pleat or ripplefold draperies. See all carrier and master options on pages 5-6 for CS and page 8 for CCS.




**CS® CONTRACT SYSTEM**  
Aluminum extrusion, powder coated and lubricated.  
Available in 25 white, 59 black, 65 brown and 90 silver.




**CCS® CONTRACT CORD SYSTEM**  
Aluminum extrusion, white, powder coated, lubricated. Available in 25 white, 65 brown and 90 silver.  
All corded systems include child safety tension device.

## TRAVERSING WOOD BRACKETS



**3280-25**  
59 black, 65 brown, 90 grey  
3" Single Wall Bracket  
heavy duty  
projection 2 1/2"



**3281-25**  
59 black, 65 brown  
6" Double Wall Bracket  
heavy duty  
projection 1 1/2", 5 1/2"



**32801-25**  
59 black, 90 grey + 10%  
Wall Bracket Cover, optional

## OPTIONAL C-RINGS FOR 2" CORDOBA



**1352WRI-XX**  
C-Ring  
Choose white, black or brown carrier



**52007-25**  
59 black, 65 brown + 10%  
C-Ring Carrier



**52405-65** Overlap R  
**52406-65** Underlap L  
C-Ring Master Carrier  
\$7.95 ea.

## BATON OPTIONS



**19WWAND-XX**  
40" Wood Baton  
See all batons p. 41



**19CWAND-XX**  
40" Modern Wood Baton  
See all batons p. 41

Fiberglass batons come in 36", 48", 60", 72", 84" and 96" lengths and colors below. See all batons p. 41







## MOTORIZED Collections

FMS®

Heavy Duty Track System



RMS

Recessed Motorized System



PURE

Contemporary Designer Profile



DRESDEN

1 1/8" Decorative Metal





Our wide range of control options make finding a fit for your room easy; controlling the drapery by hand, remote or by building automation system. When controlling motorized drapery with your smart phone or tablet, you can create and schedule customized room schedules that allow your drapes to operate on their own throughout the day.

## DSXL LED

Designer Track with LED Lighting



## THE WORLD BEHIND YOUR DRAPERIES

## DEVENTER MRS®

1 1/8" Decorative Metal




## CORDOBA/GRANADA

2" & 2 3/4" Decorative Wood



# DRAPERY MOTORIZATION

SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | RMS | DSXL LED | PURE | DRESDEN | DEVENTER MRS | WOOD



## SHUTTLE® HD (M)

## SHUTTLE® ECO (S)

## SHUTTLE® L



### SPECIFICATIONS

### FEATURES

VOLTAGE SHUTTLE  
RECEIVER

POWER SUPPLY

MAX POWER

TORQUE

TRAVEL SPEED

NOISE LEVEL

MAXIMUM WEIGHT

DIMENSIONS

CERTIFICATIONS/MARKINGS

COLOR OPTIONS

TOUCH CONTROL TECHNOLOGY

INTEGRATED EMERGENCY CONTROL

RF COMMUNICATION STANDARD

Z-WAVE COMMUNICATION

AUTOMATION SYSTEM COMPATIBLE

WI-FI COMPATIBLE

WORKS WITH DS-XL LED DIMMER

WORKS WITH WIRELESS CONNECTOR

CAN BE USED WITH CURVED TRACK

PLUG & PLAY

WARRANTY

24V DC  
Internal, optional  
External, 100-240V AC - 1.5A,  
50-60Hz; Output 24V DC - 2.7A  
65W  
1.5 Nm  
5.5" per second standard  
7" per second maximum  
< 40 dB(A)  
160 lbs per motor  
120 lbs per motor - curved track  
2.76" x 1.97" x 9.5"  
CE/FCC/DOE  
White / Black

24V DC  
Internal  
External, 100-240V AC - 0.8A,  
50-60Hz; Output 24V DC - 2.5A  
40W  
1.0 Nm  
5.5" per second standard  
7" per second maximum  
< 40 dB(A)  
100 lbs per motor  
90 lbs per motor - curved track  
2.76" x 1.97" x 7.5"  
CE/FCC/DOE  
White

100-240V, 50-60Hz 0.8A  
Internal  
Internal  
40W  
1.0 Nm  
5.5" per second standard  
7" per second maximum  
< 40 dB(A)  
100 lbs per motor  
90 lbs per motor - curved track  
2.76" x 1.97" x 11"  
CE/FCC/DOE  
White

√  
√  
√  
-  
√ using RS485 & dry contacts  
√  
√  
√  
√  
√  
√  
10 Years

√  
√  
√  
-  
√ using RS485 & dry contacts  
√  
√  
√  
√  
√  
√  
10 Years

√  
√  
√  
√  
√ using RS485 & dry contacts  
√  
√  
√  
√  
√  
√  
10 Years



# DRAPERY MOTORIZATION

SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | RMS | DSXL LED | PURE | DRESDEN | DEVENTER MRS | WOOD



**SMART HOME**  
READY



**APP**  
CONTROL



**WIRELESS**  
REMOTE



**TOUCH**  
CONTROL

## SHUTTLE® iOn



### SPECIFICATIONS

VOLTAGE SHUTTLE	14.8V DC
RECEIVER	Internal
BATTERY	Lithium iOn battery + charger (3-4 months between charges)
MAX POWER	30W
TORQUE	1.0 Nm
TRAVEL SPEED	5.5" per second standard
NOISE LEVEL	< 40 dB(A)
MAXIMUM WEIGHT	55 lbs per motor 40 lbs per motor - curved track
DIMENSIONS	2" x 3" x 12.25"
CERTIFICATIONS/MARKINGS	CE/FCC/DOE
COLOR OPTIONS	White

### FEATURES

TOUCH CONTROL TECHNOLOGY	✓
INTEGRATED EMERGENCY CONTROL	✓
RF COMMUNICATION STANDARD	✓
Z-WAVE COMMUNICATION	-
AUTOMATION SYSTEM COMPATIBLE	✓ using RS485 & dry contacts
WI-FI COMPATIBLE	✓
WORKS WITH DS-XL LED DIMMER	✓
WORKS WITH WIRELESS CONNECTOR	✓
CAN BE USED WITH CURVED TRACK	✓
PLUG & PLAY	✓
WARRANTY	10 Years on motor 2 years on battery pack

Our wide variety of control options make finding a fit for your windows easy – controlling the drapes by hand, wall switch, remote or even by home automation system. Controlling the motorized system with your smart phone or tablet, you can create and schedule customized room scenes that allow your drapes to operate on their own throughout the day no matter where you are.

#### TOUCH CONTROL

Open or close your drapes with a gentle tug.



#### FOREST WALL SWITCH

2-channel wall switch, wireless. Can be used with all Forest Shuttle motors.



#### FOREST DIAMOND SENSE REMOTE

15-channel remote controls up to 15 motors individually and together, with a timer or manually. Range up to 98 feet. Wall mounted holder included.



#### FOREST WIRELESS CONNECTOR

With the Wireless Connector make your new or existing Shuttle motorized drapery system "smart". Add a smart plug and use with Apple Homekit, Google Assistant, or Amazon Alexa.




**FOR ADDITIONAL CONTROL OPTIONS, SEE THE ROADMAP ON THE FOLLOWING PAGES**



# DRAPERY MOTORIZATION

SHUTTLE MOTOR SPECIFICATIONS | **CONTROLS ROADMAP** | FMS | RMS | DSXL LED | PURE | DRESDEN | DEVENTER MRS | WOOD



## HOW DO YOU WANT TO CONTROL YOUR DRAPERY?



\* Third party smart plugs are not available from Forest.

# DRAPERY MOTORIZATION


SHUTTLE MOTOR SPECIFICATIONS | **CONTROLS ROADMAP** | FMS | RMS | DSXL LED | PURE | DRESDEN | DEVENTER MRS | WOOD



\* Somfy smart plugs are not available from Forest.

\* Somfy smart plugs are not available from Forest.

**DECIDE HOW TO CONTROL YOUR  
DRAPES IN JUST A FEW STEPS**




# DRAPERY MOTORIZATION

SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | **FMS** | RMS | DSXL LED | PURE | DRESDEN | DEVENTER MRS | WOOD



Scan for more information on the  
FMS Motorized Track System







## FMS® FOREST MOTORIZED SYSTEM







- The original Forest motorized track, aluminum extrusion, white, powder coated and lubricated with a patented process. Ultra-quiet and smooth operation for contract or residential applications.
- Track can be bent or curved. An actual size template is required. See pages 41-42 for more information.
- Maximum weight is 6 lbs/ft.
- Motorize with any Forest Shuttle. See all motor specifications on pages 91-92. All Forest Shuttle motors include a 10 year warranty.
- Control drapes with a gentle tug, wall switch remote, any home automation system or by smart phone app. See control options pages 93-94.

## ASSEMBLED SYSTEM

Includes track, masters, pinchpleat or ripplefold carriers, brackets, motor, power supply, and Diamond Sense remote or wall switch. Add 10% for black.



















See all motor specifications on pages 91-92.

FMS	COMPONENT
• 	<b>52925-25</b> Shuttle HD (M) <b>52925-59</b> Shuttle HD (M) black <b>52939-25</b> Shuttle Eco (S) <b>52923-25</b> Shuttle L See motor specs on pages 91-92
• 	<b>52928-25</b> Power Cord, 7' 6" <b>52934-25</b> Power Cord, 16' includes 24 volt power supply
• 	<b>52926-25</b> Shuttle iOn Includes battery pack and charger with cable. See motor specs on pages 91-92
• 	<b>52949-25</b> Battery Pack Lithium iOn battery charger for use with Shuttle iOn
• 	<b>52924-59</b> Power Cord for use with Shuttle iOn battery charger

FMS	COMPONENT
• 	<b>52933-25</b> white <b>59</b> black +10% Diamond Sense Wall Switch 2 channel
• 	<b>52931-25D</b> white <b>59D</b> black +10% Diamond Sense Remote RF, 15 channel w/ holder, range 98'
• 	<b>52947-25</b> Wireless Connector One way transmitter to control drapery by third party app or by home automation. Works with all Forest Shuttle & tubular motors.
• 	<b>52953-25</b> Smart Plug
•  	<b>52948-25</b> <b>59</b> black +10% Wi-Fi Dongle Bi-directional communication using Forest Connect app. Use with Forest Shuttle HD, L & Eco.

# DRAPERY MOTORIZATION

 SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | **FMS** | RMS | DSXL LED | PURE | DRESDEN | DEVENTER MRS | WOOD

FMS	COMPONENT	FMS	COMPONENT
• 	<b>51319-25</b> white <b>59</b> black +10% FMS Track 19' x 10 tracks per bundle bundle = 190'	• 	<b>52009-25</b> Ball Bearing Carrier for motorization
• 	<b>3906-25</b> <b>59</b> black +10% Track Connector and Key <b>3904-00</b>	• 	<b>52508-25</b> Overlap Right <b>52509-25</b> Underlap Left <b>59</b> black +10% Belt Master Carrier
• 	<b>3003-25</b> <b>59</b> black +10% HD Klick Ceiling Bracket	• 	<b>52508-25A</b> Overlap Right <b>52509-25A</b> Underlap Left <b>59A</b> black +10% Belt Master Carrier with snaps
• 	<b>30031-25</b> <b>59</b> black +10% Ceiling Bracket Cover	• 	<b>52410-25</b> Butt Right <b>52409-25</b> Butt Left <b>59</b> black +10% Butt Master Carrier with snaps
• 	<b>53202-25</b> <b>59</b> black +10% 3" Klick Single Wall Bracket with wide base adjusts 3" - 4 1/2"	• 	<b>2552-25</b> 6" Extension Arm for master Use w/ two one-way draw
• 	<b>53206-25</b> <b>59</b> black +10% 6" Klick Double Wall Bracket with wide base adjusts 2 1/2" - 4" and 6" - 7 1/2"	• 	<b>9012-25</b> Transport Belt Kevlar reinforced
• 	Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape <b>2114-25, 59</b> black 60% fullness, 2 5/8" OC <b>2111-25, 65</b> brown, <b>90</b> grey 80% fullness, 2 3/8" OC <b>2112-25, 59</b> black 100% fullness, 2 1/8" OC <b>2115-25, 59</b> black 120% fullness, 1 7/8" OC	• 	<b>52512-25</b> white <b>59</b> black +10% Transport Belt Connector
• 	<b>52008-25</b> <b>59</b> black +10% Slim Line Klick Carrier Draperies hang to conceal track	• 	<b>52903-25</b> <b>59</b> black +10% Motor Pulley Connects motor to track
		• 	<b>52910-25</b> <b>59</b> black +10% Return Pulley
		• 	<b>52912-25</b> Open Return Pulley



# DRAPERY MOTORIZATION

SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | **RMS** | DSXL LED | PURE | DRESDEN | DEVENTER MRS | WOOD



Scan for more information on the  
FOREST RMS Recessed Motorized System



## RMS RECESSED MOTORIZED SYSTEM







- Heavy duty aluminum extrusion, white, powder coated and lubricated with a patented process. Ultra-quiet and smooth operation for contract or residential applications.
- Maximum weight is 8 lbs/ft.
- Motorize with any Forest Shuttle. See all motor specifications on pages 91-92. All Forest Shuttle motors include a 10 year warranty.
- Control drapes with a gentle tug, wall switch remote, any home automation system or by smart phone app. See control options pages 93-94.

## ASSEMBLED SYSTEM

Includes track, masters, pinchpleat or ripplefold carriers, recess profile, fixing strip, wedge, motor, pulley, cover plate, power supply, and Diamond Sense remote or Diamond Sense wall switch.








See all motor specifications on pages 91-92.








RMS	COMPONENT
• 	<b>52925-25</b> Shuttle HD (M) <b>52925-59</b> Shuttle HD (M) black <b>52939-25</b> Shuttle Eco (S) <b>52923-25</b> Shuttle L See motor specs on pages 91-92
• 	<b>52928-25</b> Power Cord, 7' 6" <b>52934-25</b> Power Cord, 16' includes 24 volt power supply
• 	<b>52926-25</b> Shuttle iOn Includes battery pack and charger with cable. See motor specs on pages 91-92
• 	<b>52949-25</b> Battery Pack Lithium iOn battery charger for use with Shuttle iOn
• 	<b>52924-59</b> Power Cord for use with Shuttle iOn battery charger

RMS	COMPONENT
• 	<b>52933-25</b> white <b>59</b> black +10% Diamond Sense Wall Switch 2 channel
• 	<b>52931-25D</b> white <b>59D</b> black +10% Diamond Sense Remote RF, 15 channel w/ holder, range 98'
• 	<b>52947-25</b> Wireless Connector One way transmitter to control drapery by third party app or by home automation. Works with all Forest Shuttle & tubular motors.
• 	<b>52953-25</b> Smart Plug
•  	<b>52948-25</b> <b>59</b> black +10% Wi-Fi Dongle Bi-directional communication using Forest Connect app. Use with Forest Shuttle HD, L & Eco.

# DRAPERY MOTORIZATION

 SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | **RMS** | DSXL LED | PURE | DRESDEN | DEVENTER MRS | WOOD

RMS	COMPONENT
	<b>51623-25</b> RMS Track white 23' x 10 tracks/bundle bundle = 230'
	<b>51723-25</b> Recess Profile, 23' Order same length as track
	<b>51724-25</b> Recess Profile Fixing Strip, 23' Order 6" shorter than track
	<b>53914-25</b> Recess Profile Wedge Order 1 per track
	<b>53908-25</b> Overlap Right <b>53909-25</b> Underlap Left FMS Plus Master Carrier
	<b>52008-25</b> Slim Line Klick Carrier Draperies hang to conceal track
	<b>52009-25</b> Ball Bearing Carrier for motorization

RMS	COMPONENT
	Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape <b>2114-25, 59</b> black 60% fullness, 2 5/8" OC <b>2111-25, 65</b> brown, <b>90</b> grey 80% fullness, 2 3/8" OC <b>2112-25, 59</b> black 100% fullness, 2 1/8" OC <b>2115-25, 59</b> black 120% fullness, 1 7/8" OC
	<b>9112-25</b> Transport Belt
	<b>53903-25</b> Motor Pulley Connects motor to track
	<b>53910-25</b> Return Pulley
	<b>53911-25</b> Upside Down Pulley
	<b>53912-25</b> Cover Plate for Recess Motor and Return Pulley
	<b>53913-25</b> Cover Plate for Recess Motor, Upside Down Motor, and Return Pulley

# DRAPERY MOTORIZATION

SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | RMS | **DSXL LED** | PURE | DRESDEN | DEVENTER MRS | WOOD



Scan for more information on the FOREST DSXL Motorized System



reddot winner 2021





## DSXL® LED MOTORIZED DESIGN SYSTEM + LED LIGHTING





- Elegantly shaped aluminum extrusion, white, powder coated and lubricated with a patented process. LED lighting lights up the backside of drapery or the track itself. Ultra-quiet and smooth operation for contract or residential applications.
- LED strips have low energy consumption, are eco-friendly, dimmable. Lifespan is 30,000 hours.
- Maximum weight is 3 lbs/ft.
- Motorize with any Forest Shuttle. See all motor specifications on pages 91-92. All Forest Shuttle motors include a 10 year warranty.
- Control drapes with a gentle tug, wall switch remote, any home automation system or by smart phone app. See control options pages 93-94.

### ASSEMBLED SYSTEM

Includes track, masters, pinchpleat or ripplefold carriers, brackets, lighting components, motor, power supply, and Diamond Sense remote or wall switch.








See all motor specifications on pages 91-92.












DSXL LED	COMPONENT
• 	<b>52925-25</b> Shuttle HD (M) <b>52925-59</b> Shuttle HD (M) black <b>52939-25</b> Shuttle Eco (S) <b>52923-25</b> Shuttle L See motor specs on pages 91-92
• 	<b>52928-25</b> Power Cord, 7' 6" <b>52934-25</b> Power Cord, 16' includes 24 volt power supply
• 	<b>52933-25</b> white <b>59</b> black +10% Diamond Sense Wall Switch 2 channel
• 	<b>52931-25D</b> white <b>59D</b> black +10% Diamond Sense Remote RF, 15 channel w/ holder, range 98'

DSXL LED	COMPONENT
• 	<b>52947-25</b> Wireless Connector One way transmitter to control drapery by third party app or by home automation. Works with all Forest Shuttle & tubular motors.
• 	<b>52953-25</b> Smart Plug
•  	<b>52948-25</b> <b>59</b> black +10% Wi-Fi Dongle Bi-directional communication using Forest Connect app. Use with Forest Shuttle HD, L & Eco.

# DRAPERY MOTORIZATION

 SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | RMS | **DSXL LED** | PURE | DRESDEN | DEVENTER MRS | WOOD

DSXL LED	COMPONENT
•	 <p><b>3219-25</b> DSXL LED Motorized Track white 19' x 10 tracks per bundle bundle = 190'</p>
•	 <p><b>43003-25</b> DSXL Swivel Ceiling Bracket</p>
•	 <p><b>2301-25</b> DSXL Wall Bracket w/ Swivel</p>
•	 <p>Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape  <b>2114-25, 59</b> black          60% fullness, 2 5/8" OC  <b>2111-25, 65</b> brown, <b>90</b> grey          80% fullness, 2 3/8" OC  <b>2112-25, 59</b> black          100% fullness, 2 1/8" OC  <b>2115-25, 59</b> black          120% fullness, 1 7/8" OC</p>
•	 <p><b>52008-25</b> Slim Line Klick Carrier Draperies hang to conceal track</p>
•	 <p><b>52009-25</b> Ball Bearing Carrier for motorization</p>
•	 <p><b>9040-25</b> FES Butt Master</p>

DSXL LED	COMPONENT
•	 <p><b>9012-25</b> Transport Belt Kevlar reinforced</p>
•	 <p><b>52512-25</b> white Transport Belt Connector</p>
•	 <p><b>3203-25</b> Motor Pulley Connects motor to track</p>
•	 <p><b>3204-25</b> Return Pulley</p>
•	 <p><b>3000-00</b> LED Strip, 3000k/24v 30,000 hr lifespan, dimmable</p>
•	 <p><b>3010-00</b> LED Strip, middle</p>
•	 <p><b>3030-00</b> Mounting Device for LED Strip</p>
•	 <p><b>3103-25</b> LED Dimmer Allows control of light strip with Diamond remote.</p>
•	 <p>Cable for LED Strip 3045 Power Supply, 24 volt          Dimmer accessory  <b>3100-00</b> with 6' 6" cord  <b>3105-25</b> with 13" cord</p>
•	 <p><b>3106-25</b> Extension Cable for LED Strip 3045, 6' 6" Dimmer accessory</p>
•	 <p><b>3104-25</b> Connector Plug for LED Strip 3045 Dimmer accessory</p>



# DRAPERY MOTORIZATION

SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | RMS | DSXL LED | **PURE** | DRESDEN | DEVENTER MRS | WOOD



Scan for more information on the FOREST PURE Motorized System

## PURE MOTORIZED SYSTEM

- A sleek stylish motorized profile best suited for light to medium weight draperies.
- Wall or ceiling mount. See bracket count below.
 

0-5' = 2 brackets	11-15' = 4 brackets
6-10' = 3 brackets	16-20' = 5 brackets
- Motorize with any Forest Shuttle. See all motor specifications on pages 91-92. All Forest Shuttle motors include a 10 year warranty.
- Control drapes with a gentle tug, wall switch, remote, any home automation system or by smart phone app. See control options pages 93-94.

## AVAILABLE FINISHES XX = finish color



22 Polished Chrome



48 Matte White



29 Satin Nickel














59 Black

## ASSEMBLED SYSTEM

Includes rail, motor, power supply, motor pulley, return pulley, single wall brackets, carriers, masters, and Diamond remote or wall switch.












See all motor specifications on pages 91-92.











PURE	COMPONENT
• 	<b>52925-25</b> Shuttle HD (M) <b>52925-59</b> Shuttle HD (M) black <b>52939-25</b> Shuttle Eco (S) <b>52923-25</b> Shuttle L See motor specs on pages 91-92
• 	<b>52928-25</b> Power Cord, 7' 6" <b>52934-25</b> Power Cord, 16' includes 24 volt power supply
• 	<b>52926-25</b> Shuttle iOn Includes battery pack and charger with cable. See motor specs on pages 91-92
• 	<b>52949-25</b> Battery Pack Lithium iOn battery charger for use with Shuttle iOn
• 	<b>52924-59</b> Power Cord for use with Shuttle iOn battery charger

PURE	COMPONENT
• 	<b>52933-25</b> white <b>59</b> black +10% Diamond Sense Wall Switch 2 channel
• 	<b>52931-25D</b> white <b>59D</b> black +10% Diamond Sense Remote RF, 15 channel w/ holder, range 98'
• 	<b>52947-25</b> Wireless Connector One way transmitter to control drapery by third party app or by home automation.
• 	<b>52953-25</b> Smart Plug
•  	<b>52948-25</b> <b>59</b> black +10% Wi-Fi Dongle Bi-directional communication using Forest Connect app. Use with Forest Shuttle HD, L & Eco.

# DRAPERY MOTORIZATION

 SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | RMS | DSXL LED | **PURE** | DRESDEN | DEVENTER MRS | WOOD

PURE	COMPONENT
• 	<b>B8223246-XX</b> Pure Profile 19' 7"
• 	<b>B8221818-25/59</b> Pure Rail
• 	<b>B11679-L-46-XX</b> Left Motor Pulley
• 	<b>B11683-R-46-XX</b> Right Motor Pulley
• 	<b>B11683-L-46-XX</b> Left End Pulley
• 	<b>B11679-R-46-XX</b> Right End Pulley
• 	<b>9012-25</b> Transport Belt Kevlar reinforced
• 	<b>52512-25</b> white <b>59</b> black +10% Transport Belt Connector
• 	<b>B11260-90-XX</b> Wall Bracket P = 3 3/4"
• 	<b>B11260-130-XX</b> Extended Wall Bracket P = 4 3/4"
• 	<b>B11592-00</b> Flush Ceiling Bracket

PURE	COMPONENT
• 	<b>B11473-50-XX</b> Ceiling Bracket 2" Projection
• 	<b>B11473-80-XX</b> Ceiling Bracket 2 7/8" Projection
• 	<b>B11473-15-XX</b> Ceiling Bracket 5/8" Extension
• 	Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape <b>2114-25, 59</b> black 60% fullness, 2 5/8" OC <b>2111-25, 65</b> brown, <b>90</b> grey 80% fullness, 2 3/8" OC <b>2112-25, 59</b> black 100% fullness, 2 1/8" OC <b>2115-25, 59</b> black 120% fullness, 1 7/8" OC
• 	<b>52008-25</b> Slim Line Klick Carrier Allows drapery to hang and conceal track
• 	<b>52009-25</b> Ball Bearing Carrier
• 	<b>52508-25</b> Overlap Right <b>52509-25</b> Underlap Left <b>59</b> black +10% Belt Master Carrier
• 	<b>52508-25A</b> Overlap R <b>52509-25A</b> Underlap L Belt Master Carrier with snaps
• 	<b>52410-25</b> Butt Right <b>52409-25</b> Butt Left <b>59</b> black +10% Butt Master Carrier with snaps
• 	<b>2552-25</b> 6" Extension Arm for master Use w/ two one-way draw

# DRAPERY MOTORIZATION

SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | RMS | DSXL LED | PURE | **DRESDEN** | DEVENTER MRS | WOOD



Scan for more information on  
FOREST DRESDEN MOTORIZED



## DRESDEN 1 1/8" MOTORIZED

- 1 1/8" motorized system best suited for light to medium weight draperies.
- Rail can be bent or curved. An actual size template is required. See pages 41-42 for more information. Polished chrome cannot be bent or curved.
- Wall or ceiling mount. See bracket count below.
 

0-5' = 2 brackets	11-15' = 4 brackets
6-10' = 3 brackets	16-20' = 5 brackets
- Motorize with any Forest Shuttle. See all motor specifications on pages 91-92. All Forest Shuttle motors include a 10 year warranty.
- Control drapes with a gentle tug, wall switch, remote, any home automation system or by smart phone app. See control options pages 93-94.

### ASSEMBLED SYSTEM

Includes rail, motor, power supply, motor pulley, return pulley, single wall brackets, carriers, masters, and Diamond remote or wall switch. Finials are optional and should be ordered separately.

See all motor specifications on pages 91-92.

### AVAILABLE FINISHES

XX = finish color



22  
Polished  
Chrome



26  
Brushed  
Gold




29  
Satin  
Nickel




59  
Black

### DRESDEN MOTORIZED FINIALS - OPTIONAL



**B124028-XX**  
End Cap Finial



**B690-XX**  
Pescara Finial



**B3362-XX**  
Alassio Finial



**B650-22, 29, 59**  
Verona Finial



**B610-XX**  
Napoli Finial



**B660-22, 24, 29, 70**  
Roma Finial






















**B3521-28-XX**  
Ischia Finial  
Not available in 26 Brushed Gold



**B3389-100**  
Ardea Finial  
**B3389/1-XX**  
Socket for Ardea Finial

# DRAPERY MOTORIZATION

 SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | RMS | DSXL LED | PURE | **DRESDEN** | DEVENTER MRS | WOOD

DRESDEN MOT	COMPONENT	DRESDEN MOT	COMPONENT
●	 <b>B809-28-XX</b> 1 1/8" Aluminum Rail 19' 7"	●	 <b>53408-22,24,29,59</b> Flush Ceiling Bracket Cannot use finials with this bracket
●	 <b>B899-4-00</b> Rail Connector	●	Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape <b>2114-25, 59</b> black 60% fullness, 2 5/8" OC <b>2111-25, 65</b> brown, <b>90</b> grey 80% fullness, 2 3/8" OC <b>2112-25, 59</b> black 100% fullness, 2 1/8" OC <b>2115-25, 59</b> black 120% fullness, 1 7/8" OC
●	 <b>B11679-L-XX</b> <b>B11679-R-XX</b> Left/Right Motor Pulley	●	 <b>52008-25</b> Slim Line Klick Carrier Allows drapery to hang and conceal track
●	 <b>B11683-L-XX</b> <b>B11683-R-XX</b> Left/Right Return Pulley	●	 <b>52009-25</b> Ball Bearing Carrier
●	 <b>B11682-XX</b> Recess Bracket with Return Pulley	●	 <b>52508-25</b> Overlap R <b>52509-25</b> Underlap L Belt Master Carrier
●	 <b>9012-25</b> Transport Belt Kevlar reinforced	●	 <b>52508-25A</b> Overlap R <b>52509-25A</b> Underlap L Belt Master Carrier with snaps
●	 <b>52512-25</b> white <b>59</b> black +10% Transport Belt Connector	●	 <b>52410-25</b> Butt Right <b>52409-25</b> Butt Left <b>59</b> black +10% Butt Master Carrier with snaps
●	 <b>B11670-120-XX</b> Single Bracket	●	 <b>2552-25</b> 6" Extension Arm for master Use w/ two one-way draw
●	 <b>B11672-220-XX</b> Double Bracket		
●	 <b>B11670-V-XX</b> Adjustable Wall Bracket		
●	 <b>B11873-50-XX</b> Ceiling Bracket		
●	 <b>B11873-15-XX</b> Ceiling Bracket 5/8" Extension		



# DRESDEN 1 1/8" MOTORIZED


## WEAR RESISTANT PULLEY HOUSING

For low wear operation the pulley housing has been equipped with high quality ball bearings.



## REINFORCED BELT



The Kevlar reinforced belt runs quietly and has superior longevity.









## FOREST SHUTTLE MOTORS

- Touch Impulse Technology opens or closes drapes with a gentle tug.
- Integrated emergency control insures manual operation of the drapery in case of power failure.
- Choose the Forest Shuttle Eco for lightweight fabrics.
- Choose the Forest Shuttle HD for strength and an economical price.
- All Forest Shuttle drapery motors come with a 10-year warranty.



DRESDEN	COMPONENT
• 	<b>52925-25</b> Shuttle HD (M) <b>52925-59</b> Shuttle HD (M) black <b>52939-25</b> Shuttle Eco (S) <b>52923-25</b> Shuttle L See motor specs on pages 91-92
• 	<b>52928-25</b> Power Cord, 7' 6" <b>52934-25</b> Power Cord, 16' includes 24 volt power supply
• 	<b>52926-25</b> Shuttle iOn Includes battery pack and charger with cable. See motor specs on pages 91-92
• 	<b>52949-25</b> Battery Pack Lithium iOn battery charger for use with Shuttle iOn
• 	<b>52924-59</b> Power Cord for use with Shuttle iOn battery charger

DRESDEN	COMPONENT
• 	<b>52933-25</b> white <b>59</b> black +10% Diamond Sense Wall Switch 2 channel
• 	<b>52931-25D</b> white <b>59D</b> black +10% Diamond Sense Remote RF, 15 channel w/ holder, range 98'
• 	<b>52947-25</b> Wireless Connector One way transmitter to control drapery by third party app or by home automa- tion. Works with all Forest Shuttle & tubular motors.
• 	<b>52953-25</b> Smart Plug
•  	<b>52948-25</b> <b>59</b> black +10% Wi-Fi Dongle Bi-directional communication using Forest Connect app. Use with Forest Shuttle HD, L & Eco.



### COMPLETELY CLOSED DRAPERIES USING OVERLAP MASTERS

The overlap master carrier guarantees a complete 3" overlap of the draperies. Extended arms available.






### RETURN PULLEY

The return pulley is made of a special plastic and uses a bearing which allows ultra-smooth operation.

### SELECT YOUR INDIVIDUAL FINIAL

Our decorative finials offer a variety of design options. See page 103 for finial options for 1 1/8" only.



### HIGH-GRADE ALUMINUM:

1 1/8" rails are available in the finishes below.

Polished Chrome - 22



Brushed Gold - 26



Satin Nickel - 29



Black - 59



# DRAPERY MOTORIZATION

SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | RMS | DSXL LED | PURE | DRESDEN | **DEVENTER MRS** | WOOD



Scan for more information on  
FOREST DEVENTER MRS MOTORIZED



## AVAILABLE FINISHES XX = finish color



29  
Satin  
Nickel



81  
Antique  
Bronze



89  
Graphite






## DEVENTER MRS® MOTORIZED






- 1 1/8" motorized system best suited for light to medium weight draperies.
- Wall or ceiling mount. See bracket count below.
  - 0-5' = 2 brackets      11-15' = 4 brackets
  - 6-10' = 3 brackets      16-20' = 5 brackets
- Motorize with any Forest Shuttle. See all motor specifications on pages 91-92. All Forest Shuttle motors include a 10 year warranty.
- Control drapes with a gentle tug, wall switch, remote, any home automation system or by smart phone app. See control options pages 93-94.

## ASSEMBLED SYSTEM

Includes rail, motor, power supply, motor pulley, return pulley, wall or ceiling brackets, carriers, masters, and Diamond remote or wall switch. Double sets are available.














See all motor specifications on pages 91-92.








DEV MOT	COMPONENT
• 	<b>52925-25</b> Shuttle HD (M) <b>52925-59</b> Shuttle HD (M) black <b>52939-25</b> Shuttle Eco (S) <b>52923-25</b> Shuttle L See motor specs on pages 91-92
• 	<b>52928-25</b> Power Cord, 7' 6" <b>52934-25</b> Power Cord, 16' includes 24 volt power supply
• 	<b>52926-25</b> Shuttle iOn Includes battery pack and charger with cable. See motor specs on pages 91-92
• 	<b>52949-25</b> Battery Pack Lithium iOn battery charger for use with Shuttle iOn
• 	<b>52924-59</b> Power Cord for use with Shuttle iOn battery charger

DEV MOT	COMPONENT
• 	<b>52933-25</b> white <b>59</b> black +10% Diamond Sense Wall Switch 2 channel
• 	<b>52931-25D</b> white <b>59D</b> black +10% Diamond Sense Remote RF, 15 channel w/ holder, range 98'
• 	<b>52947-25</b> Wireless Connector One way transmitter to control drapery by third party app or by home automation. Works with all Forest Shuttle & tubular motors.
• 	<b>52953-25</b> Smart Plug
• 	<b>52948-25</b> <b>59</b> black +10% Wi-Fi Dongle Bi-directional communication using Forest Connect app. Use with Forest Shuttle HD, L & Eco.

# DRAPERY MOTORIZATION

 SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | RMS | DSXL LED | PURE | DRESDEN | **DEVENTER MRS** | WOOD

DEV MOT	COMPONENT
● 	<b>51919-XX</b> 1 1/8" Aluminum Rail 19' 7"
● 	<b>53413-90</b> Rail Connector aluminum, 3"
● 	<b>51901-XX</b> Left Motor Pulley
● 	<b>51902-XX</b> Right Motor Pulley
● 	<b>51903-XX</b> Left Return Pulley
● 	<b>51904-XX</b> Right Return Pulley
● 	<b>9012-25</b> Transport Belt Kevlar reinforced
● 	<b>52512-25</b> white <b>59</b> black +10% Transport Belt Connector
● 	<b>53402-XX</b> Extended Single Bracket
● 	<b>53412-XX</b> Inside Mount Bracket
● 	<b>52430-XX</b> End Cap Finial
● 	<b>52431-XX</b> Ball Finial
● 	<b>52432-XX</b> Notched Finial

DEV MOT	COMPONENT
● 	<b>53408-25, 29, 59, 81</b> Flush Ceiling Bracket Cannot use finials
● 	Two Piece Connected Snap Carrier w/ Square Base, in plastic sleeve. Use 1 1/4" snap tape <b>2114-25, 59</b> black 60% fullness, 2 5/8" OC <b>2111-25, 65</b> brown, <b>90</b> grey 80% fullness, 2 3/8" OC <b>2112-25, 59</b> black 100% fullness, 2 1/8" OC <b>2115-25, 59</b> black 120% fullness, 1 7/8" OC
● 	<b>52008-25</b> <b>59</b> black, <b>65</b> brown +10% Slim Line Klick Carrier Allows drapery to hang and conceal track
● 	<b>52009-25</b> Ball Bearing Carrier
● 	<b>52508-25</b> Overlap R <b>52509-25</b> Underlap L Belt Master Carrier
● 	<b>52508-25A</b> Overlap R <b>52509-25A</b> Underlap L Belt Master Carrier with snaps
● 	<b>52410-25</b> Butt Right <b>52409-25</b> Butt Left <b>59</b> black +10% Butt Master Carrier with snaps



# DRAPERY MOTORIZATION

SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | RMS | DSXL LED | PURE | DRESDEN | DEVENTER MRS | **WOOD**



Scan for more information on  
FOREST MOTORIZED WOOD



## 2" & 2 3/4" WOOD MOTORIZED

- Forest FMS Track with wood pole fascia in 2" or 2 3/4" diameters.
- Motorize with any Forest Shuttle. See all motor specifications on pages 91-92. All Forest Shuttle motors include a 10 year warranty.
- Control drapes with a gentle tug, wall switch, remote, any home automation system or by smart phone app. See control options pages 93-94.

### ASSEMBLED SYSTEM

Includes assembled track, wood fascia, motor, power supply, single wall brackets, and Diamond remote or wall switch.

### AVAILABLE FINISHES XX = finish color, \*smooth poles only



00 Unfinished



25 White



90 Grey\*



45 Leather\*




58 Stone\*




59 Black



70 Hazel








71 Honey









72 Walnut
















73 Natural

WOOD	COMPONENT
• 	<b>52925-25</b> Shuttle HD (M) <b>52925-59</b> Shuttle HD (M) black <b>52939-25</b> Shuttle Eco (S) <b>52923-25</b> Shuttle L See motor specs on pages 91-92
• 	<b>52928-25</b> Power Cord, 7' 6" <b>52934-25</b> Power Cord, 16' includes 24 volt power supply
• 	<b>52926-25</b> Shuttle iOn Includes battery pack and charger with cable. See motor specs on pages 91-92
• 	<b>52949-25</b> Battery Pack Lithium iOn battery charger for use with Shuttle iOn
• 	<b>52924-59</b> Power Cord for use with Shuttle iOn battery charger

WOOD	COMPONENT
• 	<b>52933-25</b> white <b>59</b> black +10% Diamond Sense Wall Switch 2 channel
• 	<b>52931-25D</b> white <b>59D</b> black +10% Diamond Sense Remote RF, 15 channel w/ holder, range 98'
• 	<b>52947-25</b> Wireless Connector One way transmitter to control drapery by third party app or by home automation. Works with all Forest Shuttle motors
• 	<b>52953-25</b> Smart Plug
•  	<b>52948-25</b> <b>59</b> black +10% Wi-Fi Dongle Bi-directional communication using Forest Connect app. Use with Forest Shuttle HD, L & Eco.

# DRAPERY MOTORIZATION

 SHUTTLE MOTOR SPECIFICATIONS | CONTROLS ROADMAP | FMS | RMS | DSXL LED | PURE | DRESDEN | DEVENTER MRS | **WOOD**

WOOD	COMPONENT	WOOD	COMPONENT
•	 <p><b>51323-25</b> white  <b>59</b> black +10%            FMS Track            23' x 10 tracks per bundle            bundle = 230'</p>	•	 <p><b>52008-25</b>  <b>59</b> black +10%            Slim Line Klick Carrier            Draperies hang to conceal track</p>
•	 <p><b>1051RSW-XX</b>            2" Cordoba Smooth, 14'  <b>1072RSW-00</b>            2 3/4" Granada Smooth, 13'</p>	•	 <p><b>52009-25</b>            Ball Bearing Carrier            for motorization</p>
•	 <p><b>1051RRW-XX</b>            2" Cordoba Reeded, 14'  <b>1072RSW-00</b>            2 3/4" Granada Reeded, 13'</p>	•	 <p><b>52508-25</b> Overlap Right  <b>52509-25</b> Underlap Left  <b>59</b> black +10%            Belt Master Carrier</p>
•	 <p><b>1151WEN-XX</b>            2" Cordoba End Cap  <b>1172WEN-XX</b>            2 3/4" Granada End Cap            See all finials pages 60 &amp; 62</p>	•	 <p><b>52508-25A</b> Overlap Right  <b>52509-25A</b> Underlap Left  <b>59A</b> black +10%            Belt Master Carrier with snaps</p>
•	 <p><b>3906-25</b>  <b>59</b> black +10%            Track Connector &amp; key 3904-00</p>	•	 <p><b>52410-25</b> Butt Right  <b>52409-25</b> Butt Left  <b>59</b> black +10%            Butt Master Carrier with snaps</p>
•	 <p><b>3280-25</b>  <b>59</b> black +10%            3" Single Wall Bracket            heavy duty            projection 2 1/2"</p>	•	 <p><b>2552-25</b>            6" Extension Arm for master            Use w/ two one-way draw</p>
•	 <p><b>3281-25</b>  <b>59</b> black +10%            6" Double Wall Bracket            heavy duty            projection 1 1/2", 5 1/2"</p>	•	 <p><b>52903-25</b>  <b>59</b> black +10%            Motor Pulley            Connects motor to track</p>
•	 <p><b>32801-25</b>  <b>59</b> black +10%            Wall Bracket Cover            use with 3280 &amp; 3281</p>	•	 <p><b>52910-25</b>  <b>59</b> black +10%            Return Pulley</p>
•	 <p><b>2114-25</b> 60% fullness 2 5/8" OC  <b>2111-25</b> 80% fullness 2 3/8" OC  <b>2112-25</b> 100% fullness 2 1/8" OC  <b>2115-25</b> 120% fullness 1 7/8" OC  <b>59</b> black +10%            Two-Piece Connected Snap Carrier            w/ Square Base, use 4 1/4" snap tape.</p>	•	 <p><b>9012-25</b>            Transport Belt            Kevlar reinforced</p>
		•	 <p><b>52512-25</b> white  <b>59</b> black +10%            Transport Belt Connector</p>

## TERMS & CONDITIONS

Applicant, to induce Forest Drapery Hardware (FDH) to consider providing goods on credit to Applicant, hereby agrees for itself, its successors, and permitted assigns, that the following terms and conditions shall apply to all sales of goods (the "Goods") by FDH to applicant.

1. Applicant is applying for credit for business purposes. Applicant authorizes all financial institutions and business entities of which FDH may from time to time make inquiry to provide FDH such financial information, as FDH deems necessary to make credit decisions. FDH has no obligation to extend credit to Applicant and may in its sole discretion suspend, terminate or reduce the limits of any extensions of credit at any time and withhold shipments of Goods ordered, or require cash in advance, in the event FDH, in its sole discretion, finds Applicant's financial condition to be unsatisfactory.
2. FDH will provide to Applicant an itemized invoice for each sale. If Applicant does not give written notice to FDH within fifteen (15) calendar days from the date of such invoice of any objection to the Goods listed, the receipt thereof, that such purchase was unauthorized or any other objection, all such objections shall be deemed waived. Applicant waives any and all right to set off claims, which it may assert against FDH, and/or to withhold payment to FDH based on a claim that FDH is indebted to Applicant. No claim asserted by Applicant against FDH shall relieve Applicant of its obligation to make timely payments to FDH.
3. Except as otherwise set forth in a FDH Invoice, payment is due by the 30th day following the date of the invoice. Payments become past due after the 30th day. Applicant agrees that all amounts in past due shall bear interest at 1.5% per month pre- and post-judgment until paid and agrees to pay FDH, in addition to the amount due, attorneys' fees of fifteen percent (15%) of the amount due, or the maximum amount allowed by law, whichever is greater, in the event the account is placed in collections with an attorney, or any other means of collection, and also to pay any and all attorneys' fees and costs associated with post-judgment collection preparation and recording fees. Applicant agrees that all payments shall be applied to Applicant's account as designated in writing and if not designated in writing then FDH shall apply said payments to the most outstanding invoices. This Agreement shall be deemed fully executed and performed in Bartow County, Georgia, and will be governed and construed in accordance with the laws of Georgia. Applicant agrees to examine all invoices and statements promptly upon receipt and to notify FDH immediately at any failure of delivery, shortage, discrepancy or error and further agrees that such invoice or statement shall be presumed correct unless Applicant shall notify FDH in writing of such failure of delivery, shortage, discrepancy or error within thirty (30) calendar days of Applicant's receipt of such invoice or statement. Use of materials by Applicant shall constitute a waiver of any error in shipment or defect in materials, which might have been determined by a prompt and diligent inspection thereof.
4. Any waiver or non-enforcement by FDH of a breach, default or term under this Agreement shall not be deemed a waiver of any subsequent breach or default of enforcement of such term and FDH shall only be deemed to have given as much in writing executed by FDH providing for such waiver. If any provision of this Agreement is waived by FDH or is held to be invalid or unenforceable, all other provisions shall nevertheless continue in full force and effect as if such provision were not contained herein.
5. This Agreement contains the entire agreement and understanding between FDH and Applicant with respect to the sale of Goods by FDH to Applicant (other than payment terms and delivery dates to be set forth in FDH invoices), supersedes all prior agreements, commitments, representations and discussions between FDH and Applicant and is not assignable by Applicant without the prior written consent of FDH. No modifications, amendments or additions to this agreement will be binding on FDH unless such modification, amendment or addition is in writing executed by FDH. Without limitation of the foregoing, the terms hereof shall not be modified, amended or added to by the terms of any purchase order or similar document submitted by Applicant to FDH. The terms here of shall be altered or interpreted by reference to any course of dealing between FDH and Applicant of industry practice. Any action by Applicant instituted against FDH arising from Goods sold must be commenced within one (1) year from date of delivery of the subject of Goods.
6. Applicant shall have seven (7) calendar days from the date of delivery to reject Goods as nonconforming. Such rejection must be in writing received by FDH within such seven (7) calendar days, and specify the Goods rejected and the specific nonconformity asserted and the subject Goods must be received by FDH within ten (10) calendar days from the delivery date of Goods. All Goods not so rejected shall conclusively be deemed to have been accepted. In order to effect such rejection, the Goods returned must be accompanied by a copy of the original invoice or other proof of purchase by Applicant. No charges or expenses incident to any claims will be allowed unless approved by an authorized representative of FDH. Goods shall not be returned to FDH without FDH permission and such returns will only be accepted when return authorization numbers, given by FDH, is mentioned on the Goods and bill of lading. Physical acceptance by FDH of Goods returned may in no way be deemed agreement by FDH of any claim by Applicant of nonconformity.
7. FDH shall have a reasonable time after receipt of proper notice of rejection of nonconformity Goods of revocation of acceptance of nonconformity Goods to repair or replace the Goods or refund the purchase price, with the remedy to be selected by FDH in its sole discretion. If Applicant otherwise has an outstanding balance, the refund shall be in the form of a credit to Applicant's account.
8. Applicant is responsible for determining the Goods it chooses to purchase and for what purposes those Goods will be used and Applicant will not be relying on the skill or judgment of FDH to select or furnish Goods suitable for any particular purpose. FDH MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF FITNESS OR SUITABILITY FOR ANY PURPOSE, AND/OR THE MERCHANTABILITY OF ANY GOODS. Applicant agrees that its sole and exclusive remedy against FDH for defective or nonconforming Goods shall be repair or replacement of such Goods, or refund of purchase price, with the remedy to be selected by FDH at its sole discretion. Applicant hereby waives all other remedies, and in no event shall FDH be liable for any negligence or general, incidental, special, consequent or other damages suffered by Applicant or any other party for lost profit, sales, labor, injury to person or property or any other loss. FDH may deliver certain third-party manufacturer warranties to Applicant, but FDH shall have no liability under such warranties.
9. The undersigned unconditionally personally guarantees the timely payment of all amounts due from Applicant to FDH and agrees to be jointly and severally liable with the Applicant to FDH for any debt owed by the Applicant. The undersigned agrees to pay reasonable attorneys' fees equal to 15% of the outstanding principal and interest owed by the Applicant in the event that the Applicant's account is placed in collections with an attorney or any other means of collection. This personal guarantee may only be revoked in writing sent by certified mail to FDH. Said revocation shall not be effective as to any balance owed prior to receipt of said revocation. The undersigned hereby expressly waives notice of acceptance of this instrument, notice of any default, non-payment, partial payment, presentment, protest, demand and any and all other notices whatsoever.

# APPENDIX

TERMS & CONDITIONS | **ORDERING INFORMATION** | RETURNS, WARRANTY & CARE | CARRIER COUNTS | PRODUCT SUPPORT

## ORDERING INFORMATION



### OPEN AN ACCOUNT

Forest sells to the trade only. If you are a member of the trade and want to open an account, consider that volume of purchases from Forest will determine your discount structure. Using a local distributor may save you shipping time and provide better pricing. See below to find a distributor in your area. If you would like to open an account with Forest, scan this code to go to the new customer forms on the Forest website. [forestdh.com/new-customer-forms](http://forestdh.com/new-customer-forms).



### FIND A DISTRIBUTOR

Buying from a local distributor may save you shipping time and provide better pricing. Need to find a distributor of Forest products? If so, scan this code to find a distributor in your area. [forestdh.com/find-a-distributor](http://forestdh.com/find-a-distributor)

### TO GET A QUOTE OR TO PLACE AN ORDER

We only accept orders in writing, not by phone. Please e-mail your customer service representative or [customerservice@forestdh.com](mailto:customerservice@forestdh.com) with your order information.

### QUESTIONS ON AN ORDER

E-mail or call with your sales order number and we will be happy to help! Our office is open M-F, 8:30 am - 5:30 pm Eastern Time.

P: 678-721-0004

E: [customerservice@forestdh.com](mailto:customerservice@forestdh.com)

## RETURNS, WARRANTY & CARE

### FREIGHT/SHIPPING

Orders will be shipped via the most economical way. Freight charges will be added to invoice. The Forest Drapery Hardware Freight Policy is available online at [forestdh.com/new-customer-forms](http://forestdh.com/new-customer-forms).

### RETURNS

All returns must be approved prior to returning by requesting an RGA authorization number. A 25% restocking fee will be applied. No returns accepted after 30 days of receipt of order or on custom orders.

### PAYMENT

We accept Visa, Mastercard, American Express & Discover Card. Our invoice price is for check payment. We reserve the right to add a convenience fee for credit card payments. Credit is available upon submittal and approval of a credit application.

### SHORTAGES/DAMAGES

Immediately upon receipt, your order should be inspected for shortages, damages, and to insure that there is no concealed damage from shipping. Claims on damages or shortages must be made within 3 days. Please note on the Bill of Lading if there is any possibility of damage. If your driver requires a digital signature, please request an EXCEPTION NUMBER from the driver before signing. Black marks, holes, open ends, over-boxing, re-taping, torn boxes etc., constitutes damage or possible shortage. No concealed damage claims will be filed as they are automatically denied by all carriers. You will be responsible for damaged freight not properly noted on delivery receipt. Our policy is that we replace damaged products per the original order and ship via the original carrier. If your order is damaged in shipping, carriers require that ALL packing materials be kept in order for a representative to inspect the goods. You will be billed for any replacement cost if a freight claim is denied. Replacements for undelivered goods will be sent after freight company has had a reasonable time to deliver order.

### WARRANTY

Forest Drapery Tracks are warranted for 10 years. Forest Motors are warranted for 10 years with the exception of the Forest Lithium Battery Tubular Motor for RBS which is warranted for 1 year. Forest Roller Shades are warranted for 1 year. Warranties do not apply to wear resulting from normal usage, damage from mishandling, alterations from original state, abuse, or exposure due to climate conditions over which we have no control. The Tavira collection is the only category warranted for outdoor use, 1 year. Forest Drapery Hardware does not cover the shipping costs for the return or replacement of warranty items.

### CARE

Products can be cleaned with a damp cloth. Do not use any type of cleaner or solvent.



## RIPPLEFOLD CARRIER COUNTS

For Overlap Masters

No. of Full Spaces Required	Fabric Width Hemmed	Panel Coverage 120% Fullness	Panel Coverage 100% Fullness	Panel Coverage 80% Fullness	Panel Coverage 60% Fullness	* No. of Carriers
7	35 1/2	11-14	12-16	14-17	14-19	8
9	44	15-18	17-20	18-22	20-24	10
11	52 1/2	19-21	21-24	23-27	25-30	12
13	61	22-25	25-28	28-32	31-35	14
15	69 1/2	26-29	29-32	33-36	36-40	16
17	78	30-33	33-37	37-41	41-45	18
19	86 1/2	34-36	38-41	42-46	46-51	20
21	95	37-40	42-45	47-51	52-56	22
23	103 1/2	41-44	46-50	52-55	57-61	24
25	112	45-48	51-54	56-60	62-66	26
27	120 1/2	49-51	55-58	61-65	67-72	28
29	129	52-55	59-62	66-70	73-77	30
31	137 1/2	56-59	63-66	71-74	78-82	32
33	146	60-63	67-71	75-79	83-87	34
35	154 1/2	64-66	72-75	80-84	88-93	36
37	163	67-70	76-79	85-89	94-98	38
39	171 1/2	71-74	80-84	90-93	99-103	40
41	180	75-78	85-88	94-98	104-108	42
43	188 1/2	79-81	89-92	99-103	109-114	44
45	197	82-85	93-96	104-108	115-119	46
47	205 1/2	86-89	97-101	109-112	120-124	48
49	214	90-93	102-105	113-117	125-129	50
51	222 1/2	94-96	106-109	118-122	130-135	52
53	231	97-100	110-113	123-127	136-140	54
55	239 1/2	101-104	114-118	128-131	141-145	56

No. of Full Spaces Required	Fabric Width Hemmed	Panel Coverage 120% Fullness	Panel Coverage 100% Fullness	Panel Coverage 80% Fullness	Panel Coverage 60% Fullness	* No. of Carriers
57	248	105-108	119-122	132-136	146-150	58
59	256 1/2	109-111	123-126	137-141	151-156	60
61	265	112-115	127-130	142-146	157-161	62
63	273 1/2	116-119	131-136	147-150	162-166	64
65	282	120-123	137-139	151-155	167-171	66
67	290 1/2	124-126	140-143	156-160	172-176	68
69	299	127-130	144-147	161-165	177-182	70
71	307 1/2	131-134	148-152	166-169	183-187	72
73	316	135-138	153-156	170-174	188-192	74
75	324 1/2	139-141	157-160	175-179		76
77	333	142-145	161-164	180-184		78
79	341 1/2	146-149	165-168	185-188		80
81	350	150-153	169-173	189-193		82
83	358 1/2	154-156	174-177			84
85	367	157-160	178-181			86
87	375 1/2	161-164	182-186			88
89	384	165-168	187-190			90
91	392 1/2	169-171				92
93	401	172-175				94
95	409 1/2	176-179				96
97	418	180-183				98
99	426 1/2	184-186				100
101	435	187-190				102

\* Includes one carrier (button position only) for attachment to master.

# APPENDIX

TERMS & CONDITIONS | ORDERING INFORMATION | RETURNS, WARRANTY & CARE | **CARRIER COUNTS** | PRODUCT SUPPORT

## RIPPLEFOLD CARRIER COUNTS

For Butt Masters

No. of Full Spaces Required	Fabric Width Hemmed	Panel Coverage 120% Fullness	Panel Coverage 100% Fullness	Panel Coverage 80% Fullness	Panel Coverage 60% Fullness	* No. of Carriers
7	34	13-13	13-14	13-16	16-18	8
9	42 1/2	14-16	15-19	17-21	19-23	10
11	51	17-20	20-23	22-26	24-28	12
13	59 1/2	21-24	24-27	27-30	29-34	14
15	68	25-28	28-31	31-35	35-39	16
17	76 1/2	29-31	32-36	36-40	40-44	18
19	85	32-35	37-40	41-45	45-49	20
21	93 1/2	36-39	41-44	46-49	50-55	22
23	102	40-43	45-48	50-54	56-60	24
25	110 1/2	44-46	49-53	55-59	61-65	26
27	119	47-50	54-57	60-64	66-70	28
29	127 1/2	51-54	58-61	65-68	71-76	30
31	136	55-58	62-65	69-73	77-81	32
33	144 1/2	59-61	66-70	74-78	82-86	34
35	153	62-65	71-74	79-83	87-91	36
37	161 1/2	66-69	75-78	84-87	92-97	38
39	170	70-73	79-82	88-92	98-102	40
41	178 1/2	74-76	83-87	93-97	103-107	42
43	187	77-80	88-91	98-102	108-112	44
45	195	81-84	92-95	103-106	113-118	46
47	204	85-88	96-99	107-111	119-123	48
49	212 1/2	89-91	100-104	112-116	124-128	50
51	221	92-95	105-108	117-121	129-133	52
53	229 1/2	96-99	109-112	122-125	134-139	54
55	238	100-103	113-116	126-130	140-144	56

No. of Full Spaces Required	Fabric Width Hemmed	Panel Coverage 120% Fullness	Panel Coverage 100% Fullness	Panel Coverage 80% Fullness	Panel Coverage 60% Fullness	* No. of Carriers
57	246 1/2	104-106	117-121	131-135	145-149	58
59	255	107-110	122-125	136-140	150-154	60
61	263 1/2	111-114	126-129	141-144	155-160	62
63	272	115-118	130-133	145-149	161-165	64
65	280 1/2	119-121	134-138	150-154	166-170	66
67	289	122-125	139-142	155-159	171-175	68
69	297 1/2	126-129	143-146	160-163	176-181	70
71	306	130-133	147-150	164-168	182-186	72
73	314 1/2	134-136	151-155	169-173	187-191	74
75	323	137-140	156-159	174-178	192-196	76
77	331 1/2	141-144	160-163	179-182		78
79	340	145-148	164-167	183-187		80
81	348 1/2	149-151	168-172	188-192		82
83	357	152-155	173-176	193-197		84
85	365 1/2	156-159	177-180			86
87	374	160-163	181-184			88
89	382 1/2	164-166	185-189			90
91	391	167-170	190-193			92
93	399 1/2	171-174				94
95	408	175-178				96
97	416 1/2	179-181				98
99	425	182-185				100
101	433 1/2	186-189				102
103	442	190-193				104

\* Includes one carrier (button position only) for attachment to master.

# APPENDIX

TERMS & CONDITIONS | ORDERING INFORMATION | RETURNS, WARRANTY & CARE | CARRIER COUNTS | **PRODUCT SUPPORT**

## PRODUCT SUPPORT



### FOREST WEBSITE – FORESTDH.COM

Catalog & Spec Sheets  
Assembly & Installation Instructions  
Technical Manuals  
Trade Show Schedule . . . . .



### PRODUCT CATALOGS

The Forest product catalog contains over 100 pages of product available in our Atlanta warehouse.  
See the catalog in print or online. . . . .



### DECORATIVE HARDWARE FINISH SWATCH BINDER

The Forest finish swatch binder contains physical samples of each finish in our decorative metal and wood collections, a swatch card of our in-stock roller shade fabrics, and a product catalog.



### ROLLER SHADE FABRIC SWATCH CARD

The Forest roller shade fabric swatch card allows you to see and feel our stock fabrics . . . . . email [customerservice@forestdh.com](mailto:customerservice@forestdh.com)

## PRODUCT SUPPORT



### FOREST YouTube CHANNEL

Programming, Assembly, Tips & Tricks . . . . .




### STARTER MARKETING KIT FOR YOUR SHOWROOM

The standard kit includes a box of catalogs, a finish swatch binder, a roller shade fabric swatch card, a wall display (with 10 hardware samples), and a motorized sample up to 8' wide (choice of track, metal, wood or roller shade). Kit is valued at \$1,745. Forest will take it back in 150 days if it does not sell for you.



### DRAPERY HARDWARE WALL DISPLAY

Boards (11) – Top logo board plus ten acrylic boards with hardware set attached, 25 1/4"W x 3 7/8"H  
Rails – Pair of wall mount rails that sample boards mount onto, 53 1/8"H



### PRODUCT TRAINING

Forest sales managers will train you and your customers at your facility or ours. Call today to schedule a group presentation, lunch & learn, or an open house – 678-721-0004.



### CHILD SAFETY

All Forest custom assembled products containing cords meet ANSI/WCMA A100.1-2018 child safety standards and include a tension device and a warning label like the one to the left.





THE WORLD BEHIND YOUR DRAPERIES

Available through  
Ona Drapery Hardware Company

5320 Arapahoe Ave  
Boulder, CO 80303  
800-231-4025 phone  
888-231-4026 fax  
info@onadrapery.com  
www.onadrapery.com

